

# PROCLASSIC R / PROCLASSIC F

Profiles for floors of same height



## DESCRIPTION

**Proclassic** is a range of cover threshold profiles designed specially as transitions to hide joints and any flawed edges where coverings have been cut or to join two different types of flooring (tiled floors and wood or carpet for example).

**Proclassic** comes in different materials and finishes, depending on the model, and the following versions:

- rounded (**Proclassic R**)
- flat (**Proclassic F**)

The rounded ones can offset a small difference in height (2/3mm) between two different types of floor.

The versatility of the **Proclassic** range and the diversity of the materials means the profiles can be used in both domestic and public applications.

## MATERIALS

### Anodized aluminium

Al-Mg-Si aluminium, heat-treated in T6 (6060 T6).

The profiles are made by extrusion then anodized with a  $\geq 15 \mu\text{m}$  thick layer.

The outer surface must be protected from scratches and rubbing. They present a strong resistance to chemical and atmospheric agents. When wet, concrete and its derivatives produce alkaline substances which can corrode metal (forming aluminium hydroxide) when allowed to react with the surface. For this reason, the visible surface of the profile must be quickly and delicately cleaned to remove any concrete, adhesive or grouting substances and detergents.

Anodized surfaces can become ruined through wear and foot traffic (profiles used on floors) and the original finish lost as a result.

## Stainless steel

### AISI 304 - DIN 1.4301

Especially resistant to the main chemical and atmospheric agents, to lime, mortar, tile adhesives and cleaning products.

Also recommended for use in food industries, hospitals, external environments in general, etc.

### AISI 430 - DIN 1.4016

This type of stainless steel has moderate resistance to corrosive agents. It is recommended for indoor use.

## Polished brass

### Alloy CW624N UNI EN 12167

The outer surface must be protected from scratches and rubbing.

Resistance to chemical agents and mechanical stress is good. Parts of the brass in contact with the air are subject to oxidation, producing a film on the surface. In the presence of extreme humidity or corrosive agents, brass will oxidise quickly and marks may appear on the surface. Where necessary, it can be restored to its natural state with abrasives or special polishes.

## General note on metals

Aluminium, stainless steel and brass are not resistant to all chemical compounds. Consequently, contact with particularly aggressive products like hydrochloric acid (HCl) and phosphoric acid (H<sub>3</sub>PO<sub>4</sub>) should be avoided. Products generally used to clean stone, ceramic and porcelain tiles, such as muriatic acid, ammonia and bleach, damage the surface finish on the metal and can cause intense corrosion. Moreover, any residues of concrete, adhesive, and grouting materials must always be removed from the surface of the profiles as quickly and delicately as possible.

If adhesive tape is used to cover the profile, it must not be left any longer than an hour.

## FIXING

### Fixing with PP/96 type adhesive

Remove the profile from the packaging.

Where present, also remove any protection (protective and/or shrink-wrapped film) added to protect the finish. Measure the length required and cut the profile to this length using an appropriate tool.

Place the profile, cut to the right length, in position and fix it to the laying surface with a suitable adhesive (such as PP/96), making sure that the support is free of dirt and perfectly clean.

Press and hold evenly along the length of the profile to make sure it bonds correctly to the laying surface.

### Fixing profiles with adhesive

Remove the profile from the packaging.

Where present, also remove any protection (protective and/or shrink-wrapped film) added to protect the finish. Measure the length required and cut the profile to this length using an appropriate tool.

Pull off the protective film making sure that the surface onto which it will be placed is perfectly clean and not flaking.

Lay the profile in position, press and hold evenly along the full length to make sure it bonds correctly to the laying surface.

### Laying drilled profiles with screws

Remove the profile from the packaging.

Where present, also remove any protection (protective and/or shrink-wrapped film) added to protect the finish.

Measure the length required and cut the profile to this length using an appropriate tool.  
 After cutting the profile to the right length, place in position and use a permanent marker to mark the exact position of the holes on the profile, where holes should be drilled.  
 Remove the profile and drill the floor in the exact positions that you marked previously, being careful to check the exact size of the plugs needed.  
 Slot the plugs into the holes drilled in the floor, the profile correctly and fix it to the wall using the right type of screws making sure that the support surface is perfectly clean.

## CARE AND MAINTENANCE

Care and maintenance procedures for the materials used to make these profiles depends largely on the type of alloy and/or finish used.

The instructions provided below describe the operations to be performed on the profile to restore it as much as possible to its original condition.

The purpose of this document is to provide as many general indications as possible to guide you on when and how to clean the product, but they should also be verified on a case-by-case basis.

It should be pointed out there are specific responsibilities in each part of the product's life cycle, starting from when it is installed the first time.

### Aluminium

No special maintenance is required and aluminium products can be easily treated with colourless alcohol in a water solution or using ordinary detergents, provided they do not contain acid (hydrochloric or hydrofluoric). Detergent products made by multiple manufacturers and sold under a variety of commercial brands can generally be used for cleaning.

Generally speaking, there are three types of products:

- Alkaline
- Neutral
- Acid

For cleaning purposes, we recommend using a neutral detergent diluted in water then rinsing with water only, using a non-abrasive sponge and/or cloth to avoid scratching and/or damaging the anodized surface. During cleaning, the following aspects must be kept in mind at all times:

- Do not use acid or alkaline detergents because they could damage the aluminium;
- Do not use products and/or abrasive materials;
- Do not use organic solvents on painted surfaces;
- Do not use detergents without first checking their chemical composition;
- Do not apply detergents straight onto the surface to be cleaned;
- Surfaces must be "cold" (max T° = 30°C) during cleaning and not exposed to direct sunlight;
- Detergents used in cleaning must also be "cold" (max T° = 30°C) and steam sprays should not be used.

In any case, the final stage in the cleaning process is always sufficient rinsing of the parts treated with water. They must then be immediately dried using soft fabric or leather cloths. Polishes or similar products are not required.

Clean profiles carefully as soon as required, following the instructions on the product package, to prevent any residues of concrete, grout or similar substances from attacking the surface.

### Stainless steel

Stainless steel surfaces can be polished with suitable, widely available products.

Stainless steel is easy to clean and extremely hygienic; the smooth, non-porous surface makes the adhesion and survival of bacteria and/or other micro-organisms.

To keep stainless steel perfectly maintained, there are just a few simple rules: wash with soap and warm water, rinse well then dry with a soft cloth.

For surfaces exposed to atmospheric agents and attack, we recommend cleaning the stainless steel profile regularly to maintain the surface unaltered and prevent corrosion.

Surfaces with a brushed finish should always be cleaned in the direction of the brushing and not at an angle to it.

In the event of scratches, use a detergent/polish made specifically for stainless steel, and a soft cloth.

For cleaning, do not use any of the following:

- detergents containing hydrochloric acid (also known as muriatic acid), hydrofluoric acid or bleach; avoid direct contact on surfaces with detergents containing chlorides, unless the contact is short and the surface is well-rinsed afterwards.
- abrasive powdered detergents which could damage the surface finish of the profile.

Do not leave mild steel objects or utensils (like brushes or steel wool normally used to remove residues of mortar or similar products) in contact with stainless steel profiles for extended lengths of time. They could transfer iron particles (contamination) and trigger rust on the surface.

Do not leave damp cloths or sponges for extended lengths of time on the stainless steel surface to prevent the formation of unsightly water marks.

### Brass

Brass does not require special maintenance: it can be easily cleaned with alcohol diluted in water or ordinary detergents, provided they are not acid-based. Water can be used with added neutral detergents and the final rinse with water alone. Use non-abrasive sponges or cloths which will not scrape the surface. Use polishes that are commonly available.

## FIRE PREVENTION MEASURES

In the event of fire, use chemical fire extinguishers, dry sand or solid extinguishing agents.


## NOTES

These profiles must be handled with caution, being careful to wear suitable gloves to prevent injury and/or cuts to the hands.


The instructions and specifications provided here are the product of our experience but are only a guide, should not be considered exhaustive and must be confirmed by extensive practical applications.

Profilpas declines any responsibility for damage to people or things resulting from improper use of the product.

Users must establish for themselves if the product is suitable for the required use and they bear full responsibility for any incorrect installation of the material.



21/




30/


PROCLASSIC R

|                                        |                                                                                    |             |                                                                                                      |       |       |       |     |       |       |       |
|----------------------------------------|------------------------------------------------------------------------------------|-------------|------------------------------------------------------------------------------------------------------|-------|-------|-------|-----|-------|-------|-------|
| pack                                   | 30 pcs                                                                             |             | 10 pcs / blister  |       |       |       |     |       |       |       |
| length cm                              | 270                                                                                |             | 83                                                                                                   |       | 93    |       | 103 |       | 166   |       |
| ART.                                   | 30/                                                                                |             | 430/                                                                                                 |       |       |       |     |       |       |       |
| finishing                              | F                                                                                  | A           | CV                                                                                                   | AD    | CV    | AD    | CV  | AD    | CV    | AD    |
| ALUMINIUM                              |                                                                                    |             |                                                                                                      |       |       |       |     |       |       |       |
| silver anodised                        |   | 71067 71097 | 20128                                                                                                | 20148 | 20132 | 20152 | -   | 20156 | 20140 | 20160 |
| gold anodised                          |   | 71077 71107 | -                                                                                                    | -     | 20133 | 20153 | -   | 20157 | -     | 20161 |
|                                        |                                                                                    |             |                                                                                                      |       |       |       |     |       |       |       |
| titanium anodised                      |   | - 71098     | -                                                                                                    | -     | -     | -     | -   | -     | -     | -     |
|                                        |                                                                                    |             |                                                                                                      |       |       |       |     |       |       |       |
| bronze anodised                        |   | - 71117     | -                                                                                                    | -     | -     | 20154 | -   | -     | -     | -     |
|                                        |                                                                                    |             |                                                                                                      |       |       |       |     |       |       |       |
| colour-coated anthracite grey RAL 7016 |  | - 71101     | -                                                                                                    | -     | -     | -     | -   | -     | -     | -     |

individually packed



35/



41/

PROCLASSIC R


|                               |                                                                                       |       |       |
|-------------------------------|---------------------------------------------------------------------------------------|-------|-------|
| length = 270 cm - pack 20 pcs |                                                                                       |       |       |
| ART.                          |                                                                                       | 35/   |       |
| finishing                     |                                                                                       | F     | A     |
| ALUMINIUM                     |                                                                                       |       |       |
| silver anodised               |  | 71387 | 71417 |

individually packed

PROCLASSIC R

|                   |                                                                                       |             |                                                                                                        |
|-------------------|---------------------------------------------------------------------------------------|-------------|--------------------------------------------------------------------------------------------------------|
| pack              | 20 pcs                                                                                |             | 10 pcs / blister  |
| length cm         | 270                                                                                   |             | 90                                                                                                     |
| ART.              | 41/                                                                                   |             | 441/                                                                                                   |
| finishing         | F                                                                                     | A           | AD                                                                                                     |
| ALUMINIUM         |                                                                                       |             |                                                                                                        |
| silver anodised   |  | 71587 71617 | 20552                                                                                                  |
| gold anodised     |  | - 71627     | 20553                                                                                                  |
|                   |                                                                                       |             |                                                                                                        |
| titanium anodised |  | - 71618     | 20555                                                                                                  |
|                   |                                                                                       |             |                                                                                                        |
| bronze anodised   |  | - 71637     | -                                                                                                      |

individually packed



720/  
722/  
020/

PROCLASSIC R

|                                                   |                                                                                               |                                                                                                      |             |             |             |             |       |
|---------------------------------------------------|-----------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------|-------------|-------------|-------------|-------------|-------|
| pack                                              | 20 pcs                                                                                        | PRO                                                                                                  |             |             |             |             |       |
| length cm                                         | 270                                                                                           | 73                                                                                                   | 83          | 93          | 103         | 166         |       |
| ART.                                              | 720/                                                                                          | 720/                                                                                                 |             |             |             |             |       |
| finishing                                         | F A                                                                                           | F A                                                                                                  | F A         | F A         | F A         | F A         | F A   |
| STAINLESS STEEL (thickness 10/10)                 |                                                                                               |                                                                                                      |             |             |             |             |       |
| polished stainless steel<br>AISI 430 - DIN 1.4016 |  71287 71297 | 71280 71290                                                                                          | 71281 71291 | 71282 71292 | - -         | - 71294     |       |
|                                                   |                                                                                               |                                                                                                      |             |             |             |             |       |
|                                                   |                                                                                               |                                                                                                      |             |             |             |             |       |
|                                                   |                                                                                               | 10 pcs / blister  |             |             |             |             |       |
| ART.                                              |                                                                                               | 4720/                                                                                                |             |             |             |             |       |
| finishing                                         |                                                                                               | CV AD                                                                                                | CV AD       | CV AD       | CV AD       | CV AD       | CV AD |
| polished stainless steel<br>AISI 430 - DIN 1.4016 |  - -         | 20287 20293                                                                                          | 20288 20294 | 20289 20295 | 20290 20296 | 20291 20297 |       |
|                                                   |                                                                                               |                                                                                                      |             |             |             |             |       |
|                                                   |                                                                                               |                                                                                                      |             |             |             |             |       |
| satin stainless steel<br>AISI 430 - DIN 1.4016    |  - 71298     | - -                                                                                                  | - -         | - -         | - -         | - -         |       |

individually packed

PROCLASSIC R

|                                                |                                                                                             |                                                                                                      |       |         |       |       |       |
|------------------------------------------------|---------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------|-------|---------|-------|-------|-------|
| pack                                           | 20 pcs                                                                                      | 10 pcs / blister  |       |         |       |       |       |
| length cm                                      | 270                                                                                         | 73                                                                                                   | 83    | 93      | 103   | 166   |       |
| ART.                                           | 722/                                                                                        | 4722/                                                                                                |       |         |       |       |       |
| finishing                                      | - A                                                                                         | CV AD                                                                                                | CV AD | CV AD   | CV AD | CV AD | CV AD |
| STAINLESS STEEL (thickness 10/10)              |                                                                                             |                                                                                                      |       |         |       |       |       |
| satin stainless steel<br>AISI 304 - DIN 1.4301 |  - 71268 | - -                                                                                                  | - -   | - 20300 | - -   | - -   |       |
|                                                |                                                                                             |                                                                                                      |       |         |       |       |       |
|                                                |                                                                                             |                                                                                                      |       |         |       |       |       |

individually packed


PROCLASSIC R

|                         |                                                                                                 |                                                                                                        |             |             |             |             |       |
|-------------------------|-------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------|-------------|-------------|-------------|-------------|-------|
| pack                    | 20 pcs                                                                                          | 10 pcs / blister  |             |             |             |             |       |
| length cm               | 270                                                                                             | 73                                                                                                     | 83          | 93          | 103         | 166         |       |
| ART.                    | 020/                                                                                            | 4020/                                                                                                  |             |             |             |             |       |
| finishing               | F A                                                                                             | CV AD                                                                                                  | CV AD       | CV AD       | CV AD       | CV AD       | CV AD |
| BRASS (thickness 10/10) |                                                                                                 |                                                                                                        |             |             |             |             |       |
| polished                |  71187 71207 | 20207 20213                                                                                            | 20208 20214 | 20209 20215 | 20210 20216 | 20211 20217 |       |
|                         |                                                                                                 |                                                                                                        |             |             |             |             |       |
|                         |                                                                                                 |                                                                                                        |             |             |             |             |       |

individually packed



020/A polished brass




726/

PROCLASSIC R

|                                                   |                                                                                   |       |                                                                                                      |    |       |       |       |    |       |
|---------------------------------------------------|-----------------------------------------------------------------------------------|-------|------------------------------------------------------------------------------------------------------|----|-------|-------|-------|----|-------|
| pack                                              | 20 pcs                                                                            |       | PRO                                                                                                  |    |       |       |       |    |       |
| length                                            | 270                                                                               |       | 83                                                                                                   |    | 93    |       | 166   |    |       |
| ART.                                              | 726/                                                                              |       | 726/                                                                                                 |    |       |       |       |    |       |
| finishing                                         | F                                                                                 | A     | F                                                                                                    | A  | F     | A     | F     | A  |       |
| STAINLESS STEEL (thickness 10/10)                 |                                                                                   |       |                                                                                                      |    |       |       |       |    |       |
| polished stainless steel<br>AISI 430 - DIN 1.4016 |  | 71507 | 71517                                                                                                | -  | -     | 71502 | 71512 | -  | -     |
|                                                   |                                                                                   |       |                                                                                                      |    |       |       |       |    |       |
|                                                   |                                                                                   |       |                                                                                                      |    |       |       |       |    |       |
|                                                   |                                                                                   |       | 10 pcs / blister  |    |       |       |       |    |       |
| ART.                                              | 4726/                                                                             |       |                                                                                                      |    |       |       |       |    |       |
| finishing                                         |                                                                                   |       | CV                                                                                                   | AD | CV    | AD    | CV    | AD |       |
| polished stainless steel<br>AISI 430 - DIN 1.4016 |  | -     | -                                                                                                    | -  | 26016 | 26010 | 26017 | -  | 26019 |
|                                                   |                                                                                   |       |                                                                                                      |    |       |       |       |    |       |
| satin stainless steel<br>AISI 430 - DIN 1.4016    |  | -     | 71518                                                                                                | -  | -     | -     | -     | -  | -     |

individually packed




026/

PROCLASSIC R

|                              |                                                                                                 |                                                                                                      |       |
|------------------------------|-------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------|-------|
| pack                         | 20 pcs                                                                                          | 10 pcs / blister  |       |
| thickness =10/10 - length cm | 270                                                                                             | 93                                                                                                   |       |
| ART.                         | 026/                                                                                            | 4026/                                                                                                |       |
| finishing                    | F A                                                                                             | CV                                                                                                   | AD    |
| BRASS (thickness 10/10)      |                                                                                                 |                                                                                                      |       |
| polished                     |  71447 71457 | 20409                                                                                                | 20415 |
|                              |                                                                                                 |                                                                                                      |       |

individually packed



729/

PROCLASSIC R

|                                                   |                                                                                   |       |                                                                                                     |         |
|---------------------------------------------------|-----------------------------------------------------------------------------------|-------|-----------------------------------------------------------------------------------------------------|---------|
| pack                                              | 20 pcs                                                                            |       | 5 pcs / blister  |         |
| length                                            | 270                                                                               |       | 93                                                                                                  |         |
| ART.                                              | 729/                                                                              |       | 4729/                                                                                               |         |
| finishing                                         | F                                                                                 | A     | CV                                                                                                  | AD      |
| STAINLESS STEEL (thickness 12/10)                 |                                                                                   |       |                                                                                                     |         |
| polished stainless steel<br>AISI 430 - DIN 1.4016 |  | 71667 | 71677                                                                                               | - 40220 |
|                                                   |                                                                                   |       |                                                                                                     |         |
| satin stainless steel<br>AISI 430 - DIN 1.4016    |  | -     | 71678                                                                                               | - -     |


individually packed



722/A satin stainless steel AISI 304 DIN 1.4301




25/A silver anodised aluminium



19/

**PROCLASSIC F**

|                     |                                                                                    |       |                                                                                                      |             |
|---------------------|------------------------------------------------------------------------------------|-------|------------------------------------------------------------------------------------------------------|-------------|
| pack                | 30 pcs                                                                             |       | 10 pcs / blister  |             |
| length cm           | 270                                                                                |       | 93                                                                                                   |             |
| ART.                | 19/                                                                                |       | 419/                                                                                                 |             |
| finishing           | F                                                                                  | A     | CV                                                                                                   | AD          |
| <b>ALUMINIUM</b>    |                                                                                    |       |                                                                                                      |             |
| silver anodised     |   | 71867 | 71897                                                                                                | 27074 27092 |
| gold anodised       |   | -     | 71907                                                                                                | 27080 27099 |
| bronze anodised     |  | -     | 71917                                                                                                | - -         |
| individually packed |                                                                                    |       |                                                                                                      |             |




25/

PROCLASSIC F

|                 |                                                                                   |       |       |                                                                                                      |             |
|-----------------|-----------------------------------------------------------------------------------|-------|-------|------------------------------------------------------------------------------------------------------|-------------|
| pack            | 20 pcs                                                                            |       |       | 10 pcs / blister  |             |
| length cm       | 270                                                                               |       |       | 93                                                                                                   |             |
| ART.            | 25/                                                                               |       |       | 425/                                                                                                 |             |
| finishing       | F                                                                                 | D     | A     | CV                                                                                                   | AD          |
| ALUMINIUM       |                                                                                   |       |       |                                                                                                      |             |
| silver anodised |  | 71947 | 71948 | 71977                                                                                                | 22533 22553 |
| gold anodised   |  | 71957 | -     | 71987                                                                                                | 22534 22554 |
| bronze anodised |  | -     | -     | 71997                                                                                                | - 22555     |

individually packed



22/A  
422/AD

PROCLASSIC F

|                                 |                                                                                     |       |                                                                                                      |       |
|---------------------------------|-------------------------------------------------------------------------------------|-------|------------------------------------------------------------------------------------------------------|-------|
| pack                            | 10 pcs                                                                              |       | 10 pcs / blister  |       |
| length cm                       | 270                                                                                 |       | 90                                                                                                   |       |
| ART.                            | 22/A                                                                                |       | 422/AD                                                                                               |       |
| finishing                       |                                                                                     |       |                                                                                                      |       |
| ALUMINIUM                       |                                                                                     |       |                                                                                                      |       |
| silver                          |   | 44000 |                                                                                                      | 43790 |
| titanium                        |  | 44001 |                                                                                                      | 43791 |
| ALUMINIUM - decors ALCROM® PLUS |                                                                                     |       |                                                                                                      |       |
| black 97                        |  | 43996 |                                                                                                      | -     |

Wood-effect decors available



PROCLASSIC F

|              |        |        |        |                                                                                                      |                           |
|--------------|--------|--------|--------|------------------------------------------------------------------------------------------------------|---------------------------|
| pack         | 20 pcs |        |        | 10 pcs / blister  | 10 pcs                    |
| length cm    | 270    |        |        | 90                                                                                                   | 270                       |
| measures LxH | 15x1,8 | 20x1,8 | 30x2,5 | 30x2,5                                                                                               | 40x2,5<br>thickness 10/10 |
| ART.         | 723/A  | 724/A  | 730/A  | 4730/AD                                                                                              | 740/A                     |

STAINLESS STEEL

|                                                   |                                                                                   |       |       |       |       |       |
|---------------------------------------------------|-----------------------------------------------------------------------------------|-------|-------|-------|-------|-------|
| polished stainless steel<br>AISI 430 - DIN 1.4016 |  | 71717 | 71777 | 72117 | 20692 | 72377 |
|                                                   |                                                                                   |       |       |       |       |       |
|                                                   |                                                                                   |       |       |       |       |       |

art. 723/ no individually packed - art. 730/ and 740/ individually packed



PROCLASSIC F

|                                                                                            |        |        |        |                                                                                                      |        |
|--------------------------------------------------------------------------------------------|--------|--------|--------|------------------------------------------------------------------------------------------------------|--------|
| pack                                                                                       | 20 pcs |        |        | 10 pcs / blister  | 10 pcs |
| thickness 10/10 - length cm                                                                | 270    |        |        | 90                                                                                                   | 270    |
| measures LxH                                                                               | 15x1,8 | 20x1,8 | 30x2,5 | 30x2,5                                                                                               | 40x2,5 |
| ART.                                                                                       | 023/A  | 024/A  | 030/A  | 4030/AD                                                                                              | 040/A  |
| BRASS                                                                                      |        |        |        |                                                                                                      |        |
| polished  | 71697  | 71757  | 72057  | 20612                                                                                                | 72317  |
|                                                                                            |        |        |        |                                                                                                      |        |

art. 030/ and 040/ individually packed - art. 023/ and 024/ not individually packed



22/A aluminium covered with Alcrom® Plus black 97

**LEGAL NOTICE**

The contents of this Technical Data Sheet ("TDS") may be copied into another project-related document, but the resulting document shall not supplement nor replace requirements per the TDS in effect at the time of the MAPEI product installation. For the most up-to-date TDS and warranty information, please visit our website at [www.mapei.com](http://www.mapei.com). **ANY ALTERATIONS TO THE WORDING OR REQUIREMENTS CONTAINED IN OR DERIVED FROM THIS TDS SHALL VOID ALL RELATED MAPEI WARRANTIES.**

Before using, the user must determine the suitability of our products for the intended use, and the user alone assumes all risks and liability. **ANY CLAIM SHALL BE DEEMED WAIVED UNLESS MADE IN WRITING TO US WITHIN FIFTEEN (15) DAYS FROM DATE IT WAS, OR REASONABLY SHOULD HAVE BEEN, DISCOVERED.**

**CONTACT INFORMATION****MAPEI Headquarters of North America**

1144 East Newport Center Drive  
Deerfield Beach, Florida 33442  
1-888-US-MAPEI (1-888-876-2734) / (954) 246-8888

**Technical Services**

U.S. and Puerto Rico:

Flooring: 1-800-992-6273

Concrete and heavy construction: 1-888-365-0614

Canada:

1-800-361-9309

**Customer Service**

1-800-42-MAPEI (1-800-426-2734)

**Edition Date: October 31, 2023 MK 13235 (24-1947)**

For the most current product data and BEST-BACKED<sup>SM</sup> warranty information, visit [www.mapei.com](http://www.mapei.com).

All Rights Reserved. © 2023 MAPEI Corporation.

