

PVC LINE 8602 8603 8607

Skirting board



DESCRIPTION

PVC Line 8602, 8603 and 8607 are a range of shock-proof, foam PVC skirting boards.

They are especially recommended for DIY use being so quick and easy to apply using special spring steel clips.

They come in different colours and also have a decorative function meaning they can hide the gap at the edge of wood and laminate floating floors.

Special components are available to create joints with the following functions: external corners, internal corners, joints and edging trims, to create uniform, linear finishes.

MATERIALS

Foam PVC

Foam PVC compound, lead-free, self-extinguishing. Stabilised, eco-compatible, based on Ca-Zn salts.

FIXING

Fixing with spring steel clips Item No. 8602/C

Remove the skirting board from the packaging.

Where present, also remove any protection (protective and/or shrink-wrapped film) added to protect the finish.

Measure the length required and cut the skirting board to this length using an appropriate tool.

Bring the spring steel supports into the wall, making sure the base sticks to the floor.

Using a permanent marker, mark the exact position where to drill the holes (we recommend fixing supports to the wall every 40 cm).

Remove the supports and drill the floor in the exact positions that you previously marked, being careful to check the exact size of the screws and plugs needed.

Place the plugs in the holds, reposition the supports over the holes and screw them to the wall.

Cut the skirting board to length then position it correctly and press down on it over the supports to clip it fully into place and in proper alignment with the wall, making sure that the support is free of dirt and perfectly clean.

CARE AND MAINTENANCE

Care and maintenance procedures for the materials used to make these profiles depends largely on the type of alloy and/or finish used.

The instructions provided below describe the operations to be performed on the profile to restore it as much as possible to its original condition. The purpose of this document is to provide as many general indications as possible to guide you on when and how to clean the product, but they should also be verified on a case-by-case basis.

It should be pointed out there are specific responsibilities in each part of the product's life cycle, starting from when it is installed the first time.

PVC- does not require special maintenance: it can be easily cleaned with colourless alcohol diluted in water or ordinary detergents.

FIRE PREVENTION MEASURES

In the event of fire, use chemical fire extinguishers, dry sand or solid extinguishing agents.


NOTES

These profiles must be handled with caution, being careful to wear suitable gloves to prevent injury and/or cuts to the hands.

The instructions and specifications provided here are the product of our experience but are only a guide, should not be considered exhaustive and must be confirmed by extensive practical applications.

Profilpas declines any responsibility for damage to people or things resulting from improper use of the product.

Users must establish for themselves if the product is suitable for the required used and they bear full responsibility for any incorrect installation of the material.



8602

PVC LINE


length 250 cm - pack 40 pcs

FOAM PVC


H = 48 mm

ART.	decors	
	555	29530
8602	556	29532
	557	29534

no partial packaging



8602/I



8602/E



8602/G



8602/P

INSIDE CORNER

pack 10 pcs

POLYPROPYLENE

H = 48 mm

ART.	decors	
	555	29578
8602/I	556	29580
	557	29582

no partial packaging

JUNCTION

pack 10 pcs

POLYPROPYLENE

H = 48 mm

ART.	decors	
	555	29678
8602/G	556	29680
	557	29682

no partial packaging

FIXING CLIPS

10 blister packs/ 20 pcs/blister

8602/C	29750
--------	-------

OUTSIDE CORNER

pack 10 pcs

POLYPROPYLENE

H = 48 mm

ART.	decors	
	555	29628
8602/E	556	29630
	557	29632

no partial packaging

RIGHT/LEFT END CAPS

pack 10 pcs

POLYPROPYLENE

H = 48 mm


ART.	decors	
	555	29728
8602/P dx/sx	556	29730
	557	29732

no partial packaging



8602/C fixing clips





8603

PVC LINE


length 250 cm - pack 40 pcs

FOAM PVC


H = 70 mm

ART.	decors
8603	532
	542
	545
	555
	556
	557
	30144
	30154
	30158
	30160
	30162
	30164

no partial packaging



8603/I



8603/E



8603/G



8603/P

INSIDE CORNER

pack 10 pcs

POLYPROPYLENE

H = 70 mm

ART.	decors
8603/I	532
	542
	545
	555
	556
	557
	30194
	30204
	30208
	30210
	30212
	30214

no partial packaging

JUNCTION

pack 10 pcs

POLYPROPYLENE

H = 70 mm

ART.	decors
8603/G	532
	542
	545
	555
	556
	557
	30294
	30304
	30308
	30310
	30312
	30314

no partial packaging

FIXING CLIPS

10 blister packs/ 20 pcs/blister

8602/C

29750

OUTSIDE CORNER

pack 10 pcs

POLYPROPYLENE

H = 70 mm

ART.	decors
8603/E	532
	542
	545
	555
	556
	557
	30244
	30254
	30258
	30260
	30262
	30264

no partial packaging

RIGHT/LEFT END CAPS

pack 10 pcs

POLYPROPYLENE

H = 70 mm

ART.	decors
8603/P dx/sx	532
	542
	545
	555
	556
	557
	30344
	30354
	30358
	30360
	30362
	30364

no partial packaging



8602/C fixing clips



PVC LINE


length 250 cm - pack 40 pcs

FOAM PVC

H = 70 mm

ART.	decors	
8607	532	30414
	542	30424
	545	30428
	555	30430
	556	30432
	557	30434


no partial packaging



8607




8607/I



8607/E



8607/G



8607/P

INSIDE CORNER

pack 10 pcs

POLYPROPYLENE

H = 70 mm

ART.	decors	
8607/I	532	30464
	542	30474
	545	30478
	555	30480
	556	30482
	557	30484

no partial packaging

JUNCTION

pack 10 pcs

POLYPROPYLENE

H = 70 mm

ART.	decors	
8607/G	532	30564
	542	30574
	545	30578
	555	30580
	556	30582
	557	30584

no partial packaging

FIXING CLIPS

10 blister packs/ 20 pcs/blister

8602/C

29750

OUTSIDE CORNER

pack 10 pcs

POLYPROPYLENE

H = 70 mm

ART.	decors	
8607/E	532	30514
	542	30524
	545	30528
	555	30530
	556	30532
	557	30534

no partial packaging

RIGHT/LEFT END CAPS

pack 10 pcs

POLYPROPYLENE

H = 70 mm

ART.	decors	
8607P dx/sx	532	30614
	542	30624
	545	30628
	555	30630
	556	30632
	557	30634

no partial packaging



8602/C fixing clips



LEGAL NOTICE

The contents of this Technical Data Sheet ("TDS") may be copied into another project-related document, but the resulting document shall not supplement nor replace requirements per the TDS in effect at the time of the MAPEI product installation. For the most up-to-date TDS and warranty information, please visit our website at www.mapei.com. **ANY ALTERATIONS TO THE WORDING OR REQUIREMENTS CONTAINED IN OR DERIVED FROM THIS TDS SHALL VOID ALL RELATED MAPEI WARRANTIES.**

Before using, the user must determine the suitability of our products for the intended use, and the user alone assumes all risks and liability. **ANY CLAIM SHALL BE DEEMED WAIVED UNLESS MADE IN WRITING TO US WITHIN FIFTEEN (15) DAYS FROM DATE IT WAS, OR REASONABLY SHOULD HAVE BEEN, DISCOVERED.**

CONTACT INFORMATION

MAPEI Headquarters of North America

1144 East Newport Center Drive
Deerfield Beach, Florida 33442
1-888-US-MAPEI (1-888-876-2734) / (954) 246-8888

Technical Services

U.S. and Puerto Rico:

Flooring: 1-800-992-6273

Concrete and heavy construction: 1-888-365-0614

Canada:

1-800-361-9309

Customer Service

1-800-42-MAPEI (1-800-426-2734)

Edition Date: November 30, 2023 MK 13318 / 13319 / 13320 (24-1756)

For the most current product data and BEST-BACKEDSM warranty information,
visit www.mapei.com.

All Rights Reserved. © 2023 MAPEI Corporation.

