

# UNISYSTEM PLUS

Profiles for Wood and Laminate Floors



## DESCRIPTION

**Unisystem™ Plus** and **Unisystem** are two systems designed to be installed over floating wood and laminate floors, allowing them to expand as needed. They can be successfully used with all types of resilient flooring and carpet tiles. Both systems feature a natural aluminum base profile and covers that serve different functions:

- Transition profiles for level floors
- Profiles for floors at varying heights, providing a small adjustment in height
- End trims around wood or laminate floors
- Perimeter profiles to create a joint between the floor and floor covering
- Stair nosings

**Unisystem Plus** represents the evolution of the **Unisystem**, incorporating special Teflon plugs that facilitate the fitting or removal of the cover profile during floor repairs or maintenance.

Both systems are user-friendly, with minimal depth cover strips, excellent dimensional stability, and suitability for floors ranging from 1/4" to 7/8" or 6.5 to 22.6 mm (**Unisystem Plus**) and from 1/4" to 9/16" or 6.5 to 15.5 mm (**Unisystem**). They are available in a wide range of decorative finishes, including 5 anodized options and 57 wood motifs.

In both systems, the base profiles can be either screwed down or glued to the subfloor. However, it is important to note that anodized titanium aluminum versions are not recommended for exterior use.

The profiles are coated with a durable film, which has several beneficial properties:

- Does not contain formaldehyde
- Resistant to humid environments (water absorption < 1%)
- Withstands exposure to cold liquids
- Exhibits high resistance to collision and abrasion

## MATERIALS

### Natural aluminum

These Al-Mg-Si alloy profiles, heat-treated to T6 temper (6463 T6), are manufactured through extrusion and subsequent mechanical treatment. They offer fair resistance to chemical agents. However, it is crucial to clean the visible surface of the profiles thoroughly from cements, mortars/adhesives, cleaners, caulks and other materials to prevent potential corrosion caused by alkaline substances from wet cement and its derivatives.

Furthermore, note that profiles made of polished aluminum are not suitable for use on floors and outdoors due to the risk of corrosion from alkaline substances.

### Anodized aluminum

These Al-Mg-Si profiles, heat-treated to T6 (6060 T6), are produced through extrusion and then anodized with a thickness of at least 15 µm. The external surface must be protected from scratches and rubbing. The profiles are highly resistant to chemical and atmospheric agents. However, it is important to note that when exposed to wet cement and its derivatives, they can produce alkaline substances that, if left untreated on the surface, may corrode the metal and lead to the formation of aluminum hydroxide. Therefore, it is essential to delicately and thoroughly clean the visible surface of the profile from cements, mortars/adhesives, cleaners, caulks and other materials.

It is worth mentioning that continuous wear, especially when these profiles are used on flooring, can cause the anodized surfaces to wear down over time, resulting in the loss of their original finish. Regular maintenance and care are recommended to preserve the quality and appearance of the profiles. See the “Care and Maintenance” section below.

### Aluminum coated in a durable film

These Al-Mg-Si profiles, heat-treated to T6 temper (6060 T6), are manufactured through extrusion and then coated with durable film that reproduces the different tones and/or finishes of wood.

### General note on metals

Aluminum, AISI 304 stainless steel and AISI 316 stainless steel are not resistant to all chemical compounds, particularly aggressive ones like hydrochloric acid (HCl) and phosphoric acid (H<sub>3</sub>PO<sub>4</sub>). Cleaning products such as muriatic acid, ammonia, bleach and sodium hypochlorite – commonly used for cleaning natural-stone, ceramic and porcelain tiles – can damage the surface of these metals and may lead to intense corrosive reactions.

It is crucial to promptly and gently remove residues of cement, mortars/adhesives, cleaners, caulks and other materials from the surface of profiles to prevent damage. Additionally, if adhesive tape is used to mask the

profiles, it should be removed within 1 hour to avoid any adverse effects.

## PRODUCT INSTALLATION

Use the following steps to install **Unisystem**.

1. Remove the profile from the packaging and check that the thickness of the flooring you are installing matches the height of the selected **Unisystem** base profile (refer to the label).
2. Remove any protective or thermo-shrink film covering the finish of the profile, if present.
3. Determine the necessary length and cut the profile to the required measurement using appropriate tools.
4. The base profile can be installed to the floor using one of two methods:
  - a. A suitable adhesive. For this method, position the profile, leaving a space to insert the flooring and also for any expansion (about 3/8" or 10 mm). Then press down on the profile to push the previously leveled adhesive up through the holes in the lip, making sure that the area where the profile is to be placed is free of dirt and perfectly clean.
  - b. Screws and plugs. For this method, position the profile and use a permanent marker to mark the exact position of the profile holes where holes should be drilled. Remove the profile and drill the floor in the exact positions that you marked previously, being careful to check the exact size of the plugs needed. Place the plugs into the holes in the floor and replace the profile in the correct position, leaving the space needed to insert the flooring and room for any expansion (about 3/8" or 10 mm). Then use suitable screws to secure the profile, making sure that the area under and around the profile is perfectly clean.
5. Measure the length needed and cut the cover profile to be placed onto the base profile.
6. Insert the Teflon plugs (every 8" or 20 cm) into the slots on the underside of the top profile.
7. Place the top profile on the base, which is already in position. Using a rubber mallet, insert the top profile until it is fully aligned with the floor, being careful to not damage the cover during the installation.

## CARE AND MAINTENANCE

The care and maintenance of the materials used in the production of these profiles are closely tied to the type of alloy and finishing used. The following instructions outline the procedures for restoring the profile's original appearance as much as possible. These guidelines are intended to serve as general recommendations for cleaning, but they should be checked and applied on a case-by-case basis. It is important to note that there are specific responsibilities and guidelines for each stage of the product's life, starting from its installation.

### Aluminum

These profiles require minimal maintenance and can be easily maintained using colorless alcohol diluted in water or regular detergents, excluding acid-based products such as hydrochloric or hydrofluoric acid. Various commercial brands offer a wide range of detergents, generally classified into three types:

- Alkaline type
- Neutral type
- Acid type

For cleaning purposes, it is recommended to use a neutral detergent diluted in water and rinse with water only, using a sponge or non-abrasive cloth to avoid scratches or damage to the anodization, shine or varnish.

During cleaning, the following precautions should be taken:

- Avoid using acid or alkaline detergents as they can damage aluminum.
- Avoid abrasive products or materials.
- Do not use organic solvents on painted surfaces.
- Do not use detergents with unknown chemical compositions.
- Do not apply detergents directly to the surface.
- Clean surfaces at a relatively low temperature (maximum temperature of 86°F or 30°C) and away from direct sunlight.
- Use cold detergents (maximum temperature of 86°F or 30°C) and avoid spraying it on the surface.

After cleaning, always rinse the treated area with water and dry immediately with a soft cloth or rag. Regular maintenance with polishing products is unnecessary.

Ensure quick and precise cleaning of the profile following the instructions on the product's packaging to prevent the accumulation of cement deposits, caulk or similar substances that could damage the surface layers.

#### Aluminum coated in a durable film


These profiles require no specific maintenance and can be easily cared for using water-diluted alcohol or water-diluted normal detergents (excluding acid-based or alkaline-based detergents). After cleaning, rinse thoroughly with water only and use a sponge or nonabrasive cloth to prevent scratches or damage to the surface.

## FIRE-CONTROL MEASURES


In case of fire, extinguish with fire-fighting chemical products, dry sand or solid fire-extinguishing agents.

## NOTE


MAPEI profiles should be handled with care, and it is important to use suitable gloves to prevent cuts or injuries to the hands. The instructions provided here are based on our own experience and are for informational purposes only. It is crucial to confirm these instructions through practical experience. MAPEI will not be held responsible for any personal injury or material damage resulting from improper use of the product. The user is responsible for determining if the product is suitable for the intended task and must also assume responsibility for any incorrect installation of the material.



Z/1/SF



C/7/SF



S/9/SF

**UNISYSTEM/  
UNISYSTEM PLUS**

Length = 8' 10" or 270 cm / 10-piece package

| Item                               | Finish | Z/1/SF                         | C/7/SF                       | S/9/SF                         |
|------------------------------------|--------|--------------------------------|------------------------------|--------------------------------|
| Floor thickness range              |        | 1/4" - 7/8"<br>(6.5 - 22.6 mm) | 1/4" - 3/8"<br>(6.5 - 10 mm) | 1/4" - 7/8"<br>(6.5 - 22.6 mm) |
| ALUMINUM covered with durable film |        |                                |                              |                                |
| 02                                 |        | 66301                          | 66001                        | 65701                          |
| 05                                 |        | 66306                          | 66006                        | 65706                          |
| 08                                 |        | 66304                          | 66004                        | 65704                          |
| 10                                 |        | 66307                          | 66007                        | 65707                          |
| 11                                 |        | 66308                          | 66008                        | 65708                          |
| 12                                 |        | 66309                          | 66009                        | 65709                          |
| 13                                 |        | 66310                          | 66010                        | 65710                          |
| 14                                 |        | 66311                          | 66011                        | 65711                          |
| 18                                 |        | 66316                          | 66016                        | 65716                          |
| 19                                 |        | 66318                          | 66018                        | 65718                          |
| 20                                 |        | 66317                          | 66017                        | 65717                          |
| 26                                 |        | 66321                          | 66021                        | 65721                          |
| 31                                 |        | 66328                          | 66028                        | 65728                          |
| 32                                 |        | 66329                          | 66029                        | 65729                          |
| 34                                 |        | 66331                          | 66031                        | 65731                          |
| 35                                 |        | 66332                          | 66032                        | 65732                          |
| 36                                 |        | 66333                          | 66033                        | 65733                          |
| 37                                 |        | 66334                          | 66034                        | 65734                          |
| 38                                 |        | 66335                          | 66035                        | 65735                          |
| 39                                 |        | 66336                          | 66036                        | 65736                          |
| 40                                 |        | 66337                          | 66037                        | 65737                          |
| 41                                 |        | 66338                          | 66038                        | 65738                          |
| 42                                 |        | 66339                          | 66039                        | 65739                          |
| 43                                 |        | 66340                          | 66040                        | 65740                          |
| 44                                 |        | 66341                          | 66041                        | 65741                          |
| 47                                 |        | 66344                          | 66044                        | 65744                          |
| 65                                 |        | 66365                          | 66065                        | 65765                          |
| 71                                 |        | 66368                          | 66068                        | 65768                          |
| 72                                 |        | 66369                          | 66069                        | 65769                          |
| 73                                 |        | 66370                          | 66070                        | 65770                          |
| 74                                 |        | 66371                          | 66071                        | 65771                          |
| 76                                 |        | 66374                          | 66074                        | 65774                          |
| 77                                 |        | 66372                          | 66072                        | 65772                          |
| 78                                 |        | 66376                          | 66076                        | 65776                          |
| 79                                 |        | 66373                          | 66073                        | 65773                          |
| 80                                 |        | 66377                          | 66077                        | 65777                          |
| 81                                 |        | 66378                          | 66078                        | 65778                          |
| 89                                 |        | 66386                          | 66086                        | 65784                          |

\$/pc

Individually packaged

**UNISYSTEM/  
UNISYSTEM PLUS**

Length = 8' 10" or 270 cm / 10-piece package

| Item                               | Finish | Z/1/SF                         | C/7/SF                       | S/9/SF                         |
|------------------------------------|--------|--------------------------------|------------------------------|--------------------------------|
| Floor thickness range              |        | 1/4" - 7/8"<br>(6.5 - 22.6 mm) | 1/4" - 3/8"<br>(6.5 - 10 mm) | 1/4" - 7/8"<br>(6.5 - 22.6 mm) |
| ALUMINUM covered with durable film |        |                                |                              |                                |
| 91                                 |        | 66388                          | 66088                        | 65786                          |
| 92                                 |        | 66389                          | 66089                        | 65789                          |
| 93                                 |        | 66390                          | 66090                        | 65790                          |
| 94                                 |        | 66391                          | 66091                        | 65791                          |
| 95                                 |        | 66392                          | 66092                        | 65792                          |
| 351                                |        | 66393                          | 66093                        | -                              |
| 363                                |        | 66394                          | 66094                        | -                              |
| 372                                |        | 66395                          | 66095                        | -                              |
| 490                                |        | 66397                          | 66097                        | -                              |
| 560                                |        | 66398                          | 66098                        | -                              |
| 580                                |        | 66399                          | 66099                        | 65793                          |
| 590                                |        | 66400                          | 66100                        | -                              |
| 665                                |        | 66401                          | 66101                        | 65794                          |
| 670                                |        | 66402                          | 66102                        | 65795                          |
| 951                                |        | 66408                          | 66108                        | 65797                          |
| 975                                |        | 66409                          | 66109                        | 65798                          |
| 1024                               |        | 66410                          | 66110                        | 65799                          |
| 1033                               |        | 66411                          | 66111                        | 65800                          |
| 1042                               |        | 66412                          | 66112                        | 65801                          |
| 1090                               |        | 66414                          | 66114                        | 65803                          |
| 1202                               |        | 66416                          | 66116                        | 65805                          |
| 1203                               |        | 66417                          | 66117                        | 65806                          |
| 1204                               |        | 66418                          | 66118                        | 65807                          |
| 1205                               |        | 66419                          | 66119                        | 65808                          |
| 1206                               |        | 66420                          | 66120                        | 65809                          |
| 1207                               |        | 66421                          | 66121                        | 65810                          |
| 1208                               |        | 66422                          | 66122                        | 65811                          |
| 1209                               |        | 66423                          | 66123                        | 65812                          |
| 1210                               |        | 66424                          | 66124                        | 65813                          |
| 1211                               |        | 66425                          | 66125                        | 65814                          |
| 1212                               |        | 66426                          | 66126                        | 65815                          |
| 1213                               |        | 66427                          | 66127                        | 65816                          |
| 1214                               |        | 66428                          | 66128                        | 65817                          |
| 1215                               |        | 66429                          | 66129                        | 65818                          |
| 1216                               |        | 66430                          | 66130                        | 65819                          |
| 1217                               |        | 66431                          | 66131                        | 65820                          |
| 100                                |        | 66432                          | 66132                        | -                              |
| 97                                 | Black  | 66433                          | 66133                        | 65821                          |

\$/pc

Individually packaged

## UNISYSTEM/ UNISYSTEM PLUS

Length = 8' 10" or 270 cm / 20-piece package

| Item                  | Finish                                                                            | Z/1/SF                         | C/7/SF                       | S/9/SF                         |
|-----------------------|-----------------------------------------------------------------------------------|--------------------------------|------------------------------|--------------------------------|
| Floor thickness range |                                                                                   | 1/4" - 7/8"<br>(6.5 - 22.6 mm) | 1/4" - 3/8"<br>(6.5 - 10 mm) | 1/4" - 7/8"<br>(6.5 - 22.6 mm) |
| ANODIZED ALUMINUM     |                                                                                   |                                |                              |                                |
| Silver                |  | 67217                          | 67007                        | 65680                          |
| \$/pc                 |                                                                                   |                                |                              |                                |
| Titanium              |  | 67238                          | 67000                        | 65691                          |
| Gold                  |  | 67227                          | 67017                        | 65685                          |
| Gold sand             |  | 67234                          | 67024                        | 65688                          |
| Bronze                |  | 67237                          | 67027                        | 65690                          |
| \$/pc                 |                                                                                   |                                |                              |                                |

Other models for thicker floors available on page 148  
Individually packaged

## UNISYSTEM PLUS – BASES

|                       |                              |                                |                                  |                              |                                 |
|-----------------------|------------------------------|--------------------------------|----------------------------------|------------------------------|---------------------------------|
| Floor thickness range | 1/4" - 3/8"<br>(6.5 - 10 mm) | 3/8" - 1/2"<br>(9.6 - 12.5 mm) | 1/2" - 9/16"<br>(12.6 - 15.5 mm) | 9/16" - 3/4"<br>(15 - 19 mm) | 3/4" - 7/8"<br>(19.6 - 22.6 mm) |
|-----------------------|------------------------------|--------------------------------|----------------------------------|------------------------------|---------------------------------|

Length = 8' 10" or 270 cm / 20-piece package (15 TU/6 clips included)

| Item     | Finish           |                                                                                   | 1/4"<br>(6 mm) | 3/8"<br>(10 mm) | 1/2"<br>(13 mm) | 9/16"<br>(15 mm) | 7/8"<br>(22 mm) |
|----------|------------------|-----------------------------------------------------------------------------------|----------------|-----------------|-----------------|------------------|-----------------|
| ALUMINUM |                  |                                                                                   |                |                 |                 |                  |                 |
| TPU/     | Natural aluminum |  | 67437          | 67447           | 67457           | 67460            | 67467           |
| \$/pc    |                  |                                                                                   |                |                 |                 |                  |                 |

Individually packaged (Item TPU/22 pack 10 pcs)

## SPARE CLIPS

150-piece package

|       |             |
|-------|-------------|
|       | 1/4" (6 mm) |
| TU/6  | 68812/150   |
| \$/pc |             |


No partial packaging

## UNISYSTEM – BASES


|                       |                              |                             |                              |                              |                              |
|-----------------------|------------------------------|-----------------------------|------------------------------|------------------------------|------------------------------|
| Floor thickness range | 1/4" - 3/8"<br>(6.5 - 10 mm) | 3/8" - 1/2"<br>(10 - 12 mm) | 1/4" - 3/8"<br>(6.5 - 10 mm) | 1/2" - 9/16"<br>(13 - 15 mm) | 3/8" - 9/16"<br>(11 - 15 mm) |
|-----------------------|------------------------------|-----------------------------|------------------------------|------------------------------|------------------------------|

Length = 8' 10" or 270 cm / 20-piece package


| Item     | Finish           |                                                                                     | 1/4"<br>(7 mm) | 3/8"<br>(10 mm) | 7/16"<br>(11 mm) | 1/2"<br>(13 mm) | 9/16"<br>(15 mm) |
|----------|------------------|-------------------------------------------------------------------------------------|----------------|-----------------|------------------|-----------------|------------------|
| ALUMINUM |                  |                                                                                     |                |                 |                  |                 |                  |
| T/       | Natural aluminum |  | 67287          | 67297           | 67317            | 67307           | 67327            |
| \$/pc    |                  |                                                                                     |                |                 |                  |                 |                  |




TPU/




TU/6




T/




Z3/30/SF




C/10/SF




C/13/SF




C/22/SF



S/15/SF



TPU/



T/

**UNISYSTEM – UNISYSTEM PLUS**

| Length = 8' 10" or 270 cm /<br>Package quantities: |        | 20 pieces                      | 20 pieces                      | 10 pieces                        | 10 pieces                      | 10 pieces                      |
|----------------------------------------------------|--------|--------------------------------|--------------------------------|----------------------------------|--------------------------------|--------------------------------|
| Item                                               | Finish | Z3/30/SF                       | C/10/SF                        | C/13/SF                          | C/22/SF                        | S/15/SF                        |
| Floor thickness range                              |        | 1/4" - 7/8"<br>(6.5 - 22.6 mm) | 3/8" - 1/2"<br>(9.6 - 12.5 mm) | 1/2" - 9/16"<br>(12.6 - 15.5 mm) | 9/16" - 7/8"<br>(15 - 22.6 mm) | 3/8" - 7/8"<br>(9.6 - 22.6 mm) |
| <b>ANODIZED ALUMINUM</b>                           |        |                                |                                |                                  |                                |                                |
| Silver                                             |        | 63700                          | 67077                          | 67147                            | 66907                          | 65480                          |
| <b>\$/pc</b>                                       |        |                                |                                |                                  |                                |                                |
| Gold                                               |        | 63702                          | 67087                          | 67157                            | –                              | –                              |
| Gold sand                                          |        | 63704                          | –                              | –                                | –                              | 65488                          |
| <b>\$/pc</b>                                       |        |                                |                                |                                  |                                |                                |
| Individually packaged                              |        |                                |                                |                                  |                                |                                |

**UNISYSTEM PLUS – BASES**

| Floor thickness range                                                 |                  |                                                                                   | 1/4" - 3/8"<br>(6.5 - 10 mm) | 3/8" - 1/2"<br>(9.6 - 12.5 mm) | 1/2" - 9/16"<br>(12.6 - 15.5 mm) | 9/16" - 3/4"<br>(15 - 19 mm) | 3/4" - 7/8"<br>(19.6 - 22.6 mm) |
|-----------------------------------------------------------------------|------------------|-----------------------------------------------------------------------------------|------------------------------|--------------------------------|----------------------------------|------------------------------|---------------------------------|
| Length = 8' 10" or 270 cm / 20-piece package (15 TU/6 clips included) |                  |                                                                                   | H                            |                                |                                  |                              |                                 |
| Item                                                                  | Finish           |                                                                                   | 1/4"<br>(6 mm)               | 3/8"<br>(10 mm)                | 1/2"<br>(13 mm)                  | 9/16"<br>(15 mm)             | 7/8"<br>(22 mm)                 |
| ALUMINUM                                                              |                  |                                                                                   |                              |                                |                                  |                              |                                 |
| TPU/<br>\$/pc                                                         | Natural aluminum |  | 67437                        | 67447                          | 67457                            | 67460                        | 67467                           |
| Individually packaged (Item TPU/22 pack 10 pcs)                       |                  |                                                                                   |                              |                                |                                  |                              |                                 |

**SPARE CLIPS**


|                      |                |
|----------------------|----------------|
| 150-piece package    | H              |
|                      | 1/4"<br>(6 mm) |
| TU/6                 | 68812/150      |
| \$/pc                |                |
| No partial packaging |                |

**UNISYSTEM – BASES**

|                                              |                  |                                                                                     |                              |                             |                              |                              |                              |
|----------------------------------------------|------------------|-------------------------------------------------------------------------------------|------------------------------|-----------------------------|------------------------------|------------------------------|------------------------------|
| Floor thickness range                        |                  |                                                                                     | 1/4" - 3/8"<br>(6.5 - 10 mm) | 3/8" - 1/2"<br>(10 - 12 mm) | 1/4" - 3/8"<br>(6.5 - 10 mm) | 1/2" - 9/16"<br>(13 - 15 mm) | 3/8" - 9/16"<br>(11 - 15 mm) |
| Length = 8' 10" or 270 cm / 20-piece package |                  |                                                                                     | H                            |                             |                              |                              |                              |
| Item                                         | Finish           |                                                                                     | 1/4"<br>(7 mm)               | 3/8"<br>(10 mm)             | 7/16"<br>(11 mm)             | 1/2"<br>(13 mm)              | 9/16"<br>(15 mm)             |
| ALUMINUM                                     |                  |                                                                                     |                              |                             |                              |                              |                              |
| T/                                           | Natural aluminum |  | 67287                        | 67297                       | 67317                        | 67307                        | 67327                        |
|                                              | \$/pc            |                                                                                     |                              |                             |                              |                              |                              |



Z3/30/SF silver anodized aluminum



TPZ/



TPZ/47/CV silver anodized aluminum and aluminum covered with durable film

**UNISYSTEM PLUS**

Length = 36" or 90 cm / 10-piece blister package / for floor thicknesses 1/4" to 3/8" (6.5 to 10 mm)

| Item                               | Finish                                                                            |    |       |                                                                                    |      |       |                                                                                     |      |       |
|------------------------------------|-----------------------------------------------------------------------------------|----|-------|------------------------------------------------------------------------------------|------|-------|-------------------------------------------------------------------------------------|------|-------|
| ALUMINUM covered with durable film |                                                                                   |    |       |                                                                                    |      |       |                                                                                     |      |       |
| TPZ/47/CV                          |  | 05 | 43005 |  | 77   | 43011 |  | 1208 | 43027 |
|                                    |  | 10 | 43020 |  | 78   | 43066 |  | 1209 | 43029 |
|                                    |  | 14 | 43006 |  | 80   | 43068 |  | 1210 | 43030 |
|                                    |  | 19 | 43007 |  | 89   | 43012 |  | 1211 | 43031 |
|                                    |  | 20 | 43028 |  | 91   | 43013 |  | 1212 | 43033 |
|                                    |  | 26 | 43008 |  | 580  | 43014 |  | 1213 | 43035 |
|                                    |  | 31 | 43009 |  | 1202 | 43016 |  | 1214 | 43037 |
|                                    |  | 38 | 43034 |  | 1203 | 43017 |  | 1215 | 43039 |
|                                    |  | 39 | 43010 |  | 1204 | 43018 |  | 1216 | 43041 |
|                                    |  | 40 | 43036 |  | 1205 | 43019 |  | 1217 | 43043 |
|                                    |  | 42 | 43038 |  | 1206 | 43025 |                                                                                     |      |       |
|                                    |  | 65 | 43056 |  | 1207 | 43026 |                                                                                     |      |       |

**\$/pc**

Individually packaged

**UNISYSTEM PLUS**

Length = 36" or 90 cm / 10-piece blister package

| Item                         | Finish | TPZ/47/CV                 | TPZ/410/CV                  | TPZ/413/CV                    |
|------------------------------|--------|---------------------------|-----------------------------|-------------------------------|
| <b>Floor thickness range</b> |        | 1/4" - 3/8" (6.5 - 10 mm) | 3/8" - 1/2" (9.6 - 12.5 mm) | 1/2" - 9/16" (12.6 - 15.5 mm) |
| <b>ANODIZED ALUMINUM</b>     |        |                           |                             |                               |
| Silver                       |        | 43000                     | 43072                       | 43144                         |
| Gold                         |        | 43004                     | 43076                       | 43148                         |

**\$/pc**

Individually packaged


**UNISYSTEM PLUS**

Length = 36" or 90 cm / 10-piece blister package / for floor thicknesses 1/4" to 3/8" (6.5 to 10 mm)


| Item                               | Finish                                                                              |    |       |                                                                                      |      |       |                                                                                       |      |       |
|------------------------------------|-------------------------------------------------------------------------------------|----|-------|--------------------------------------------------------------------------------------|------|-------|---------------------------------------------------------------------------------------|------|-------|
| ALUMINUM covered with durable film |                                                                                     |    |       |                                                                                      |      |       |                                                                                       |      |       |
| TPC/47/CV                          |  | 05 | 43219 |  | 77   | 43225 |  | 1208 | 43239 |
|                                    |  | 10 | 43234 |  | 78   | 43280 |  | 1209 | 43240 |
|                                    |  | 14 | 43220 |  | 80   | 43282 |  | 1210 | 43241 |
|                                    |  | 19 | 43221 |  | 89   | 43226 |  | 1211 | 43243 |
|                                    |  | 20 | 43242 |  | 91   | 43227 |  | 1212 | 43244 |
|                                    |  | 26 | 43222 |  | 580  | 43228 |  | 1213 | 43245 |
|                                    |  | 31 | 43223 |  | 1202 | 43231 |  | 1214 | 43247 |
|                                    |  | 38 | 43248 |  | 1203 | 43232 |  | 1215 | 43249 |
|                                    |  | 39 | 43224 |  | 1204 | 43233 |  | 1216 | 43251 |
|                                    |  | 40 | 43250 |  | 1205 | 43235 |  | 1217 | 43253 |
|                                    |  | 42 | 43252 |  | 1206 | 43236 |                                                                                       |      |       |
|                                    |  | 65 | 43270 |  | 1207 | 43237 |                                                                                       |      |       |

**\$/pc**

Individually packaged



TPC/




TPS/

UNISYSTEM PLUS

| Length = 36" or 90 cm / 10-piece blister package |                                                                                   |                           |                             |                               |
|--------------------------------------------------|-----------------------------------------------------------------------------------|---------------------------|-----------------------------|-------------------------------|
| Item                                             | Finish                                                                            | TPC/47/CV                 | TPC/410/CV                  | TPC/413/CV                    |
| Floor thickness range                            |                                                                                   | 1/4" - 3/8" (6.5 - 10 mm) | 3/8" - 1/2" (9.6 - 12.5 mm) | 1/2" - 9/16" (12.6 - 15.5 mm) |
| ANODIZED ALUMINUM                                |                                                                                   |                           |                             |                               |
| Silver                                           |  | 43214                     | 43286                       | 43358                         |
| Gold                                             |  | 43218                     | 43290                       | 43362                         |
| \$/pc                                            |                                                                                   |                           |                             |                               |
| Individually packaged                            |                                                                                   |                           |                             |                               |

UNISYSTEM PLUS

| Length = 36" or 90 cm / 10-piece blister package |                                                                                   |                           |                             |                               |
|--------------------------------------------------|-----------------------------------------------------------------------------------|---------------------------|-----------------------------|-------------------------------|
| Item                                             | Finish                                                                            | TPS/47/CV                 | TPS/410/CV                  | TPS/413/CV                    |
| Floor thickness range                            |                                                                                   | 1/4" - 3/8" (6.5 - 10 mm) | 3/8" - 1/2" (9.6 - 12.5 mm) | 1/2" - 9/16" (12.6 - 15.5 mm) |
| ANODIZED ALUMINUM                                |                                                                                   |                           |                             |                               |
| Silver                                           |  | 43430                     | 43502                       | 43574                         |
| \$/pc                                            |                                                                                   |                           |                             |                               |
| Individually packaged                            |                                                                                   |                           |                             |                               |



G/2/SF + TPU/

**UNISYSTEM PLUS**

Length = 8' 10" or 270 cm / 10-piece package – for floor thicknesses from 1/4" to 1/2" (6.5 to 12.5 mm)

| Item                                      | Finish |       |      |       |      |       |  |
|-------------------------------------------|--------|-------|------|-------|------|-------|--|
| <b>ALUMINUM covered with durable film</b> |        |       |      |       |      |       |  |
| G/2/SF                                    | 05     | 43645 | 41   | 43656 | 1207 | 43668 |  |
|                                           | 08     | 43646 | 77   | 43657 | 1208 | 43669 |  |
|                                           | 12     | 43647 | 89   | 43658 | 1209 | 43670 |  |
|                                           | 13     | 43648 | 91   | 43659 | 1210 | 43671 |  |
|                                           | 14     | 43649 | 93   | 43660 | 1211 | 43672 |  |
|                                           | 19     | 43650 | 580  | 43661 | 1212 | 43673 |  |
|                                           | 26     | 43651 | 1202 | 43663 | 1213 | 43674 |  |
|                                           | 32     | 43652 | 1203 | 43664 | 1214 | 43675 |  |
|                                           | 36     | 43653 | 1204 | 43665 | 1215 | 43676 |  |
|                                           | 39     | 43654 | 1205 | 43666 | 1216 | 43677 |  |
|                                           | 40     | 43655 | 1206 | 43667 | 1217 | 43678 |  |
|                                           |        |       |      |       |      |       |  |
| <b>\$/pc</b>                              |        |       |      |       |      |       |  |


Individually packaged

**UNISYSTEM PLUS**

Length = 8' 10" or 270 cm / 10-piece package – for floor thicknesses from 1/4" to 1/2" (6.5 to 12.5 mm)

| Item                     | Finish       |  |       |
|--------------------------|--------------|--|-------|
| <b>ANODIZED ALUMINUM</b> |              |  |       |
| G/2/SF                   | Silver       |  | 43690 |
|                          | <b>\$/pc</b> |  |       |
|                          | Titanium     |  | 43691 |
| <b>\$/pc</b>             |              |  |       |

Individually packaged



TPU/

**UNISYSTEM PLUS – BASES**


| Floor thickness range                                                 |                  | 1/4" - 3/8" (6.5 - 10 mm) | 3/8" - 1/2" (9.6 - 12.5 mm) |
|-----------------------------------------------------------------------|------------------|---------------------------|-----------------------------|
| Length = 8' 10" or 270 cm / 20-piece package (15 TU/6 clips included) |                  | H                         |                             |
| Item                                                                  | Finish           | 1/4" (6 mm)               | 3/8" (10 mm)                |
| <b>ALUMINUM</b>                                                       |                  |                           |                             |
| TPU/                                                                  | Natural aluminum |                           | 67437                       |
| <b>\$/pc</b>                                                          |                  |                           |                             |

Individually packaged


**SPARE CLIPS**

|                   |             |
|-------------------|-------------|
| 150-piece package | H           |
|                   | 1/4" (6 mm) |
| TU/6              | 68812/150   |
| <b>\$/pc</b>      |             |

No partial packaging



TU/6



G/4/SF + TPU/

**UNISYSTEM PLUS**

Length = 8' 10" or 270 cm / 10-piece package – for floor thicknesses from 1/4" to 9/16" (6.5 to 15.5 mm)

| Item                               | Finish                                                                            |    |       |                                                                                    |    |       |                                                                                     |    |       |  |
|------------------------------------|-----------------------------------------------------------------------------------|----|-------|------------------------------------------------------------------------------------|----|-------|-------------------------------------------------------------------------------------|----|-------|--|
| ALUMINUM covered with durable film |                                                                                   |    |       |                                                                                    |    |       |                                                                                     |    |       |  |
| G/4/SF                             |  | 02 | 63905 |  | 37 | 63943 |  | 76 | 63956 |  |
|                                    |  | 08 | 63907 |  | 38 | 63919 |  | 77 | 63937 |  |
|                                    |  | 10 | 63910 |  | 40 | 63920 |  | 78 | 63934 |  |
|                                    |  | 11 | 63911 |  | 41 | 63926 |  | 79 | 63938 |  |
|                                    |  | 12 | 63913 |  | 42 | 63921 |  | 80 | 63935 |  |
|                                    |  | 13 | 63916 |  | 43 | 63927 |  | 81 | 63939 |  |
|                                    |  | 18 | 63914 |  | 44 | 63929 |  | 92 | 63941 |  |
|                                    |  | 20 | 63915 |  | 65 | 63931 |  | 93 | 63944 |  |
|                                    |  | 32 | 63917 |  | 71 | 63951 |  | 94 | 63945 |  |
|                                    |  | 34 | 63923 |  | 72 | 63952 |  | 95 | 63946 |  |
|                                    |  | 35 | 63924 |  | 73 | 63953 |                                                                                     |    |       |  |
|                                    |  | 36 | 63942 |  | 74 | 63954 |                                                                                     |    |       |  |

**\$/pc**

Individually packaged


**UNISYSTEM PLUS**

Length = 8' 10" or 270 cm / 10-piece package – for floor thicknesses from 1/4" to 9/16" (6.5 to 15.5 mm)

| Item                     | Finish    |  |       |
|--------------------------|-----------|--|-------|
| <b>ANODIZED ALUMINUM</b> |           |  |       |
| G/4/SF                   | Silver    |  | 63900 |
|                          | Gold sand |  | 63904 |

**\$/pc**

Individually packaged – Sand gold anodized extra \$/pc + 0,63




TPU/

**UNISYSTEM PLUS – BASES**

| Floor thickness range                                                 |                  | 1/4" - 3/8"<br>(6.5 - 10 mm) | 3/8" - 1/2"<br>(9.6 - 12.5 mm) | 1/2" - 9/16"<br>(12.6 - 15.5 mm) |
|-----------------------------------------------------------------------|------------------|------------------------------|--------------------------------|----------------------------------|
| Length = 8' 10" or 270 cm / 20-piece package (15 TU/6 clips included) |                  | H                            |                                |                                  |
| Item                                                                  | Finish           | 1/4" (6 mm)                  | 3/8" (10 mm)                   | 1/2" (13 mm)                     |
| <b>ALUMINUM</b>                                                       |                  |                              |                                |                                  |
| TPU/                                                                  | Natural aluminum |                              |                                |                                  |
|                                                                       |                  | 67437                        | 67447                          | 67457                            |
| <b>\$/pc</b>                                                          |                  |                              |                                |                                  |

Individually packaged



TU/6

**SPARE CLIPS**

|                   |  |             |
|-------------------|--|-------------|
| 150-piece package |  | H           |
|                   |  | 1/4" (6 mm) |
| TU/6              |  | 68812/150   |
| <b>\$/pc</b>      |  |             |

No partial packaging

## ADDITIONAL INFORMATION

For information on MAPEI's commitment to sustainability and transparency, as well as how MAPEI products may contribute to green building standards and certification systems, contact [sustainability\\_USA@mapei.com](mailto:sustainability_USA@mapei.com) (USA).

## WARNING

The test results shown in the TECHNICAL DATA table were obtained in compliance with test methods and curing cycles, if applicable, defined in the industry standards referenced on the Technical Data Sheet. Please note that the use of test procedures or methods other than those indicated in the table could lead to different values and that, in such cases, any liability of our company is excluded.

### LEGAL NOTICE

The contents of this Technical Data Sheet ("TDS") may be copied into another project-related document, but the resulting document shall not supplement nor replace requirements per the TDS in effect at the time of the MAPEI product installation. For the most up-to-date TDS and warranty information, please visit our website at [www.mapei.com](http://www.mapei.com). **ANY ALTERATIONS TO THE WORDING OR REQUIREMENTS CONTAINED IN OR DERIVED FROM THIS TDS SHALL VOID ALL RELATED MAPEI WARRANTIES.**

Before using, the user must determine the suitability of our products for the intended use, and the user alone assumes all risks and liability. **ANY CLAIM SHALL BE DEEMED WAIVED UNLESS MADE IN WRITING TO US WITHIN FIFTEEN (15) DAYS FROM DATE IT WAS, OR REASONABLY SHOULD HAVE BEEN, DISCOVERED.**

## CONTACT INFORMATION

### MAPEI Headquarters of North America

1144 East Newport Center Drive  
Deerfield Beach, Florida 33442  
1-888-US-MAPEI (1-888-876-2734) / (954) 246-8888

### Technical Services

U.S. and Puerto Rico:

Flooring: 1-800-992-6273

Concrete and heavy construction: 1-888-365-0614

Canada:

1-800-361-9309

### Customer Service

1-800-42-MAPEI (1-800-426-2734)

Edition Date: May 20, 2024 MK 13332 / 13333 / 13334 / 13335 (24-1648)

For the most current product data and BEST-BACKED<sup>SM</sup> warranty information,  
visit [www.mapei.com](http://www.mapei.com).  
All Rights Reserved. © 2024 MAPEI Corporation.

