

## Safety Data Sheet

### ULTRACARE HEAVY-DUTY SEALER & COATING STRIPPER

Safety Data Sheet dated: 09/24/2025 - version 7

Date of first edition: 05/05/2015



## 1. IDENTIFICATION

### Product identifier used on the label

Mixture identification:

Trade name: ULTRACARE HEAVY-DUTY SEALER & COATING STRIPPER

Trade code: 9011563

### Recommended use of the chemical and restrictions on use

Recommended use: Cleaner

Restrictions on use: Not available

### Name, U.S. address, and U.S. telephone number of the chemical manufacturer, importer, or other responsible party

Company: MAPEI CORP. (USA and Puerto Rico)

1144 East Newport Center Drive - 33442 - Deerfield Beach - FL - USA

Phone: 954-246-8888

Responsible: RDProductSafety@mapei.com

### Emergency 24 hour numbers:

Emergency Number (USA/Canada) CHEMTREC 1(800) 424-9300 / 1(703) 527-3887

Emergency Transport CANUTEC (Canada) 1-613-996-6666

## 2. HAZARD(S) IDENTIFICATION



### Classification of the chemical

Skin Sensitization, Category 1B

May cause an allergic skin reaction.

Acute aquatic hazard, category 2

Toxic to aquatic life

### Label elements

#### Hazard pictograms and Signal Word



Warning

### Hazard statements

H317 May cause an allergic skin reaction.

H401 Toxic to aquatic life

### Precautionary statements

P261 Avoid breathing mist/vapours/spray.

P273 Avoid release to the environment.

P280 Wear protective gloves/clothing and eye/face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P362+P364 Take off contaminated clothing and wash it before reuse.

P501 Dispose of contents/container in accordance with applicable regulations.

### Hazards associated with foreseeable chemical reactions

None

### Ingredient(s) with unknown acute toxicity:

None

### Hazards not otherwise classified identified during the classification process:

None

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

### Substances

Not Relevant

## Mixtures

Hazardous components within the meaning of 29 CFR 1910.1200 and related classification:

### List of components

| Qty        | Name                                               | Ident. Numb.                                               | Classification                                                                                                                        |
|------------|----------------------------------------------------|------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------|
| ≥5 - <10 % | (d)-limonene; (R)-p-mentha-1,8-diene               | CAS:5989-27-5<br>EC:227-813-5<br>EU CLP Index:601-096-00-2 | Flam. Liq. 3, H226; Skin Irrit. 2, H315;<br>Asp. Tox. 1, H304; Aquatic Acute 1, H400;<br>Aquatic Chronic 3, H412; Skin Sens. 1B, H317 |
| ≥3 - <5 %  | propylene carbonate; 1,3-Dioxolan-2-one, 4-methyl- | CAS:108-32-7<br>EC:203-572-1<br>EU CLP Index:607-194-00-1  | Eye Irrit. 2A, H319                                                                                                                   |

The actual concentration of the components listed above is withheld as a trade secret.

---

## 4. FIRST AID MEASURES

### Description of first aid measures

In case of skin contact:

- Immediately take off all contaminated clothing.
- OBTAIN IMMEDIATE MEDICAL ATTENTION.
- Obtain medical attention if skin related symptoms persist.
- Remove contaminated clothing immediately and dispose of safely.

In case of eyes contact:

- Wash immediately with water.

In case of Ingestion:

- Do not induce vomiting, get medical attention showing the SDS and the hazard label.

In case of Inhalation:

- Remove casualty to fresh air and keep warm and at rest.

### Most important symptoms/effects, acute and delayed

Not available

### Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

- (see paragraph 4.1)

---

## 5. FIRE-FIGHTING MEASURES

### Extinguishing media

Suitable extinguishing media:

- Water.
- Carbon dioxide (CO<sub>2</sub>).

### Unsuitable extinguishing media:

- None in particular.

### Specific hazards arising from the chemical

- Do not inhale explosion and combustion gases.
- Burning produces heavy smoke.
- Hazardous combustion products: Not available
- Explosive properties: Not available
- Oxidizing properties: Not available

### Special protective equipment and precautions for fire-fighters

- Use suitable breathing apparatus.
- Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
- Move undamaged containers from immediate hazard area if it can be done safely.

---

## 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

- Wear personal protection equipment.
- Remove persons to safety.
- Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.
- Limit leakages with earth or sand.

Methods and material for containment and cleaning up

Suitable material for taking up: absorbing material, organic, sand  
Retain contaminated washing water and dispose it.

7. HANDLING AND STORAGE

Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.  
Don't use empty container before they have been cleaned.  
Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.  
Contaminated clothing should be changed before entering eating areas.  
Do not eat or drink while working.  
See also section 8 for recommended protective equipment.

Conditions for safe storage, including any incompatibilities

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

Storage temperature: Not available

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Occupational Exposure Limits (OEL)

|                                                                     | OEL Type | Country     | Occupational Exposure Limit  |
|---------------------------------------------------------------------|----------|-------------|------------------------------|
| (d)-limonene; (R)-p-mentha-1,8-diene<br>CAS: 5989-27-5              | MAK      | GERMANY     | Long Term: 28 mg/m3 - 5 ppm  |
|                                                                     | MAK      | SWITZERLAND | Long Term: 40 mg/m3 - 7 ppm  |
|                                                                     |          | D           |                              |
| propylene carbonate; 1,3-Dioxolan-2-one, 4-methyl-<br>CAS: 108-32-7 | MAK      | GERMANY     | Long Term: 8,5 mg/m3 - 2 ppm |

Predicted No Effect Concentration (PNEC) values

|                                                                     |                                                                            |
|---------------------------------------------------------------------|----------------------------------------------------------------------------|
| (d)-limonene; (R)-p-mentha-1,8-diene<br>CAS: 5989-27-5              | Exposure Route: Fresh Water; PNEC Limit: 0,0054 mg/l                       |
|                                                                     | Exposure Route: Freshwater sediments; PNEC Limit: 1,32 mg/kg               |
|                                                                     | Exposure Route: Soil; PNEC Limit: 0,262 mg/kg                              |
| propylene carbonate; 1,3-Dioxolan-2-one, 4-methyl-<br>CAS: 108-32-7 | Exposure Route: Marine water; PNEC Limit: 0,09 mg/l                        |
|                                                                     | Exposure Route: Fresh Water; PNEC Limit: 0,09 mg/l                         |
|                                                                     | Exposure Route: Microorganisms in sewage treatments; PNEC Limit: 7400 mg/l |
|                                                                     | Exposure Route: Soil; PNEC Limit: 0,81 mg/kg                               |

Derived No Effect Level (DNEL) values

|                                                        |                                                                                                                  |
|--------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|
| (d)-limonene; (R)-p-mentha-1,8-diene<br>CAS: 5989-27-5 | Exposure Route: Human Dermal; Exposure Frequency: Short Term, local effects<br>Consumer: 0,111 mg/cm2            |
|                                                        | Exposure Route: Human Dermal; Exposure Frequency: Short Term, local effects<br>Worker Industry: 0,222 mg/cm2     |
|                                                        | Exposure Route: Human Inhalation; Exposure Frequency: Long Term, systemic effects<br>Consumer: 8,33 mg/m3        |
|                                                        | Exposure Route: Human Inhalation; Exposure Frequency: Long Term, systemic effects<br>Worker Industry: 33,3 mg/m3 |

propylene carbonate; 1,3-  
Dioxolan-2-one, 4-methyl-  
CAS: 108-32-7

Exposure Route: Human Inhalation; Exposure Frequency: Long Term, local effects  
Worker Industry: 20 mg/m3

Exposure Route: Human Inhalation; Exposure Frequency: Long Term, systemic effects  
Worker Industry: 176 mg/m3

Exposure Route: Human Dermal; Exposure Frequency: Long Term, systemic effects  
Consumer: 25 mg/kg

Exposure Route: Human Inhalation; Exposure Frequency: Long Term, systemic effects  
Consumer: 43,5 mg/m3

Exposure Route: Human Oral; Exposure Frequency: Long Term, systemic effects  
Consumer: 25 mg/kg

Exposure Route: Human Inhalation; Exposure Frequency: Long Term, local effects  
Consumer: 10 mg/m3

Appropriate engineering controls: Not available

Individual protection measures

Eye protection:

Use close fitting safety goggles, don't use contact lenses.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Suitable materials for safety gloves; 29 CFR 1910.138 - ANSI/ISEA 105:

Polychloroprene - CR: thickness >=0,5mm; breakthrough time >=480min.

Nitrile rubber - NBR: thickness >=0,35mm; breakthrough time >=480min.

Butyl rubber - IIR: thickness >=0,5mm; breakthrough time >=480min.

Fluorinated rubber - FKM: thickness >=0,4mm; breakthrough time >=480min.

Use impervious gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.

Respiratory protection:

Respiratory protection must be used where exposure levels exceed workplace exposure limits. Refer to 29 CFR 1910.134 - CSA 294.4 for information on selection and use of appropriate respiratory protection equipment.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

|                                               |                        |
|-----------------------------------------------|------------------------|
| Physical state:                               | Liquid                 |
| Appearance and colour:                        | viscous liquid white   |
| Odour:                                        | lemon                  |
| Odour threshold:                              | No data available      |
| Melting point / freezing point:               | No data available      |
| Initial boiling point and boiling range:      | No data available      |
| Flammability:                                 | No data available      |
| Upper/lower flammability or explosive limits: | No data available      |
| Flash point:                                  | 94 °C (201 °F)         |
| Auto-ignition temperature:                    | No data available      |
| Decomposition temperature:                    | No data available      |
| pH:                                           | 6.55                   |
| Viscosity:                                    | 7,225.00 cPs           |
| Kinematic viscosity:                          | > 20,5 mm2/sec (40 °C) |
| Solubility in water:                          | dispersible            |

|                                          |                        |
|------------------------------------------|------------------------|
| Solubility in oil:                       | miscible               |
| Partition coefficient (n-octanol/water): | No data available      |
| Vapour pressure:                         | No data available      |
| Evaporation rate:                        | <1 (Butyl Acetate)     |
| Relative density:                        | 1.00 g/cm <sup>3</sup> |
| Vapour density:                          | No data available      |

#### Particle characteristics:

|                |                   |
|----------------|-------------------|
| Particle size: | No data available |
|----------------|-------------------|

#### Other information

|                                       |                   |
|---------------------------------------|-------------------|
| Explosive properties:                 | No data available |
| Oxidizing properties:                 | No data available |
| Solid/gas flammability:               | No data available |
| Substance Groups relevant properties: | No data available |
| Miscibility:                          | No data available |
| Fat Solubility:                       | No data available |
| Conductivity:                         | No data available |

## 10. STABILITY AND REACTIVITY

### Reactivity

Stable under normal conditions

### Chemical stability

Data not available.

### Possibility of hazardous reactions

None.

### Conditions to avoid

Stable under normal conditions.

### Incompatible materials

None in particular.

### Hazardous decomposition products

None.

## 11. TOXICOLOGICAL INFORMATION

### Information on toxicological effects

#### Toxicological Information of the Preparation

|                                      |                                                                                    |
|--------------------------------------|------------------------------------------------------------------------------------|
| a) acute toxicity                    | Not classified<br>Based on available data, the classification criteria are not met |
| b) skin corrosion/irritation         | Not classified<br>Based on available data, the classification criteria are not met |
| c) serious eye damage/irritation     | Not classified<br>Based on available data, the classification criteria are not met |
| d) respiratory or skin sensitisation | The product is classified: Skin Sensitization, Category 1B(H317)                   |
| e) germ cell mutagenicity            | Not classified<br>Based on available data, the classification criteria are not met |
| f) carcinogenicity                   | Not classified<br>Based on available data, the classification criteria are not met |
| g) reproductive toxicity             | Not classified<br>Based on available data, the classification criteria are not met |
| h) STOT-single exposure              | Not classified<br>Based on available data, the classification criteria are not met |
| i) STOT-repeated exposure            | Not classified                                                                     |

j) aspiration hazard

Based on available data, the classification criteria are not met

Not classified

Based on available data, the classification criteria are not met

#### Toxicological information on main components of the mixture:

|                                                    |                   |                                |
|----------------------------------------------------|-------------------|--------------------------------|
| (d)-limonene; (R)-p-mentha-1,8-diene               | a) acute toxicity | LD50 Oral Rat > 2000 mg/kg     |
|                                                    |                   | LD50 Skin Rabbit > 5000 mg/kg  |
|                                                    |                   | LD50 Skin Rabbit > 5 g/kg      |
|                                                    |                   | LD50 Oral Rat = 5200 mg/kg     |
|                                                    |                   | LD50 Oral Rat = 4400 mg/kg     |
| propylene carbonate; 1,3-Dioxolan-2-one, 4-methyl- | a) acute toxicity | LD50 Skin Rabbit > 2000, mg/kg |
|                                                    |                   | LD50 Oral Rat > 5000, mg/kg    |

#### Substance(s) listed on the IARC Monographs:

(d)-limonene; (R)-p-mentha-1,8-diene Group 3

#### Substance(s) listed as OSHA Carcinogen(s):

(d)-limonene; (R)-p-mentha-1,8-diene

#### Substance(s) listed as NIOSH Carcinogen(s):

None

#### Substance(s) listed on the NTP report on Carcinogens:

None

## 12. ECOLOGICAL INFORMATION

### Toxicity

Adopt good working practices, so that the product is not released into the environment.

Eco-Toxicological Information:

#### List of Eco-Toxicological properties of the product

The product is classified: Acute aquatic hazard, category 2(H401)

#### List of Eco-Toxicological properties of the components

| Component                                          | Ident. Numb.                                                | Ecotox Data                                                                                                                                                                                                                                                                                                                        |
|----------------------------------------------------|-------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| (d)-limonene; (R)-p-mentha-1,8-diene               | CAS: 5989-27-5<br>- EINECS: 227-813-5 - INDEX: 601-096-00-2 | a) Aquatic acute toxicity : EC50 Daphnia 0,36 mg/L 48<br><br>a) Aquatic acute toxicity : EC50 Algae 8 mg/L 72<br>a) Aquatic acute toxicity : LC50 Fish 0,72 mg/L 96<br>a) Aquatic acute toxicity : LC50 Fish Pimephales promelas 0,619 mg/L 96h EPA<br>a) Aquatic acute toxicity : LC50 Fish Oncorhynchus mykiss = 35 mg/L 96h EPA |
| propylene carbonate; 1,3-Dioxolan-2-one, 4-methyl- | CAS: 108-32-7 -<br>EINECS: 203-572-1 - INDEX: 607-194-00-1  | a) Aquatic acute toxicity : LC50 Fish Cyprinus carpio > 1000 mg/L 96h IUCLID<br><br>a) Aquatic acute toxicity : EC50 Daphnia Daphnia magna > 500 mg/L 48h IUCLID<br>a) Aquatic acute toxicity : EC50 Algae Desmodesmus subspicatus > 500 mg/L 72h IUCLID                                                                           |

#### Persistence and degradability

N.A.

## Bioaccumulative potential

N.A.

## Mobility in soil

N.A.

## Other adverse effects

N.A.

---

## 13. DISPOSAL CONSIDERATIONS

### Waste treatment methods

The generation of waste should be avoided or minimized wherever possible. Recover if possible.

#### Methods of disposal:

Disposal of this product, solutions, packaging and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor.

Do not dispose of waste into sewers.

#### Disposal considerations:

Do not allow to enter drains or watercourses.

Dispose of product according to all federal, state and local applicable regulations.

If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned.

Dispose of containers contaminated by the product in accordance with local or national legal provisions. For further information, contact your local waste authority.

#### Special precautions:

This material and its container must be disposed of in a safe way. Care should be taken when handling untreated empty containers.

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Empty containers or liners may retain some product residues. Do not re-use empty containers.

---

## 14. TRANSPORT INFORMATION

Not classified as dangerous in the meaning of transport regulations.

### UN number

DOT-UN Number: Not Applicable

ADR-UN number: Not Applicable

IATA-Un number: Not Applicable

IMDG-Un number: Not Applicable

### UN proper shipping name

DOT-Proper Shipping Name: Not Applicable

ADR-Shipping Name: Not Applicable

IATA-Technical name: Not Applicable

IMDG-Technical name: Not Applicable

### Transport hazard class(es)

DOT-Hazard Class: Not Applicable

ADR-Class: Not Applicable

IATA-Class: Not Applicable

IMDG-Class: Not Applicable

### Packing group

DOT Packing Group: Not Applicable

ADR-Packing Group: Not Applicable

IATA-Packing group: Not Applicable

IMDG-Packing group: Not Applicable

### Environmental hazards

Marine pollutant: No

Environmental Pollutant: Not Applicable

DOT-RQ: No

### Transport in bulk according to IMO instruments

N.A.

Not Applicable

### Special precautions

Department of Transportation (DOT):

Not Applicable

Road and Rail (ADR-RID) :

Not Applicable  
Air ( IATA ) :  
Not Applicable  
Sea ( IMDG ) :  
Not Applicable

15. REGULATORY INFORMATION

This Safety Data Sheet has been prepared according to the Hazard Communication Standard 2024 (HCS 2024)

USA - Federal regulations

TSCA - Toxic Substances Control Act

All the components are listed on the TSCA inventory  
**TSCA listed substances:**  
(d)-limonene; (R)-p-mentha-1,8- diene is listed in TSCA Section 8b  
propylene carbonate; 1,3-Dioxolan-2-one, 4-methyl- is listed in TSCA Section 8b

SARA - Superfund Amendments and Reauthorization Act

**Section 302 - Extremely Hazardous Substances:**  
No substances listed  
**Section 304 - Hazardous substances:**  
No substances listed  
**Section 313 - Toxic chemical list:**  
No substances listed

CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act

**Substance(s) listed under CERCLA:**  
No substances listed

CAA - Clean Air Act

**CAA listed substances:**  
propylene carbonate; 1,3-Dioxolan-2-one, 4-methyl- is listed in CAA Section 112(b) - HON

CWA - Clean Water Act

**CWA listed substances:**  
No substances listed

USA - State specific regulations

California Proposition 65

**Substance(s) listed under California Proposition 65:**  
No substances listed

Massachusetts Right to know

**Substance(s) listed under Massachusetts Right to know:**  
No substances listed

Pennsylvania Right to know

**Substance(s) listed under Pennsylvania Right to know:**  
No substances listed

New Jersey Right to know

**Substance(s) listed under New Jersey Right to know:**  
No substances listed

Canada - Federal regulations

DSL - Domestic Substances List

All the substances are listed in the DSL.

NDSL - Non Domestic Substances List

This product complies with NDSL inventory

NPRI - National Pollutant Release Inventory

**NPRI (National Pollutant Release Inventory) - List of substances listed.**  
No substances listed

16. OTHER INFORMATION

Safety Data Sheet dated: 9/24/2025 - version 7

Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use. The information herein is presented in good faith and believed to be accurate as of the effective date given. It is the buyer's responsibility to ensure that its activities comply with Federal, State or provincial, and local laws.

This document was prepared by a competent person who has received appropriate training.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This SDS cancels and replaces any preceding release.

| Code | Description                                        |
|------|----------------------------------------------------|
| H226 | Flammable liquid and vapour.                       |
| H304 | May be fatal if swallowed and enters airways.      |
| H315 | Causes skin irritation.                            |
| H317 | May cause an allergic skin reaction.               |
| H319 | Causes serious eye irritation.                     |
| H400 | Very toxic to aquatic life.                        |
| H412 | Harmful to aquatic life with long lasting effects. |

| Code      | Hazard class and hazard category | Description                                    |
|-----------|----------------------------------|------------------------------------------------|
| A.10/1    | Asp. Tox. 1                      | Aspiration hazard, Category 1                  |
| A.2/2     | Skin Irrit. 2                    | Skin irritation, Category 2                    |
| A.3/2A    | Eye Irrit. 2A                    | Eye irritation, Category 2A                    |
| A.4.2/1B  | Skin Sens. 1B                    | Skin Sensitization, Category 1B                |
| B.6/3     | Flam. Liq. 3                     | Flammable Liquids — Category 3                 |
| US-HAE/A1 | Aquatic Acute 1                  | Acute aquatic hazard, category 1               |
| US-HAE/C3 | Aquatic Chronic 3                | Chronic (long term) aquatic hazard, category 3 |

Legend to abbreviations and acronyms used in the safety data sheet:

- ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.
- RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.
- IMDG: International Maritime Code for Dangerous Goods.
- IATA: International Air Transport Association.
- IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
- ICAO: International Civil Aviation Organization.
- ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).
- GHS: Globally Harmonized System of Classification and Labeling of Chemicals.
- CLP: Classification, Labeling, Packaging.
- EU CLP Index: Index number as reported in Annex VI to EU Reg. 1272/2008
- EINECS: European Inventory of Existing Commercial Chemical Substances.
- INCI: International Nomenclature of Cosmetic Ingredients.
- CAS: Chemical Abstracts Service (division of the American Chemical Society).
- GefStoffVO: Ordinance on Hazardous Substances, Germany.
- LC50: Lethal concentration, for 50 percent of test population.
- LD50: Lethal dose, for 50 percent of test population.
- DNEL: Derived No Effect Level.
- PNEC: Predicted No Effect Concentration.
- TLV: Threshold Limiting Value.
- TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).
- STEL: Short Term Exposure limit.
- STOT: Specific Target Organ Toxicity.
- WGK: German Water Hazard Class.
- KSt: Explosion coefficient.

Paragraphs modified from the previous revision:

- 2. HAZARDS IDENTIFICATION
- 3. COMPOSITION/INFORMATION ON INGREDIENTS
- 8. EXPOSURE CONTROLS/PERSONAL PROTECTION
- 9. PHYSICAL AND CHEMICAL PROPERTIES
- 11. TOXICOLOGICAL INFORMATION
- 12. ECOLOGICAL INFORMATION
- 14. TRANSPORT INFORMATION

