

## Safety Data Sheet

### ULTRABOND SPORT PU 1K

Safety Data Sheet dated: 09/23/2025 - version 4

Date of first edition: 06/30/2021



## 1. IDENTIFICATION

### Product identifier used on the label

Mixture identification:

Trade name: ULTRABOND SPORT PU 1K

Trade code: 9019454

### Recommended use of the chemical and restrictions on use

Recommended use: Polyurethane-based adhesive

Restrictions on use: Not available

### Name, U.S. address, and U.S. telephone number of the chemical manufacturer, importer, or other responsible party

Company: MAPEI CORP. (USA and Puerto Rico)

1144 East Newport Center Drive - 33442 - Deerfield Beach - FL - USA

Phone: 954-246-8888

Responsible: RDProductSafety@mapei.com

### Emergency 24 hour numbers:

Emergency Number (USA/Canada) CHEMTREC 1(800) 424-9300 / 1(703) 527-3887

Emergency Transport CANUTEC (Canada) 1-613-996-6666

## 2. HAZARD(S) IDENTIFICATION



### Classification of the chemical

Eye irritation, Category 2A

Causes serious eye irritation.

Respiratory Sensitization, Category 1

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Skin Sensitization, Category 1

May cause an allergic skin reaction.

Carcinogenicity, Category 2

Suspected of causing cancer if inhaled, in contact with skin and if swallowed.

### Label elements

#### Hazard pictograms and Signal Word



Danger

### Hazard statements

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H351 Suspected of causing cancer if inhaled, in contact with skin and if swallowed.

### Precautionary statements

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P261 Avoid breathing mist/vapours/spray.

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/clothing and eye/face protection.

P284 [In case of inadequate ventilation] wear respiratory protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308+P313 IF exposed or concerned: Call a POISON CENTER/ doctor/...

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 UN5\$P337+P313

P342+P311 If experiencing respiratory symptoms: Call a doctor.

P362+P364 Take off contaminated clothing and wash it before reuse.

P501 Dispose of contents/container in accordance with applicable regulations.

#### Hazards associated with foreseeable chemical reactions

None

#### Ingredient(s) with unknown acute toxicity:

None

#### Hazards not otherwise classified identified during the classification process:

None

---

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Substances

Not Relevant

#### Mixtures

Hazardous components within the meaning of 29 CFR 1910.1200 and related classification:

#### List of components

| Qty            | Name                                                                          | Ident. Numb.                                               | Classification                                                                                                                                         |
|----------------|-------------------------------------------------------------------------------|------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|
| ≥2.5 - <3 %    | calcium oxide; quicklime                                                      | CAS:1305-78-8<br>EC:215-138-9                              | STOT SE 3, H335; Skin Irrit. 2, H315; Eye Dam. 1, H318                                                                                                 |
| ≥0.5 - <0.6 %  | 4-methylbenzenesulfonyl isocyanate; 4-isocyanatosulphonyltoluene              | CAS:4083-64-1<br>EC:223-810-8<br>EU CLP Index:615-012-00-7 | Eye Irrit. 2A, H319; STOT SE 3, H335; Skin Irrit. 2, H315; Resp. Sens. 1, H334                                                                         |
| ≥0.3 - <0.5 %  | 4,4'-methylenediphenyl diisocyanate; benzene, 1,1'-methylenebis[4-isocyanato- | CAS:101-68-8<br>EC:202-966-0<br>EU CLP Index:615-005-00-9  | Acute Tox. 4, H332; Eye Irrit. 2A, H319; STOT SE 3, H335; Skin Irrit. 2, H315; Resp. Sens. 1, H334; Skin Sens. 1, H317; STOT RE 2, H373; Carc. 2, H351 |
| ≥0.25 - <0.3 % | silica sand; quartz                                                           | CAS:14808-60-7<br>EC:238-878-4                             | STOT RE 1, H372; Carc. 1A, H350                                                                                                                        |

The actual concentration of the components listed above is withheld as a trade secret.

---

### 4. FIRST AID MEASURES

#### Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.  
OBTAIN IMMEDIATE MEDICAL ATTENTION.  
Obtain medical attention if skin related symptoms persist.  
Remove contaminated clothing immediately and dispose of safely.  
After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.  
Protect uninjured eye.

In case of Ingestion:

Do not induce vomiting, get medical attention showing the SDS and the hazard label.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

#### Most important symptoms/effects, acute and delayed

Eye irritation

Eye damages

#### Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

(see paragraph 4.1)

---

## 5. FIRE-FIGHTING MEASURES

### Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO<sub>2</sub>).

### Unsuitable extinguishing media:

None in particular.

### Specific hazards arising from the chemical

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

Hazardous combustion products: Not available

Explosive properties: Not Relevant

Oxidizing properties: Not Relevant

### Special protective equipment and precautions for fire-fighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

---

## 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Limit leakages with earth or sand.

### Methods and material for containment and cleaning up

Suitable material for taking up: absorbing material, organic, sand

Retain contaminated washing water and dispose it.

---

## 7. HANDLING AND STORAGE

### Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Exercise the greatest care when handling or opening the container.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

### Conditions for safe storage, including any incompatibilities

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

Storage temperature: Not available

---

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

#### Occupational Exposure Limits (OEL)

|                                            | OEL Type | Country | Occupational Exposure Limit                                          |
|--------------------------------------------|----------|---------|----------------------------------------------------------------------|
| calcium oxide; quicklime<br>CAS: 1305-78-8 | ACGIH    |         | Long Term: 2 mg/m <sup>3</sup><br>URT irr                            |
|                                            | MAK      | GERMANY | Long Term: 1 mg/m <sup>3</sup>                                       |
|                                            | OSHA     |         | Long Term: 5 mg/m <sup>3</sup>                                       |
|                                            | ACGIH    |         | Long Term: 2 mg/m <sup>3</sup><br>upper respiratory tract irritation |
|                                            | MAK      | AUSTRIA | Long Term: 1 mg/m <sup>3</sup> ; Short Term: 4 mg/m <sup>3</sup>     |

|                                                                                                |       |              |                                                                                                       |
|------------------------------------------------------------------------------------------------|-------|--------------|-------------------------------------------------------------------------------------------------------|
| 4,4'-methylenediphenyl diisocyanate; benzene, 1,1'-methylenebis[4-isocyanato-<br>CAS: 101-68-8 | MAK   | SWITZERLAN D | Long Term: 2 mg/m3                                                                                    |
|                                                                                                | EU    |              | Long Term: 1 mg/m3; Short Term: 4 mg/m3<br>Respirable fraction                                        |
|                                                                                                | ACGIH |              | Long Term: 0.005 ppm<br>Resp sens                                                                     |
|                                                                                                | MAK   | GERMANY      | Long Term: 0.05 mg/m3                                                                                 |
|                                                                                                | ACGIH |              | Long Term: 0.005 ppm<br>respiratory sensitization (listed under Methylene bisphenyl isocyanate (MDI)) |
|                                                                                                | OSHA  |              | Short Term: Ceiling - 0.2 mg/m3 - 0.02 ppm                                                            |
|                                                                                                | MAK   | AUSTRIA      | Long Term: 0.05 mg/m3 - 0.005 ppm; Short Term: 0.1 mg/m3 - 0.01 ppm                                   |
|                                                                                                | ACGIH |              | Long Term: 0.005 ppm<br>respiratory sensitization (listed under Methylene bisphenyl isocyanate (MDI)) |
|                                                                                                | OSHA  |              | Short Term: Ceiling - 0.2 mg/m3 - 0.02 ppm                                                            |
|                                                                                                | EU    |              | Long Term: 0.006 mg/m3; Short Term: 0.012 mg/m3<br>Skin; Dermal and respiratory sensitisation         |
| silica sand; quartz<br>CAS: 14808-60-7                                                         | ACGIH |              | Long Term: 0.025 mg/m3<br>A2 - Suspected Human Carcinogen;lung cancer;pulmonary fibrosis              |
|                                                                                                | MAK   | AUSTRIA      | Long Term: 0.15 mg/m3                                                                                 |
|                                                                                                | ACGIH |              | Long Term: 0.025 mg/m3<br>(R), A2 - Pulm fibrosis, lung cancer                                        |
|                                                                                                | MAK   | SWITZERLAN D | Long Term: 0.15 mg/m3                                                                                 |
|                                                                                                | EU    |              | Long Term: 0.1 mg/m3<br>Behaviour Binding                                                             |
|                                                                                                |       |              |                                                                                                       |

#### Predicted No Effect Concentration (PNEC) values

|                                            |                                                                         |  |  |
|--------------------------------------------|-------------------------------------------------------------------------|--|--|
| calcium oxide; quicklime<br>CAS: 1305-78-8 | Exposure Route: Fresh Water; PNEC Limit: 0.49 mg/l                      |  |  |
|                                            | Exposure Route: Marine water; PNEC Limit: 0.32 mg/l                     |  |  |
|                                            | Exposure Route: Microorganisms in sewage treatments; PNEC Limit: 3 mg/l |  |  |
|                                            | Exposure Route: Soil; PNEC Limit: 1080 mg/kg                            |  |  |
|                                            | Exposure Route: Soil; PNEC Limit: 816 mg/l                              |  |  |
|                                            | Exposure Route: Fresh Water; PNEC Limit: 1 mg/l                         |  |  |
|                                            | Exposure Route: Marine water; PNEC Limit: 0.1 mg/l                      |  |  |
|                                            | Exposure Route: Soil; PNEC Limit: 1 mg/kg                               |  |  |
|                                            | Exposure Route: Microorganisms in sewage treatments; PNEC Limit: 1 mg/l |  |  |
|                                            | Exposure Route: Intermittent release; PNEC Limit: 10 mg/l               |  |  |

#### Derived No Effect Level (DNEL) values

|                                            |                                                                                                                                |  |  |
|--------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|--|--|
| calcium oxide; quicklime<br>CAS: 1305-78-8 | Exposure Route: Human Inhalation; Exposure Frequency: Short Term, local effects<br>Worker Industry: 4 mg/m3; Consumer: 4 mg/m3 |  |  |
|                                            | Exposure Route: Human Inhalation; Exposure Frequency: Long Term, local effects<br>Worker Industry: 1 mg/m3; Consumer: 1 mg/m3  |  |  |
|                                            | Exposure Route: Human Dermal; Exposure Frequency: Short Term, systemic effects<br>Worker Industry: 50 mg/kg                    |  |  |
|                                            | Exposure Route: Human Inhalation; Exposure Frequency: Short Term, systemic effects<br>Worker Industry: 0.1 mg/m3               |  |  |

Exposure Route: Human Inhalation; Exposure Frequency: Short Term, local effects  
Worker Industry: 0.1 mg/m3

Exposure Route: Human Inhalation; Exposure Frequency: Long Term, systemic effects  
Worker Industry: 0.05 mg/m3

Exposure Route: Human Inhalation; Exposure Frequency: Long Term, local effects  
Worker Industry: 0.05 mg/m3

Exposure Route: Human Dermal; Exposure Frequency: Short Term, systemic effects  
Consumer: 25 mg/kg

Exposure Route: Human Inhalation; Exposure Frequency: Short Term, systemic effects  
Consumer: 0.05 mg/m3

Exposure Route: Human Oral; Exposure Frequency: Short Term, systemic effects  
Consumer: 20 mg/kg

Exposure Route: Human Inhalation; Exposure Frequency: Short Term, local effects  
Consumer: 0.05 mg/m3

Exposure Route: Human Inhalation; Exposure Frequency: Long Term, systemic effects  
Consumer: 0.025 mg/m3

Exposure Route: Human Inhalation; Exposure Frequency: Long Term, local effects  
Consumer: 0.025 mg/m3

Exposure Route: Human Dermal; Exposure Frequency: Short Term, local effects  
Worker Industry: 28.7 mg/cm2; Consumer: 17.2 mg/cm2

Appropriate engineering controls: Not available

#### **Individual protection measures**

Eye protection:

Use close fitting safety goggles, don't use contact lenses.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Suitable materials for safety gloves; 29 CFR 1910.138 - ANSI/ISEA 105:

Polychloroprene - CR: thickness  $\geq 0,5\text{mm}$ ; breakthrough time  $\geq 480\text{min}$ .

Nitrile rubber - NBR: thickness  $\geq 0,35\text{mm}$ ; breakthrough time  $\geq 480\text{min}$ .

Butyl rubber - IIR: thickness  $\geq 0,5\text{mm}$ ; breakthrough time  $\geq 480\text{min}$ .

Fluorinated rubber - FKM: thickness  $\geq 0,4\text{mm}$ ; breakthrough time  $\geq 480\text{min}$ .

Use impervious gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.

Respiratory protection:

Respiratory protection must be used where exposure levels exceed workplace exposure limits. Refer to 29 CFR 1910.134 - CSA Z94.4 for information on selection and use of appropriate respiratory protection equipment.

Use adequate protective respiratory equipment.

---

## **9. PHYSICAL AND CHEMICAL PROPERTIES**

### **Information on basic physical and chemical properties**

|                                               |                |
|-----------------------------------------------|----------------|
| Physical state:                               | Liquid         |
| Appearance and colour:                        | paste grey     |
| Odour:                                        | mild           |
| Odour threshold:                              | Not Relevant   |
| Melting point / freezing point:               | Not Relevant   |
| Initial boiling point and boiling range:      | Not Relevant   |
| Flammability:                                 | Not Relevant   |
| Upper/lower flammability or explosive limits: | Not Relevant   |
| Flash point:                                  | 94 °C (201 °F) |
| Auto-ignition temperature:                    | Not Relevant   |
| Decomposition temperature:                    | Not Relevant   |

|                                          |                        |
|------------------------------------------|------------------------|
| pH:                                      | Not Relevant           |
| Viscosity:                               | 100,000.00 mPA-s       |
| Kinematic viscosity:                     | > 20,5 mm2/sec (40 °C) |
| Solubility in water:                     | insoluble              |
| Solubility in oil:                       | partly soluble         |
| Partition coefficient (n-octanol/water): | Not Relevant           |
| Vapour pressure:                         | Not Relevant           |
| Evaporation rate:                        | Not Relevant           |
| Relative density:                        | 1.50 g/cm3             |
| Vapour density:                          | Not Relevant           |

#### Particle characteristics:

|                |                   |
|----------------|-------------------|
| Particle size: | No data available |
|----------------|-------------------|

#### Other information

|                                       |              |
|---------------------------------------|--------------|
| Explosive properties:                 | Not Relevant |
| Oxidizing properties:                 | Not Relevant |
| Solid/gas flammability:               | Not Relevant |
| Substance Groups relevant properties: | Not Relevant |
| Miscibility:                          | Not Relevant |
| Fat Solubility:                       | Not Relevant |
| Conductivity:                         | Not Relevant |

---

## 10. STABILITY AND REACTIVITY

### Reactivity

Stable under normal conditions

### Chemical stability

Data not available.

### Possibility of hazardous reactions

None.

### Conditions to avoid

Stable under normal conditions.

### Incompatible materials

None in particular.

### Hazardous decomposition products

None.

---

## 11. TOXICOLOGICAL INFORMATION

### Information on toxicological effects

#### Toxicological Information of the Preparation

|                                      |                                                                                                              |
|--------------------------------------|--------------------------------------------------------------------------------------------------------------|
| a) acute toxicity                    | Not classified<br>Based on available data, the classification criteria are not met                           |
| b) skin corrosion/irritation         | Not classified<br>Based on available data, the classification criteria are not met                           |
| c) serious eye damage/irritation     | The product is classified: Eye irritation, Category 2A(H319)                                                 |
| d) respiratory or skin sensitisation | The product is classified: Respiratory Sensitization, Category 1(H334), Skin Sensitization, Category 1(H317) |
| e) germ cell mutagenicity            | Not classified<br>Based on available data, the classification criteria are not met                           |
| f) carcinogenicity                   | The product is classified: Carcinogenicity, Category 2(H351)                                                 |

|                           |                                                                                    |
|---------------------------|------------------------------------------------------------------------------------|
| g) reproductive toxicity  | Not classified<br>Based on available data, the classification criteria are not met |
| h) STOT-single exposure   | Not classified<br>Based on available data, the classification criteria are not met |
| i) STOT-repeated exposure | Not classified<br>Based on available data, the classification criteria are not met |
| j) aspiration hazard      | Not classified<br>Based on available data, the classification criteria are not met |

#### Toxicological information on main components of the mixture:

|                                                                               |                          |                                                                    |      |
|-------------------------------------------------------------------------------|--------------------------|--------------------------------------------------------------------|------|
| calcium oxide; quicklime                                                      | a) acute toxicity        | LD50 Oral Rat > 2000 mg/kg<br>LD50 Skin Rat > 2500 mg/kg           |      |
| 4-methylbenzenesulfonyl isocyanate; 4-isocyanatosulphonyltoluene              | a) acute toxicity        | LC50 Inhalation Rat > 640 ppm 1h<br><br>LD50 Oral Rat = 2234 mg/kg |      |
| 4,4'-methylenediphenyl diisocyanate; benzene, 1,1'-methylenebis[4-isocyanato- | a) acute toxicity        | LD50 Oral Rat > 2000 mg/kg                                         |      |
|                                                                               | f) carcinogenicity       | Carcinogenicity Inhalation Rat = 6 mg/m3                           | 2 y  |
|                                                                               | g) reproductive toxicity | NOAEL Inhalation Rat = 12 mg/m3                                    | 20 d |
| silica sand; quartz                                                           | a) acute toxicity        | LD50 Oral > 2000 mg/kg<br>LD50 Skin > 2000 mg/kg                   |      |

#### Substance(s) listed on the IARC Monographs:

|                                                                               |         |
|-------------------------------------------------------------------------------|---------|
| 4,4'-methylenediphenyl diisocyanate; benzene, 1,1'-methylenebis[4-isocyanato- | Group 3 |
| silica sand; quartz                                                           | Group 1 |

#### Substance(s) listed as OSHA Carcinogen(s):

silica sand; quartz

#### Substance(s) listed as NIOSH Carcinogen(s):

silica sand; quartz

#### Substance(s) listed on the NTP report on Carcinogens:

silica sand; quartz

## 12. ECOLOGICAL INFORMATION

### Toxicity

Adopt good working practices, so that the product is not released into the environment.

Eco-Toxicological Information:

#### List of Eco-Toxicological properties of the product

Not classified for environmental hazards.

Based on available data, the classification criteria are not met

#### List of Eco-Toxicological properties of the components

| Component                | Ident. Numb.                          | Ecotox Data                                                                                                                                                                       |
|--------------------------|---------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| calcium oxide; quicklime | CAS: 1305-78-8<br>- EINECS: 215-138-9 | a) Aquatic acute toxicity : LC50 Fish = 457 mg/L 96<br><br>a) Aquatic acute toxicity : EC50 Daphnia = 49.1 mg/L 48<br>b) Aquatic chronic toxicity : NOEC Daphnia = 32 mg/L - 14 d |

4,4'-methylenediphenyl  
diisocyanate; benzene, 1,1'-  
methylenebis[4-isocyanato-

CAS: 101-68-8 -  
EINECS: 202-  
966-0 - INDEX:  
615-005-00-9

- a) Aquatic acute toxicity : LC50 Fish = 50.6 mg/L 96
- a) Aquatic acute toxicity : LC50 Daphnia = 158 mg/L 96
- a) Aquatic acute toxicity : EC50 Algae = 184.57 mg/L 72
- b) Aquatic chronic toxicity : NOEC Algae = 48 mg/L 72
- a) Aquatic acute toxicity : LC50 Fish Cyprinus carpio = 1070 mg/L 96h IUCLID
- a) Aquatic acute toxicity : LC50 Fish > 1000 mg/L 96
- a) Aquatic acute toxicity : EC50 Daphnia > 1000 mg/L 24
- b) Aquatic chronic toxicity : NOEC Daphnia > 10 mg/L - 21 d
- a) Aquatic acute toxicity : EC50 Algae > 1640 mg/L 72
- c) Bacteria toxicity : EC50 > 100 mg/L 3
- d) Terrestrial toxicity : NOEC > 1000 mg/kg - 14 d
- e) Plant toxicity : NOEC > 1000 mg/kg - 14 d

#### Persistence and degradability

N.A.

#### Bioaccumulative potential

N.A.

#### Mobility in soil

N.A.

#### Other adverse effects

N.A.

---

### 13. DISPOSAL CONSIDERATIONS

#### Waste treatment methods

The generation of waste should be avoided or minimized wherever possible. Recover if possible.

#### Methods of disposal:

Disposal of this product, solutions, packaging and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor.

Do not dispose of waste into sewers.

#### Disposal considerations:

Do not allow to enter drains or watercourses.

Dispose of product according to all federal, state and local applicable regulations.

If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned.

Dispose of containers contaminated by the product in accordance with local or national legal provisions. For further information, contact your local waste authority.

#### Special precautions:

This material and its container must be disposed of in a safe way. Care should be taken when handling untreated empty containers.

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Empty containers or liners may retain some product residues. Do not re-use empty containers.

---

### 14. TRANSPORT INFORMATION

Not classified as dangerous in the meaning of transport regulations.

#### UN number

DOT-UN Number: Not Applicable

ADR-UN number: Not Applicable

IATA-Un number: Not Applicable

IMDG-Un number: Not Applicable

#### UN proper shipping name

DOT-Proper Shipping Name: Not Applicable

ADR-Shipping Name: Not Applicable

IATA-Technical name: Not Applicable

IMDG-Technical name: Not Applicable

#### Transport hazard class(es)

DOT-Hazard Class: Not Applicable

ADR-Class: Not Applicable  
IATA-Class: Not Applicable  
IMDG-Class: Not Applicable

**Packing group**

DOT Packing Group: Not Applicable  
ADR-Packing Group: Not Applicable  
IATA-Packing group: Not Applicable  
IMDG-Packing group: Not Applicable

**Environmental hazards**

Marine pollutant: No  
Environmental Pollutant: Not Applicable  
DOT-RQ: Yes                      DOT-RQ - Quantity: 5000 lbs

**Transport in bulk according to IMO instruments**

N.A.  
Not Applicable

**Special precautions**

Department of Transportation (DOT):  
Not Applicable  
Road and Rail ( ADR-RID ) :  
Not Applicable  
Air ( IATA ) :  
Not Applicable  
Sea ( IMDG ) :  
Not Applicable

---

**15. REGULATORY INFORMATION**

This Safety Data Sheet has been prepared according to the Hazard Communication Standard 2024 (HCS 2024)

**USA - Federal regulations**

**TSCA - Toxic Substances Control Act**

All the components are listed on the TSCA inventory

**TSCA listed substances:**

|                                                                               |                   |                                        |
|-------------------------------------------------------------------------------|-------------------|----------------------------------------|
| calcium oxide; quicklime                                                      | is listed in TSCA | Section 8b                             |
| 4-methylbenzenesulfonyl isocyanate; 4-isocyanatosulphonyltoluene              | is listed in TSCA | Section 8b                             |
| 4,4'-methylenediphenyl diisocyanate; benzene, 1,1'-methylenebis[4-isocyanato- | is listed in TSCA | Section 8b Section 8a - PAIR Section 5 |
| silica sand; quartz                                                           | is listed in TSCA | Section 8b                             |

**SARA - Superfund Amendments and Reauthorization Act**

**Section 302 - Extremely Hazardous Substances:**

No substances listed

**Section 304 - Hazardous substances:**

4,4'-methylenediphenyl diisocyanate; benzene, 1,1'-methylenebis[4-isocyanato-

**Section 313 - Toxic chemical list:**

4,4'-methylenediphenyl diisocyanate; benzene, 1,1'-methylenebis[4-isocyanato-

**CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act**

**Substance(s) listed under CERCLA:**

|                                                                               |                      |      |        |
|-------------------------------------------------------------------------------|----------------------|------|--------|
| 4,4'-methylenediphenyl diisocyanate; benzene, 1,1'-methylenebis[4-isocyanato- | Reportable quantity: | 5000 | pounds |
|-------------------------------------------------------------------------------|----------------------|------|--------|

**CAA - Clean Air Act**

**CAA listed substances:**

|                                                                               |                  |                                           |
|-------------------------------------------------------------------------------|------------------|-------------------------------------------|
| 4,4'-methylenediphenyl diisocyanate; benzene, 1,1'-methylenebis[4-isocyanato- | is listed in CAA | Section 112(b) - HAP Section 112(b) - HON |
|-------------------------------------------------------------------------------|------------------|-------------------------------------------|

**CWA - Clean Water Act**

**CWA listed substances:**

No substances listed

## California Proposition 65

|                     |                      |
|---------------------|----------------------|
| silica sand; quartz | Listed as carcinogen |
|---------------------|----------------------|

**Substance(s) listed under Massachusetts Right to know:**

calcium oxide; quicklime

4,4'-methylenediphenyl diisocyanate; benzene, 1,1'-methylenebis[4-isocyanato-

silica sand; quartz

**Substance(s) listed under Pennsylvania Right to know:**

calcium oxide; quicklime

4,4'-methylenediphenyl diisocyanate; benzene, 1,1'-methylenebis[4-isocyanato-

silica sand; quartz

**Substance(s) listed under New Jersey Right to know:**

calcium oxide: quicklime

4,4'-methylenediphenyl diisocyanate; benzene, 1,1'-methylenebis[4-isocyanato-

silica sand; quartz

## DSL - Domestic Substances List

All the substances are listed in the DSL.

This product complies with NDSL inventory

**NPRI (National Pollutant Release Inventory) - List of substances listed.**

No substances listed

Safety Data Sheet dated: 9/23/2025 - version 4

Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use. The information herein is presented in good faith and believed to be accurate as of the effective date given. It is the buyer's responsibility to ensure that its activities comply with Federal, State or provincial, and local laws.

This document was prepared by a competent person who has received appropriate training.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This SDS cancels and replaces any preceding release.

| Code | Description                                                                   |
|------|-------------------------------------------------------------------------------|
| H315 | Causes skin irritation.                                                       |
| H317 | May cause an allergic skin reaction.                                          |
| H318 | Causes serious eye damage.                                                    |
| H319 | Causes serious eye irritation.                                                |
| H332 | Harmful if inhaled.                                                           |
| H334 | May cause allergy or asthma symptoms or breathing difficulties if inhaled.    |
| H335 | May cause respiratory irritation.                                             |
| H350 | May cause cancer.                                                             |
| H351 | Suspected of causing cancer.                                                  |
| H372 | Causes damage to organs through prolonged or repeated exposure.               |
| H373 | May cause damage to organs through prolonged or repeated exposure if inhaled. |

| Code        | Hazard class and hazard category | Description                             |
|-------------|----------------------------------|-----------------------------------------|
| A.1/4/Inhal | Acute Tox. 4                     | Acute toxicity (inhalation), Category 4 |
| A.2/2       | Skin Irrit. 2                    | Skin irritation, Category 2             |
| A.3/1       | Eye Dam. 1                       | Serious eye damage, Category 1          |
| A.3/2A      | Eye Irrit. 2A                    | Eye irritation, Category 2A             |

|         |               |                                                                        |
|---------|---------------|------------------------------------------------------------------------|
| A.4.1/1 | Resp. Sens. 1 | Respiratory Sensitization, Category 1                                  |
| A.4.2/1 | Skin Sens. 1  | Skin Sensitization, Category 1                                         |
| A.6/1A  | Carc. 1A      | Carcinogenicity, Category 1A                                           |
| A.6/2   | Carc. 2       | Carcinogenicity, Category 2                                            |
| A.8/3   | STOT SE 3     | Specific target organ toxicity following single exposure, Category 3   |
| A.9/1   | STOT RE 1     | Specific target organ toxicity following repeated exposure, Category 1 |
| A.9/2   | STOT RE 2     | Specific target organ toxicity following repeated exposure, Category 2 |

**Legend to abbreviations and acronyms used in the safety data sheet:**

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.  
 RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.  
 IMDG: International Maritime Code for Dangerous Goods.  
 IATA: International Air Transport Association.  
 IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).  
 ICAO: International Civil Aviation Organization.  
 ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).  
 GHS: Globally Harmonized System of Classification and Labeling of Chemicals.  
 CLP: Classification, Labeling, Packaging.  
 EU CLP Index: Index number as reported in Annex VI to EU Reg. 1272/2008  
 EINECS: European Inventory of Existing Commercial Chemical Substances.  
 INCI: International Nomenclature of Cosmetic Ingredients.  
 CAS: Chemical Abstracts Service (division of the American Chemical Society).  
 GefStoffVO: Ordinance on Hazardous Substances, Germany.  
 LC50: Lethal concentration, for 50 percent of test population.  
 LD50: Lethal dose, for 50 percent of test population.  
 DNEL: Derived No Effect Level.  
 PNEC: Predicted No Effect Concentration.  
 TLV: Threshold Limiting Value.  
 TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).  
 STEL: Short Term Exposure limit.  
 STOT: Specific Target Organ Toxicity.  
 WGK: German Water Hazard Class.  
 KSt: Explosion coefficient.

**Paragraphs modified from the previous revision:**

- 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING
- 2. HAZARDS IDENTIFICATION
- 3. COMPOSITION/INFORMATION ON INGREDIENTS
- 8. EXPOSURE CONTROLS/PERSONAL PROTECTION
- 9. PHYSICAL AND CHEMICAL PROPERTIES
- 11. TOXICOLOGICAL INFORMATION
- 12. ECOLOGICAL INFORMATION
- 14. TRANSPORT INFORMATION
- 15. REGULATORY INFORMATION
- 16. OTHER INFORMATION