

Safety Data Sheet
MAPEPLAST KB 1200

Safety Data Sheet dated: 09/24/2025 - version 5

Date of first edition: 01/23/2023



1. IDENTIFICATION

Product identifier used on the label

Mixture identification:

Trade name: MAPEPLAST KB 1200

Trade code: 9022475

Recommended use of the chemical and restrictions on use

Recommended use: Admixture for concrete

Restrictions on use: Not available

Name, U.S. address, and U.S. telephone number of the chemical manufacturer, importer, or other responsible party

Company: MAPEI CORP. (USA and Puerto Rico)

1144 East Newport Center Drive - 33442 - Deerfield Beach - FL - USA

Phone: 954-246-8888

Responsible: RDProductSafety@mapei.com

Emergency 24 hour numbers:

Emergency Number (USA/Canada) CHEMTREC 1(800) 424-9300 / 1(703) 527-3887

Emergency Transport CANUTEC (Canada) 1-613-996-6666

2. HAZARD(S) IDENTIFICATION



Classification of the chemical

Eye irritation, Category 2A

Causes serious eye irritation.

Reproductive toxicity, Category 2

Suspected of damaging fertility. Suspected of damaging the unborn child.

Acute aquatic hazard, category 3

Harmful to aquatic life

Label elements

Hazard pictograms and Signal Word



Warning

Hazard statements

H319 Causes serious eye irritation.

H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.

H402 Harmful to aquatic life

Precautionary statements

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P264 Wash skin thoroughly after handling.

P273 Avoid release to the environment.

P280 Wear protective gloves/clothing and eye/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

P501 Dispose of contents/container in accordance with applicable regulations.

Hazards associated with foreseeable chemical reactions

None

Ingredient(s) with unknown acute toxicity:

None

Hazards not otherwise classified identified during the classification process:

None

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances

Not Relevant

Mixtures

Hazardous components within the meaning of 29 CFR 1910.1200 and related classification:

List of components

Qty	Name	Ident. Numb.	Classification
≥15 - <20 %	sodium nitrate; Nitric acid monosodium salt	CAS:7631-99-4 EC:231-554-3	Ox. Sol. 2, H272; Eye Irrit. 2A, H319
≥1 - <2.5 %	sodium thiocyanate; Sodium sulfocyanide	CAS:540-72-7 EC:208-754-4 EU CLP Index:615-030-00-5	Acute Tox. 4, H332; Acute Tox. 4, H312; Acute Tox. 4, H302; Aquatic Chronic 3, H412; Eye Dam. 1, H318; Aquatic Acute 2, H401
≥0.2 - <0.25 %	2,2'-iminodiethanol; dietanolamine	CAS:111-42-2 EC:203-868-0 EU CLP Index:603-071-00-1	Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Dam. 1, H318; STOT RE 2, H373; Repr. 2, H361; Aquatic Acute 2, H401

The actual concentration of the components listed above is withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap.

Wash thoroughly the body (shower or bath).

Remove contaminated clothing immediately and dispose of safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do not induce vomiting, get medical attention showing the SDS and the hazard label.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

Most important symptoms/effects, acute and delayed

Eye irritation

Eye damages

Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

(see paragraph 4.1)

5. FIRE-FIGHTING MEASURES

Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO2).

Unsuitable extinguishing media:

None in particular.

Specific hazards arising from the chemical

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

Hazardous combustion products: Not available

Explosive properties: Not Relevant

Oxidizing properties: Not Relevant

Special protective equipment and precautions for fire-fighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Limit leakages with earth or sand.

Methods and material for containment and cleaning up

Suitable material for taking up: absorbing material, organic, sand

Retain contaminated washing water and dispose it.

7. HANDLING AND STORAGE

Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Exercise the greatest care when handling or opening the container.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

Conditions for safe storage, including any incompatibilities

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

Storage temperature: Not available

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Occupational Exposure Limits (OEL)

	OEL Type	Country	Occupational Exposure Limit
sodium thiocyanate; Sodium sulfocyanide CAS: 540-72-7	MAK	GERMANY	Long Term: 2 mg/m ³
	OSHA		Long Term: 5 mg/m ³ "prevent or reduce skin absorption (as CN)" As Cyanides [RR-00812-8]
2,2'-iminodiethanol; dietanolamine CAS: 111-42-2	ACGIH		Long Term: 1 mg/m ³ (IFV), Skin, A3 - Liver and kidney dam
	MAK	GERMANY	Long Term: 1 mg/m ³
	ACGIH		Long Term: 1 mg/m ³ A3 - Confirmed Animal Carcinogen with Unknown Relevance to Humans;Skin - potential significant contribution to overall exposure by the cutaneous route;kidney and liver damage
	MAK	AUSTRIA	Long Term: 2 mg/m ³ - 0,46 ppm; Short Term: 4 mg/m ³ - 0,92 ppm
	MAK	SWITZERLAND	Long Term: 1 mg/m ³

Predicted No Effect Concentration (PNEC) values

sodium nitrate; Nitric acid Exposure Route: Fresh Water; PNEC Limit: 0,45 mg/l
monosodium salt

CAS: 7631-99-4

Exposure Route: Marine water; PNEC Limit: 0,045 mg/l

Exposure Route: Microorganisms in sewage treatments; PNEC Limit: 18 mg/l

2,2'-iminodiethanol;
dietanolamine
CAS: 111-42-2

Exposure Route: Fresh Water; PNEC Limit: 0,021 mg/l

Exposure Route: Marine water; PNEC Limit: 0,002 mg/l

Exposure Route: Freshwater sediments; PNEC Limit: 0,092 mg/kg

Exposure Route: Marine water sediments; PNEC Limit: 0,009 mg/kg

Exposure Route: Soil; PNEC Limit: 1,63 mg/kg

Exposure Route: Microorganisms in sewage treatments; PNEC Limit: 100 mg/l

Derived No Effect Level (DNEL) values

sodium nitrate; Nitric acid monosodium salt
CAS: 7631-99-4

Exposure Route: Human Inhalation; Exposure Frequency: Long Term, systemic effects
Worker Industry: 36,7 mg/m³; Consumer: 10,9 mg/m³

Exposure Route: Human Dermal; Exposure Frequency: Long Term, systemic effects
Worker Industry: 20,8 mg/kg; Consumer: 12,5 mg/kg

Exposure Route: Human Oral; Exposure Frequency: Long Term, systemic effects
Consumer: 12,5 mg/kg

2,2'-iminodiethanol;
dietanolamine
CAS: 111-42-2

Exposure Route: Human Dermal; Exposure Frequency: Long Term, systemic effects
Worker Industry: 0,13 mg/kg; Consumer: 0,07 mg/kg

Exposure Route: Human Inhalation; Exposure Frequency: Long Term, local effects
Worker Industry: 1 mg/m³; Consumer: 0,25 mg/m³

Exposure Route: Human Oral; Exposure Frequency: Long Term, systemic effects
Consumer: 0,06 mg/kg

Exposure Route: Human Inhalation; Exposure Frequency: Long Term, systemic effects
Worker Industry: 0,75 mg/m³; Consumer: 0,125 mg/m³

Appropriate engineering controls: Not available

Individual protection measures

Eye protection:

Use close fitting safety goggles, don't use contact lenses.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Suitable materials for safety gloves; 29 CFR 1910.138 - ANSI/ISEA 105:

Polychloroprene - CR: thickness $\geq 0,5\text{mm}$; breakthrough time $\geq 480\text{min}$.

Nitrile rubber - NBR: thickness $\geq 0,35\text{mm}$; breakthrough time $\geq 480\text{min}$.

Butyl rubber - IIR: thickness $\geq 0,5\text{mm}$; breakthrough time $\geq 480\text{min}$.

Fluorinated rubber - FKM: thickness $\geq 0,4\text{mm}$; breakthrough time $\geq 480\text{min}$.

Use impervious gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.

Respiratory protection:

Respiratory protection must be used where exposure levels exceed workplace exposure limits. Refer to 29 CFR 1910.134 - CSA Z94.4 for information on selection and use of appropriate respiratory protection equipment.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state:	Liquid
Appearance and colour:	liquid Brown
Odour:	characteristic
Odour threshold:	Not Relevant
Melting point / freezing point:	Not Relevant
Initial boiling point and boiling range:	100 °C (212 °F)
Flammability:	Not Relevant

Upper/lower flammability or explosive limits:	Not Relevant
Flash point:	100 °C (212 °F)
Auto-ignition temperature:	Not Relevant
Decomposition temperature:	Not Relevant
pH:	8.00
Viscosity:	65.00 mPA-s
Kinematic viscosity:	> 20,5 mm2/sec (40 °C)
Solubility in water:	very soluble
Solubility in oil:	immiscible
Partition coefficient (n-octanol/water):	Not Relevant
Vapour pressure:	Not Relevant
Evaporation rate:	Not Relevant
Relative density:	1.26 g/cm3
Vapour density:	Not Relevant

Particle characteristics:

Particle size:	No data available
----------------	-------------------

Other information

Explosive properties:	Not Relevant
Oxidizing properties:	Not Relevant
Solid/gas flammability:	Not Relevant
Substance Groups relevant properties:	Not Relevant
Miscibility:	Not Relevant
Fat Solubility:	Not Relevant
Conductivity:	Not Relevant

10. STABILITY AND REACTIVITY

Reactivity

Stable under normal conditions

Chemical stability

Data not available.

Possibility of hazardous reactions

None.

Conditions to avoid

Stable under normal conditions.

Incompatible materials

None in particular.

Hazardous decomposition products

None.

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

Toxicological Information of the Preparation

a) acute toxicity	Not classified Based on available data, the classification criteria are not met
b) skin corrosion/irritation	Not classified Based on available data, the classification criteria are not met

c) serious eye damage/irritation	The product is classified: Eye irritation, Category 2A(H319)
d) respiratory or skin sensitisation	Not classified Based on available data, the classification criteria are not met
e) germ cell mutagenicity	Not classified Based on available data, the classification criteria are not met
f) carcinogenicity	Not classified Based on available data, the classification criteria are not met
g) reproductive toxicity	The product is classified: Reproductive toxicity, Category 2(H361)
h) STOT-single exposure	Not classified Based on available data, the classification criteria are not met
i) STOT-repeated exposure	Not classified Based on available data, the classification criteria are not met
j) aspiration hazard	Not classified Based on available data, the classification criteria are not met

Toxicological information on main components of the mixture:

sodium nitrate; Nitric acid monosodium salt	a) acute toxicity	LD50 Oral Rat > 2000 mg/kg LD50 Skin Rat > 5000, mg/kg
sodium thiocyanate; Sodium sulfocyanide	a) acute toxicity	LD50 Oral Rat = 764 mg/kg
2,2'-iminodiethanol; dietanolamine	a) acute toxicity	LD50 Oral Rat > 1600 mg/kg LD50 Skin Rabbit = 8380, mg/kg LD50 Skin Rabbit = 11,9 ml/kg LD50 Skin Rabbit = 11,9 ml/kg LD50 Oral Rat = 780 mg/kg

Substance(s) listed on the IARC Monographs:

sodium nitrate; Nitric acid monosodium salt	Group 2A
sodium thiocyanate; Sodium sulfocyanide	Group 2A
2,2'-iminodiethanol; dietanolamine	Group 2B

Substance(s) listed as OSHA Carcinogen(s):

sodium nitrate; Nitric acid monosodium salt
sodium thiocyanate; Sodium sulfocyanide
2,2'-iminodiethanol; dietanolamine

Substance(s) listed as NIOSH Carcinogen(s):

None

Substance(s) listed on the NTP report on Carcinogens:

None

12. ECOLOGICAL INFORMATION

Toxicity

Adopt good working practices, so that the product is not released into the environment.

Eco-Toxicological Information:

List of Eco-Toxicological properties of the product

The product is classified: Acute aquatic hazard, category 3(H402)

List of Eco-Toxicological properties of the components

Component	Ident. Numb.	Ecotox Data
sodium nitrate; Nitric acid monosodium salt	CAS: 7631-99-4 - EINECS: 231-554-3	a) Aquatic acute toxicity : LC50 Fish = 1354 mg/L 96h a) Aquatic acute toxicity : EC50 Daphnia = 8600 mg/L 24h a) Aquatic acute toxicity : EC50 Algae > 1700 mg/L
sodium thiocyanate; Sodium sulfocyanide	CAS: 540-72-7 - EINECS: 208-754-4 - INDEX: 615-030-00-5	a) Aquatic acute toxicity : EC50 Daphnia = 3,56 mg/L
2,2'-iminodiethanol; dietanolamine	CAS: 111-42-2 - EINECS: 203-868-0 - INDEX: 603-071-00-1	a) Aquatic acute toxicity : LC50 Fish = 1480 mg/L 96 a) Aquatic acute toxicity : EC50 Algae > 9,5 mg/L 96 a) Aquatic acute toxicity : LC50 Fish = 1850 mg/L 48 a) Aquatic acute toxicity : LC50 Fish Pimephales promelas 4460 mg/L 96h EPA a) Aquatic acute toxicity : LC50 Fish Lepomis macrochirus 600 mg/L 96h IUCLID

Persistence and degradability

Component	Persitence/Degradability:
sodium thiocyanate; Sodium sulfocyanide	Readily biodegradable

Bioaccumulative potential

N.A.

Mobility in soil

N.A.

Other adverse effects

N.A.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

The generation of waste should be avoided or minimized wherever possible. Recover if possible.

Methods of disposal:

Disposal of this product, solutions, packaging and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor.

Do not dispose of waste into sewers.

Disposal considerations:

Do not allow to enter drains or watercourses.

Dispose of product according to all federal, state and local applicable regulations.

If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned.

Dispose of containers contaminated by the product in accordance with local or national legal provisions. For further information, contact your local waste authority.

Special precautions:

This material and its container must be disposed of in a safe way. Care should be taken when handling untreated empty containers.

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Empty containers or liners may retain some product residues. Do not re-use empty containers.

14. TRANSPORT INFORMATION

Not classified as dangerous in the meaning of transport regulations.

UN number

DOT-UN Number: Not Applicable

ADR-UN number: Not Applicable

IATA-Un number: Not Applicable

IMDG-Un number: Not Applicable

UN proper shipping name

IMDG-Technical name: Not Applicable

IMDG-Class: Not Applicable

IMDG-Packing group: Not Applicable

DOT-RQ: Yes DOT-RQ - Quantity: 100 lbs

Not Applicable

Not Applicable

2,2'-iminodiethanol; dietanolamine is listed in CAA Section 112(b) - HAP Section 112(b) - HON

CWA - Clean Water Act

CWA listed substances:

sodium thiocyanate; Sodium sulfocyanide is listed in CWA Section 307

USA - State specific regulations

California Proposition 65

Substance(s) listed under California Proposition 65:

2,2'-iminodiethanol; dietanolamine Listed as carcinogen

Massachusetts Right to know

Substance(s) listed under Massachusetts Right to know:

sodium nitrate; Nitric acid monosodium salt

2,2'-iminodiethanol; dietanolamine

Pennsylvania Right to know

Substance(s) listed under Pennsylvania Right to know:

sodium nitrate; Nitric acid monosodium salt

sodium thiocyanate; Sodium sulfocyanide

2,2'-iminodiethanol; dietanolamine

New Jersey Right to know

Substance(s) listed under New Jersey Right to know:

sodium nitrate; Nitric acid monosodium salt

sodium thiocyanate; Sodium sulfocyanide

2,2'-iminodiethanol; dietanolamine

Canada - Federal regulations

DSL - Domestic Substances List

All the substances are listed in the DSL.

NDSL - Non Domestic Substances List

This product complies with NDSL inventory

NPRI - National Pollutant Release Inventory

NPRI (National Pollutant Release Inventory) - List of substances listed.

No substances listed

16. OTHER INFORMATION

Safety Data Sheet dated: 9/24/2025 - version 5

Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use. The information herein is presented in good faith and believed to be accurate as of the effective date given. It is the buyer's responsibility to ensure that its activities comply with Federal, State or provincial, and local laws.

This document was prepared by a competent person who has received appropriate training.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This SDS cancels and replaces any preceding release.

Code	Description
H272	May intensify fire; oxidiser.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H361	Suspected of damaging fertility or the unborn child.
H373	May cause damage to organs through prolonged or repeated exposure.
H401	Toxic to aquatic life
H412	Harmful to aquatic life with long lasting effects.

Code	Hazard class and hazard category	Description
------	----------------------------------	-------------

A.1/4/Dermal	Acute Tox. 4	Acute toxicity (dermal), Category 4
A.1/4/Inhal	Acute Tox. 4	Acute toxicity (inhalation), Category 4
A.1/4/Oral	Acute Tox. 4	Acute toxicity (oral), Category 4
A.2/2	Skin Irrit. 2	Skin irritation, Category 2
A.3/1	Eye Dam. 1	Serious eye damage, Category 1
A.3/2A	Eye Irrit. 2A	Eye irritation, Category 2A
A.7/2	Repr. 2	Reproductive toxicity, Category 2
A.9/2	STOT RE 2	Specific target organ toxicity following repeated exposure, Category 2
B.14/2	Ox. Sol. 2	Oxidising solids, Category 2
US-HAE/A2	Aquatic Acute 2	Acute aquatic hazard, category 2
US-HAE/C3	Aquatic Chronic 3	Chronic (long term) aquatic hazard, category 3

Legend to abbreviations and acronyms used in the safety data sheet:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.
 RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.
 IMDG: International Maritime Code for Dangerous Goods.
 IATA: International Air Transport Association.
 IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
 ICAO: International Civil Aviation Organization.
 ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).
 GHS: Globally Harmonized System of Classification and Labeling of Chemicals.
 CLP: Classification, Labeling, Packaging.
 EU CLP Index: Index number as reported in Annex VI to EU Reg. 1272/2008
 EINECS: European Inventory of Existing Commercial Chemical Substances.
 INCI: International Nomenclature of Cosmetic Ingredients.
 CAS: Chemical Abstracts Service (division of the American Chemical Society).
 GefStoffVO: Ordinance on Hazardous Substances, Germany.
 LC50: Lethal concentration, for 50 percent of test population.
 LD50: Lethal dose, for 50 percent of test population.
 DNEL: Derived No Effect Level.
 PNEC: Predicted No Effect Concentration.
 TLV: Threshold Limiting Value.
 TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).
 STEL: Short Term Exposure limit.
 STOT: Specific Target Organ Toxicity.
 WGK: German Water Hazard Class.
 KSt: Explosion coefficient.

Paragraphs modified from the previous revision:

- 2. HAZARDS IDENTIFICATION
- 3. COMPOSITION/INFORMATION ON INGREDIENTS
- 8. EXPOSURE CONTROLS/PERSONAL PROTECTION
- 9. PHYSICAL AND CHEMICAL PROPERTIES
- 11. TOXICOLOGICAL INFORMATION
- 12. ECOLOGICAL INFORMATION
- 14. TRANSPORT INFORMATION
- 16. OTHER INFORMATION