

Safety Data Sheet

ULTRABOND G19 / B

Safety Data Sheet dated: 09/24/2025 - version 11

Date of first edition: 05/13/2015



1. IDENTIFICATION

Product identifier used on the label

Mixture identification:

Trade name: ULTRABOND G19 / B

Trade code: 9024856

Recommended use of the chemical and restrictions on use

Recommended use: Hardener for epoxy-polyurethane based adhesives or sealants

Restrictions on use: Not available

Name, U.S. address, and U.S. telephone number of the chemical manufacturer, importer, or other responsible party

Company: MAPEI CORP. (USA and Puerto Rico)

1144 East Newport Center Drive - 33442 - Deerfield Beach - FL - USA

Phone: 954-246-8888

Responsible: RDProductSafety@mapei.com

Emergency 24 hour numbers:

Emergency Number (USA/Canada) CHEMTREC 1(800) 424-9300 / 1(703) 527-3887

Emergency Transport CANUTEC (Canada) 1-613-996-6666

2. HAZARD(S) IDENTIFICATION



Classification of the chemical

Acute toxicity (oral), Category 4

Serious eye damage, Category 1

Skin Sensitization, Category 1A

Specific target organ toxicity following repeated exposure, Category 1

Acute aquatic hazard, category 3

Chronic (long term) aquatic hazard, category 1

Skin corrosion, Category 1B

Reproductive toxicity, Category 2

Harmful if swallowed.

Causes serious eye damage.

May cause an allergic skin reaction.

Causes damage to organs through prolonged or repeated exposure if inhaled, in contact with skin and if swallowed.

Harmful to aquatic life

Very toxic to aquatic life with long lasting effects.

Causes severe skin burns and eye damage.

Suspected of damaging fertility. Suspected of damaging the unborn child.

Label elements

Hazard pictograms and Signal Word



Danger

Hazard statements

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.

H372 Causes damage to organs through prolonged or repeated exposure if inhaled, in contact with skin and if swallowed.

H402 Harmful to aquatic life

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

P201 Obtain special instructions before use.

P202	Do not handle until all safety precautions have been read and understood.
P260	Do not breathe mist/vapours/spray.
P264	Wash skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P273	Avoid release to the environment.
P280	Wear protective gloves/clothing and eye/face protection.
P301+P312	IF SWALLOWED: Call a doctor if you feel unwell.
P301+P330+P331	IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P302+P352	IF ON SKIN: Wash with plenty of water.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P310	Immediately call a doctor.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P391	Collect spillage.
P501	Dispose of contents/container in accordance with applicable regulations.

Hazards associated with foreseeable chemical reactions

None

Ingredient(s) with unknown acute toxicity:

None

Hazards not otherwise classified identified during the classification process:

None

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances

Not Relevant

Mixtures

Hazardous components within the meaning of 29 CFR 1910.1200 and related classification:

List of components

Qty	Name	Ident. Numb.	Classification
≥25 - <30 %	2,4,6-tri(dimethylaminomethyl)phenol; Mesityl, alpha2,alpha4,alpha6-tris(dimethylamino)-	CAS:90-72-2 EC:202-013-9 EU CLP Index:603-069-00-0	Skin Corr. 1C, H314; Eye Dam. 1, H318; Acute Tox. 4, H302
≥25 - <30 %	diisopropyl naphthalene; Bis(isopropyl)naphthalene	CAS:38640-62-9 EC:254-052-6	Asp. Tox. 1, H304; Aquatic Chronic 1, H410
≥15 - <20 %	bisphenol a, epichlorohydrin, triethylenetetramine polymer; 4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, reaction products with triethylenetetramine	CAS:38294-69-8 EC:500-104-0	Acute Tox. 4, H312; Skin Corr. 1A, H314; Skin Sens. 1, H317; Aquatic Chronic 3, H412
≥15 - <20 %	isophorone diamine; 3-aminomethyl-3,5,5-trimethylcyclohexylamine	CAS:2855-13-2 EC:220-666-8 EU CLP Index:612-067-00-9	Acute Tox. 4, H302; Skin Corr. 1B, H314; Eye Dam. 1, H318; Skin Sens. 1A, H317
≥5 - <10 %	salicylic acid; 2-Hydroxybenzoic acid	CAS:69-72-7 EC:200-712-3 EU CLP Index:607-732-00-5	Acute Tox. 4, H302; Eye Dam. 1, H318; Repr. 2, H361D

≥1 - <2.5 %	aminoethylpiperazine; 2-piperazin-1-ylethylamine	CAS:140-31-8 EC:205-411-0 EU CLP Index:612-105-00-4	Acute Tox. 3, H311; Repr. 2, H361; STOT RE 1, H372; Acute Tox. 4, H302; Skin Corr. 1B, H314; Skin Sens. 1, H317; Aquatic Chronic 3, H412
≥1 - <2.5 %	tetraethylenepentamine; 3,6,9-triazaundecamethylenediamine	CAS:112-57-2 EC:203-986-2 EU CLP Index:612-060-00-0	Skin Corr. 1B, H314; Skin Sens. 1, H317; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Acute Tox. 4, H312
≥1 - <2.5 %	pentaethylenehexamine; 3,6,9,12-tetra-azatetradecamethylenediamine	CAS:4067-16-7 EC:223-775-9 EU CLP Index:612-064-00-2	Skin Corr. 1B, H314; Skin Sens. 1, H317; Aquatic Acute 1, H400; Aquatic Chronic 1, H410

The actual concentration of the components listed above is withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

In case of skin contact:

- Immediately take off all contaminated clothing.
- OBTAIN IMMEDIATE MEDICAL ATTENTION.
- Obtain medical attention if skin related symptoms persist.
- Remove contaminated clothing immediately and dispose of safely.
- After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

- After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.
- Protect uninjured eye.

In case of Ingestion:

- Give nothing to eat or drink.

In case of Inhalation:

- If breathing is irregular or stopped, administer artificial respiration.
- In case of inhalation, consult a doctor immediately and show him packing or label.

Most important symptoms/effects, acute and delayed

Eye irritation
Eye damages
Skin Irritation
Erythema

Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

(see paragraph 4.1)

5. FIRE-FIGHTING MEASURES

Extinguishing media

Suitable extinguishing media:

- Water.
- Carbon dioxide (CO₂).

Unsuitable extinguishing media:

None in particular.

Specific hazards arising from the chemical

- Do not inhale explosion and combustion gases.
- Burning produces heavy smoke.
- Hazardous combustion products: Not available
- Explosive properties: Not Relevant
- Oxidizing properties: Not Relevant

Special protective equipment and precautions for fire-fighters

- Use suitable breathing apparatus.
- Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
- Move undamaged containers from immediate hazard area if it can be done safely.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

- Wear personal protection equipment.
- Wear breathing apparatus if exposed to vapours/dusts/aerosols.
- Provide adequate ventilation.
- Use appropriate respiratory protection.
- Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.
- Limit leakages with earth or sand.

Methods and material for containment and cleaning up

- Suitable material for taking up: absorbing material, organic, sand
- Retain contaminated washing water and dispose it.

7. HANDLING AND STORAGE

Precautions for safe handling

- Avoid contact with skin and eyes, inhalation of vapours and mists.
- Exercise the greatest care when handling or opening the container.
- Use localized ventilation system.
- Don't use empty container before they have been cleaned.
- Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.
- Contaminated clothing should be changed before entering eating areas.
- Do not eat or drink while working.
- See also section 8 for recommended protective equipment.

Conditions for safe storage, including any incompatibilities

- Keep away from food, drink and feed.

Incompatible materials:

- None in particular.

Instructions as regards storage premises:

- Adequately ventilated premises.

Storage temperature: Not available

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Predicted No Effect Concentration (PNEC) values

isophorone diamine; 3-aminomethyl-3,5,5-trimethylcyclohexylamine CAS: 2855-13-2	Exposure Route: Fresh Water; PNEC Limit: 0,06 mg/l
	Exposure Route: Marine water; PNEC Limit: 0,006 mg/l
	Exposure Route: Intermittent release; PNEC Limit: 0,23 mg/l
	Exposure Route: Freshwater sediments; PNEC Limit: 5,784 mg/kg
	Exposure Route: Marine water sediments; PNEC Limit: 0,578 mg/kg
	Exposure Route: Soil; PNEC Limit: 1,121 mg/kg
	Exposure Route: Microorganisms in sewage treatments; PNEC Limit: 3,18 mg/l
salicylic acid; 2-Hydroxybenzoic acid CAS: 69-72-7	Exposure Route: Fresh Water; PNEC Limit: 0,2 mg/l
	Exposure Route: Intermittent release; PNEC Limit: 1 mg/l
	Exposure Route: Marine water; PNEC Limit: 0,02 mg/l
	Exposure Route: Freshwater sediments; PNEC Limit: 1,42 mg/kg
	Exposure Route: Marine water sediments; PNEC Limit: 0,14 mg/kg
	Exposure Route: Soil; PNEC Limit: 0,16 mg/kg
	Exposure Route: Microorganisms in sewage treatments; PNEC Limit: 162 mg/l
aminoethylpiperazine; 2-piperazin-1-ylethylamine CAS: 140-31-8	Exposure Route: Fresh Water; PNEC Limit: 0,058 mg/l
	Exposure Route: Marine water; PNEC Limit: 0,0058 mg/l
	Exposure Route: Intermittent release; PNEC Limit: 0,58 mg/l
	Exposure Route: Freshwater sediments; PNEC Limit: 215 mg/kg

Exposure Route: Marine water sediments; PNEC Limit: 21,5 mg/kg
Exposure Route: Soil; PNEC Limit: 42,9 mg/kg
Exposure Route: Microorganisms in sewage treatments; PNEC Limit: 250 mg/l

tetraethylenepentamine; 3,6,9-triazaundecamethylenedia mine
CAS: 112-57-2
Exposure Route: Fresh Water; PNEC Limit: 0,00068 mg/l

Exposure Route: Marine water; PNEC Limit: 0,00068 mg/l
Exposure Route: Freshwater sediments; PNEC Limit: 3,34 mg/kg
Exposure Route: Marine water sediments; PNEC Limit: 0,343 mg/kg
Exposure Route: Soil; PNEC Limit: 0,683 mg/kg

Derived No Effect Level (DNEL) values

2,4,6-tri(dimethylaminomethyl) phenol; Mesitol, alpha2,alpha4,alpha6-tris(dimethylamino)-
CAS: 90-72-2
Exposure Route: Human Inhalation; Exposure Frequency: Long Term, systemic effects
Worker Industry: 0,31 mg/m3

isophorone diamine; 3-aminomethyl-3,5,5-trimethylcyclohexylamine
CAS: 2855-13-2
Exposure Route: Human Inhalation
Worker Industry: 20,1 mg/m3

salicylic acid; 2-Hydroxybenzoic acid
CAS: 69-72-7
Exposure Route: Human Inhalation; Exposure Frequency: Long Term, local effects
Worker Industry: 16 mg/m3; Consumer: 0,2 mg/m3

Exposure Route: Human Oral; Exposure Frequency: Short Term, systemic effects
Consumer: 4 mg/kg

Exposure Route: Human Dermal; Exposure Frequency: Long Term, systemic effects
Worker Industry: 2 mg/kg; Consumer: 1 mg/kg

Exposure Route: Human Inhalation; Exposure Frequency: Long Term, systemic effects
Consumer: 4 mg/kg

Exposure Route: Human Oral; Exposure Frequency: Long Term, systemic effects
Consumer: 1 mg/kg

aminoethylpiperazine; 2-piperazin-1-ylethylamine
CAS: 140-31-8
Exposure Route: Human Dermal; Exposure Frequency: Short Term, systemic effects
Worker Industry: 20 mg/kg; Consumer: 10 mg/kg

Exposure Route: Human Dermal; Exposure Frequency: Short Term, local effects
Worker Industry: 0,04 mg/cm2; Consumer: 0,02 mg/cm2

Exposure Route: Human Dermal; Exposure Frequency: Long Term, systemic effects
Worker Industry: 3,3 mg/kg; Consumer: 1,7 mg/kg

Exposure Route: Human Inhalation; Exposure Frequency: Long Term, systemic effects
Worker Industry: 3,6 mg/m3; Consumer: 0,9 mg/m3

Exposure Route: Human Dermal; Exposure Frequency: Long Term, local effects
Worker Industry: 0,006 mg/cm2; Consumer: 0,003 mg/cm2

Exposure Route: Human Inhalation; Exposure Frequency: Short Term, systemic effects
Worker Industry: 21,4 mg/m3; Consumer: 5,3 mg/m3

Exposure Route: Human Oral; Exposure Frequency: Short Term, systemic effects
Consumer: 1,5 mg/kg

Exposure Route: Human Oral; Exposure Frequency: Long Term, systemic effects
Consumer: 0,3 mg/kg

tetraethylenepentamine; 3,6,9-triazaundecamethylenedia mine
CAS: 112-57-2
Exposure Route: Human Dermal; Exposure Frequency: Short Term, systemic effects
Consumer: 10 mg/kg

Exposure Route: Human Dermal; Exposure Frequency: Long Term, systemic effects
Worker Professional: 0,74 mg/kg

Exposure Route: Human Dermal; Exposure Frequency: Long Term, systemic effects
Consumer: 0,32 mg/kg

Exposure Route: Human Oral; Exposure Frequency: Long Term, systemic effects
Consumer: 0,53 mg/kg

Exposure Route: Human Inhalation; Exposure Frequency: Long Term, systemic effects
Worker Professional: 0,00129 mg/l

Exposure Route: Human Inhalation; Exposure Frequency: Long Term, systemic effects
Consumer: 0,00038 mg/l

pentaethylenhexamine;
3,6,9,12-tetra-
azatetradecamethylenedia
mine
CAS: 4067-16-7

Exposure Route: Human Dermal; Exposure Frequency: Long Term, systemic effects
Worker Industry: 0,91 mg/kg; Consumer: 0,4 mg/kg

Exposure Route: Human Inhalation; Exposure Frequency: Long Term, systemic effects
Worker Industry: 1,59 mg/m³; Consumer: 0,46 mg/m³

Exposure Route: Human Dermal; Exposure Frequency: Long Term, local effects
Worker Industry: 0,044 mg/cm²; Consumer: 0,68 mg/cm²

Exposure Route: Human Dermal; Exposure Frequency: Short Term, systemic effects
Consumer: 13 mg/kg

Exposure Route: Human Oral; Exposure Frequency: Short Term, systemic effects
Consumer: 32 mg/kg

Exposure Frequency: Short Term, local effects
Consumer: 1,59 mg/cm²

Appropriate engineering controls: Not available

Individual protection measures

Eye protection:

Use close fitting safety goggles, don't use contact lenses.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Suitable materials for safety gloves; 29 CFR 1910.138 - ANSI/ISEA 105:

Polychloroprene - CR: thickness $\geq 0,5\text{mm}$; breakthrough time $\geq 480\text{min}$.

Nitrile rubber - NBR: thickness $\geq 0,35\text{mm}$; breakthrough time $\geq 480\text{min}$.

Butyl rubber - IIR: thickness $\geq 0,5\text{mm}$; breakthrough time $\geq 480\text{min}$.

Fluorinated rubber - FKM: thickness $\geq 0,4\text{mm}$; breakthrough time $\geq 480\text{min}$.

Use impervious gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.

Respiratory protection:

Respiratory protection must be used where exposure levels exceed workplace exposure limits. Refer to 29 CFR 1910.134 - CSA Z94.4 for information on selection and use of appropriate respiratory protection equipment.

Use adequate protective respiratory equipment.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state:	Liquid
Appearance and colour:	liquid yellow
Odour:	DXZH00044
Odour threshold:	Not Relevant
Melting point / freezing point:	Not Relevant
Initial boiling point and boiling range:	Not Relevant
Flammability:	Not Relevant
Upper/lower flammability or explosive limits:	Not Relevant

Flash point:	94 °C (201 °F)
Auto-ignition temperature:	Not Relevant
Decomposition temperature:	Not Relevant
pH:	Not Relevant
Viscosity:	Not Relevant
Kinematic viscosity:	No data available
Solubility in water:	Not Relevant
Solubility in oil:	Not Relevant
Partition coefficient (n-octanol/water):	Not Relevant
Vapour pressure:	Not Relevant
Evaporation rate:	0.99 % w/w
Relative density:	0.99 g/cm3
Vapour density:	Not Relevant

Particle characteristics:

Particle size:	No data available
----------------	-------------------

Other information

Explosive properties:	Not Relevant
Oxidizing properties:	Not Relevant
Solid/gas flammability:	Not Relevant
Substance Groups relevant properties:	Not Relevant
Miscibility:	Not Relevant
Fat Solubility:	Not Relevant
Conductivity:	Not Relevant

10. STABILITY AND REACTIVITY

Reactivity

Stable under normal conditions

Chemical stability

Data not available.

Possibility of hazardous reactions

None.

Conditions to avoid

Stable under normal conditions.

Incompatible materials

None in particular.

Hazardous decomposition products

None.

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

Toxicological Information of the Preparation

a) acute toxicity	The product is classified: Acute toxicity (oral), Category 4(H302) ATEmix - Oral : 1197.05 mg/kg bw
b) skin corrosion/irritation	The product is classified: Skin corrosion, Category 1B(H314)
c) serious eye damage/irritation	The product is classified: Serious eye damage, Category 1(H318)
d) respiratory or skin sensitisation	The product is classified: Skin Sensitization, Category 1A(H317)
e) germ cell mutagenicity	Not classified

	Based on available data, the classification criteria are not met
f) carcinogenicity	Not classified
	Based on available data, the classification criteria are not met
g) reproductive toxicity	The product is classified: Reproductive toxicity, Category 2(H361)
h) STOT-single exposure	Not classified
	Based on available data, the classification criteria are not met
i) STOT-repeated exposure	The product is classified: Specific target organ toxicity following repeated exposure, Category 1(H372)
j) aspiration hazard	Not classified
	Based on available data, the classification criteria are not met

Toxicological information on main components of the mixture:

2,4,6-tri(dimethylaminomethyl)phenol; Mesityl, alpha2,alpha4,alpha6-tris(dimethylamino)-	a) acute toxicity	LD50 Oral Rat = 2169 mg/kg
		LD50 Skin Rat > 1, ml/kg
diisopropyl-naphthalene; Bis(isopropyl)naphthalene	a) acute toxicity	LD50 Oral Rat > 4000 mg/kg
		LD50 Skin Rat > 4000 mg/kg
		LC50 Inhalation Rat > 5,6 mg/l 4h
		LD50 Skin Rat > 4500 mg/kg
		LC50 Inhalation Rat > 5,64 mg/l 4h
		LD50 Oral Rat = 3900 mg/kg
isophorone diamine; 3-aminomethyl-3,5,5-trimethylcyclohexylamine	a) acute toxicity	LC50 Inhalation Dust Rat > 5,01 mg/l 4h
		LD50 Oral Rat = 1030 mg/kg
		LD50 Skin Rat > 2000 mg/kg
salicylic acid; 2-Hydroxybenzoic acid	a) acute toxicity	LC50 Inhalation Rat > 0,9 mg/l 1h
		LD50 Oral Rat = 891 mg/kg
		LD50 Skin Rabbit > 2000 mg/kg
		LD50 Skin Rat > 2 g/kg
		LC50 Inhalation Rat > 900 mg/m3 1h
		LD50 Oral Rat = 891 mg/kg
		LD50 Skin Rat > 2 g/kg
aminoethylpiperazine; 2-piperazin-1-ylethylamine	a) acute toxicity	LD50 Skin Rabbit = 866 mg/kg
		LD50 Oral Rabbit > 2097 mg/kg
		LD50 Skin Rabbit = 880 µL/kg
		LD50 Oral Rat = 2140 µL/kg
	e) germ cell mutagenicity	NOAEL Rat > 899 mg/kg
	g) reproductive toxicity	NOAEL Oral Rat = mg/kg
pentaethylenhexamine; 3,6,9,12-tetra-azatetradecamethylenedia mine	a) acute toxicity	LD50 Oral Rat = 1600 mg/kg

Substance(s) listed on the IARC Monographs:

None

Substance(s) listed as OSHA Carcinogen(s):

None

Substance(s) listed as NIOSH Carcinogen(s):

None

Substance(s) listed on the NTP report on Carcinogens:

None

12. ECOLOGICAL INFORMATION

Toxicity

Adopt good working practices, so that the product is not released into the environment.

Eco-Toxicological Information:

List of Eco-Toxicological properties of the product

The product is classified: Acute aquatic hazard, category 3(H402), Chronic (long term) aquatic hazard, category 1(H410)

List of Eco-Toxicological properties of the components

Component	Ident. Numb.	Ecotox Data
2,4,6-tri(dimethylaminomethyl)phenol; Mesitol, alpha2,alpha4,alpha6-tris(dimethylamino)-	CAS: 90-72-2 - EINECS: 202-013-9 - INDEX: 603-069-00-0	a) Aquatic acute toxicity : LC50 Fish = 175 mg/L 96h a) Aquatic acute toxicity : EC50 Algae = 46,7 mg/L 72h a) Aquatic acute toxicity : NOEC Algae = 25,1 mg/L 72h
diisopropylnaphthalene; Bis(isopropyl)naphthalene	CAS: 38640-62-9 - EINECS: 254-052-6	b) Aquatic chronic toxicity : NOEC Daphnia = 0,0118 mg/L - 21 d a) Aquatic acute toxicity : LL50 Daphnia = 1,7 mg/L 48 a) Aquatic acute toxicity : LC50 Fish Cyprinus carpio > 1000 mg/L 96h a) Aquatic acute toxicity : LC50 Fish Oryzias latipes > 1000 mg/L 96h
isophorone diamine; 3-aminomethyl-3,5,5-trimethylcyclohexylamine	CAS: 2855-13-2 - EINECS: 220-666-8 - INDEX: 612-067-00-9	a) Aquatic acute toxicity : LC50 Fish = 110 mg/L 96 a) Aquatic acute toxicity : EC50 Daphnia = 23 mg/L 48 a) Aquatic acute toxicity : EC50 Daphnia = 388 mg/L 48 a) Aquatic acute toxicity : EC50 Algae > 50 mg/L 72 b) Aquatic chronic toxicity : NOEC Daphnia = 3 mg/L - 21 d a) Aquatic acute toxicity : EC50 Daphnia Daphnia magna 14,6 mg/L 48h EPA a) Aquatic acute toxicity : EC50 Algae Desmodesmus subspicatus = 37 mg/L 72h IUCLID
salicylic acid; 2-Hydroxybenzoic acid	CAS: 69-72-7 - EINECS: 200-712-3 - INDEX: 607-732-00-5	a) Aquatic acute toxicity : EC50 Daphnia = 870 mg/L 48 a) Aquatic acute toxicity : LC50 Fish = 90 mg/L a) Aquatic acute toxicity : EC50 Algae > 100 mg/L 72 a) Aquatic acute toxicity : EC50 Daphnia Daphnia magna = 870 mg/L 48h EPA
aminoethylpiperazine; 2-piperazin-1-ylethylamine	CAS: 140-31-8 - EINECS: 205-411-0 - INDEX: 612-105-00-4	a) Aquatic acute toxicity : LC50 Fish = 2190 mg/L 96 a) Aquatic acute toxicity : EC50 Daphnia = 58 mg/L 48 a) Aquatic acute toxicity : EC50 Algae > 1000 mg/L 72 a) Aquatic acute toxicity : LC50 Fish Pimephales promelas 1950 mg/L 96h EPA a) Aquatic acute toxicity : LC50 Fish Poecilia reticulata > 1000 mg/L 96h

IUCLID

a) Aquatic acute toxicity : LC50 Fish Oncorhynchus mykiss >= 100 mg/L 96h
IUCLID

a) Aquatic acute toxicity : EC50 Daphnia Daphnia magna = 32 mg/L 48h
IUCLID

a) Aquatic acute toxicity : EC50 Algae Pseudokirchneriella subcapitata = 495 mg/L 72h IUCLID

tetraethylenepentamine; 3,6,9-triazaundecamethylenediamine

CAS: 112-57-2 -
EINECS: 203-986-2 - INDEX:
612-060-00-0

a) Aquatic acute toxicity : LC50 Fish Poecilia reticulata = 420 mg/L 96h
IUCLID

a) Aquatic acute toxicity : EC50 Daphnia Daphnia magna = 24,1 mg/L 48h
IUCLID

a) Aquatic acute toxicity : EC50 Algae Pseudokirchneriella subcapitata = 2,1 mg/L 72h IUCLID

pentaethylenehexamine; 3,6,9,12-tetra-azatetradecamethylenediamine

CAS: 4067-16-7
- EINECS: 223-775-9 - INDEX:
612-064-00-2

a) Aquatic acute toxicity : EC50 Daphnia = 17,5 mg/L 24

a) Aquatic acute toxicity : EC50 Algae = 0,7 mg/L 72

a) Aquatic acute toxicity : LC50 Fish = 180 mg/L 96

b) Aquatic chronic toxicity : NOEC Daphnia = 0,8 mg/L

Persistence and degradability

N.A.

Bioaccumulative potential

N.A.

Mobility in soil

N.A.

Other adverse effects

N.A.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

The generation of waste should be avoided or minimized wherever possible. Recover if possible.

Methods of disposal:

Disposal of this product, solutions, packaging and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor.

Do not dispose of waste into sewers.

Disposal considerations:

Do not allow to enter drains or watercourses.

Dispose of product according to all federal, state and local applicable regulations.

If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned.

Dispose of containers contaminated by the product in accordance with local or national legal provisions. For further information, contact your local waste authority.

Special precautions:

This material and its container must be disposed of in a safe way. Care should be taken when handling untreated empty containers.

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Empty containers or liners may retain some product residues. Do not re-use empty containers.

14. TRANSPORT INFORMATION

UN number

DOT-UN Number: UN3267

ADR-UN number: 3267

IATA-Un number: 3267

IMDG-Un number: 3267

UN proper shipping name

DOT-Proper Shipping Name: Corrosive liquid, basic, organic, n.o.s. (trisdimethylaminomethylphenol - bis(isopropyl)naphthalene)
ADR-Shipping Name: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (trisdimethylaminomethylphenol - bis(isopropyl)naphthalene)
IATA-Technical name: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (trisdimethylaminomethylphenol - bis(isopropyl)naphthalene)
IMDG-Technical name: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (trisdimethylaminomethylphenol - bis(isopropyl)naphthalene)

Transport hazard class(es)

DOT-Hazard Class: 8
ADR-Class: 8
IATA-Class: 8
IMDG-Class: 8

Packing group

DOT Packing Group: II
ADR-Packing Group: II
IATA-Packing group: II
IMDG-Packing group: II

Environmental hazards

Marine pollutant: Yes
Environmental Pollutant: Not Applicable
DOT-RQ: No

Transport in bulk according to IMO instruments

N.A.
Not Applicable

Special precautions

Department of Transportation (DOT):
DOT-Special Provision(s): B2, IB2, T11, TP2, TP27
DOT-Label(s): 8
DOT-Symbol: N/A
DOT-Cargo Aircraft: 30 L
DOT-Passenger Aircraft: 1 L
DOT-Bulk: 242
DOT-Non-Bulk: 202
DOT-Limited Quantity threshold: 1 L

Road and Rail (ADR-RID) :
ADR-Label: 8
ADR-Hazard identification number: 80
ADR-Transport category (Tunnel restriction code): 2 (E)

Air (IATA) :
IATA-Passenger Aircraft: 851
IATA-Cargo Aircraft: 855
IATA-Label: 8
IATA-Subsidiary hazards: -
IATA-Erg: 8L
IATA-Special Provisioning: A3 A803

Sea (IMDG) :
IMDG-Stowage and handling: Category B SW2
IMDG-Segregation: SG35 SGG18
IMDG-Subsidiary hazards: -
IMDG-Special Provisioning: 274
IMDG-EMS: F-A, S-B

15. REGULATORY INFORMATION

This Safety Data Sheet has been prepared according to the Hazard Communication Standard 2024 (HCS 2024)

USA - Federal regulations

TSCA - Toxic Substances Control Act

All the components are listed on the TSCA inventory
TSCA listed substances:
2,4,6- is listed in TSCA Section 8b
tri(dimethylaminomethyl)phenol;
Mesitol, alpha2,alpha4,alpha6-
tris(dimethylamino)-
diisopropyl naphthalene; is listed in TSCA Section 8b

Bis(isopropyl)naphthalene

bisphenol a, epichlorohydrin, is listed in TSCA Section 8b
triethylenetetramine polymer;
4,4'-Isopropylidenediphenol,
oligomeric reaction products with
1-chloro-2,3-epoxypropane,
reaction products with
triethylenetetramine

isophorone diamine; 3- is listed in TSCA Section 8b
aminomethyl-3,5,5-
trimethylcyclohexylamine

salicylic acid; 2-Hydroxybenzoic is listed in TSCA Section 8b
acid

aminoethylpiperazine; 2-piperazin- is listed in TSCA Section 8b
1-ylethylamine

tetraethylenepentamine; 3,6,9- is listed in TSCA Section 8b
trizaundecamethylenediamine

pentaethylenhexamine; 3,6,9,12- is listed in TSCA Section 8b
tetra-
azatetradecamethylenediamine

SARA - Superfund Amendments and Reauthorization Act

Section 302 - Extremely Hazardous Substances:

No substances listed

Section 304 - Hazardous substances:

No substances listed

Section 313 - Toxic chemical list:

No substances listed

CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act

Substance(s) listed under CERCLA:

No substances listed

CAA - Clean Air Act

CAA listed substances:

salicylic acid; 2-Hydroxybenzoic is listed in CAA Section 112(b) - HON
acid

tetraethylenepentamine; 3,6,9- is listed in CAA Section 112(b) - HON
trizaundecamethylenediamine

CWA - Clean Water Act

CWA listed substances:

No substances listed

USA - State specific regulations

California Proposition 65

Substance(s) listed under California Proposition 65:

No substances listed

Massachusetts Right to know

Substance(s) listed under Massachusetts Right to know:

aminoethylpiperazine; 2-piperazin-1-ylethylamine
tetraethylenepentamine; 3,6,9-trizaundecamethylenediamine

Pennsylvania Right to know

Substance(s) listed under Pennsylvania Right to know:

aminoethylpiperazine; 2-piperazin-1-ylethylamine
tetraethylenepentamine; 3,6,9-trizaundecamethylenediamine

New Jersey Right to know

Substance(s) listed under New Jersey Right to know:

isophorone diamine; 3-aminomethyl-3,5,5-trimethylcyclohexylamine
aminoethylpiperazine; 2-piperazin-1-ylethylamine
tetraethylenepentamine; 3,6,9-trizaundecamethylenediamine

Canada - Federal regulations

DSL - Domestic Substances List

All the substances are listed in the DSL.

NDSL - Non Domestic Substances List

This product complies with NDSL inventory

NPRI - National Pollutant Release Inventory

NPRI (National Pollutant Release Inventory) - List of substances listed.

No substances listed

16. OTHER INFORMATION

Safety Data Sheet dated: 9/24/2025 - version 11

Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use. The information herein is presented in good faith and believed to be accurate as of the effective date given. It is the buyer's responsibility to ensure that its activities comply with Federal, State or provincial, and local laws.

This document was prepared by a competent person who has received appropriate training.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This SDS cancels and replaces any preceding release.

Code	Description
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H361	Suspected of damaging fertility or the unborn child.
H361d	Suspected of damaging the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Code	Hazard class and hazard category	Description
A.1/3/Dermal	Acute Tox. 3	Acute toxicity (dermal), Category 3
A.1/4/Dermal	Acute Tox. 4	Acute toxicity (dermal), Category 4
A.1/4/Oral	Acute Tox. 4	Acute toxicity (oral), Category 4
A.10/1	Asp. Tox. 1	Aspiration hazard, Category 1
A.2/1A	Skin Corr. 1A	Skin corrosion, Category 1A
A.2/1B	Skin Corr. 1B	Skin corrosion, Category 1B
A.2/1C	Skin Corr. 1C	Skin corrosion, Category 1C
A.3/1	Eye Dam. 1	Serious eye damage, Category 1
A.4.2/1	Skin Sens. 1	Skin Sensitization, Category 1
A.4.2/1A	Skin Sens. 1A	Skin Sensitization, Category 1A
A.7/2	Repr. 2	Reproductive toxicity, Category 2
A.9/1	STOT RE 1	Specific target organ toxicity following repeated exposure, Category 1
US-HAE/A1	Aquatic Acute 1	Acute aquatic hazard, category 1
US-HAE/C1	Aquatic Chronic 1	Chronic (long term) aquatic hazard, category 1
US-HAE/C2	Aquatic Chronic 2	Chronic (long term) aquatic hazard, category 2
US-HAE/C3	Aquatic Chronic 3	Chronic (long term) aquatic hazard, category 3

Legend to abbreviations and acronyms used in the safety data sheet:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.

IMDG: International Maritime Code for Dangerous Goods.

IATA: International Air Transport Association.
IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO: International Civil Aviation Organization.
ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).
GHS: Globally Harmonized System of Classification and Labeling of Chemicals.
CLP: Classification, Labeling, Packaging.
EU CLP Index: Index number as reported in Annex VI to EU Reg. 1272/2008
EINECS: European Inventory of Existing Commercial Chemical Substances.
INCI: International Nomenclature of Cosmetic Ingredients.
CAS: Chemical Abstracts Service (division of the American Chemical Society).
GefStoffVO: Ordinance on Hazardous Substances, Germany.
LC50: Lethal concentration, for 50 percent of test population.
LD50: Lethal dose, for 50 percent of test population.
DNEL: Derived No Effect Level.
PNEC: Predicted No Effect Concentration.
TLV: Threshold Limiting Value.
TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).
STEL: Short Term Exposure limit.
STOT: Specific Target Organ Toxicity.
WGK: German Water Hazard Class.
KSt: Explosion coefficient.

Paragraphs modified from the previous revision:

- 2. HAZARDS IDENTIFICATION
- 3. COMPOSITION/INFORMATION ON INGREDIENTS
- 4. FIRST AID MEASURES
- 6. ACCIDENTAL RELEASE MEASURES
- 7. HANDLING AND STORAGE
- 8. EXPOSURE CONTROLS/PERSONAL PROTECTION
- 9. PHYSICAL AND CHEMICAL PROPERTIES
- 11. TOXICOLOGICAL INFORMATION
- 12. ECOLOGICAL INFORMATION
- 14. TRANSPORT INFORMATION
- 15. REGULATORY INFORMATION
- 16. OTHER INFORMATION