

Safety Data Sheet

PLANITOP ACCELERATOR

Safety Data Sheet dated: 03/25/2026 - version 2

Date of first edition: 06/15/2021



1. IDENTIFICATION

Product identifier used on the label

Mixture identification:

Trade name: PLANITOP ACCELERATOR

Trade code: 9027590

Recommended use of the chemical and restrictions on use

Recommended use: Setting and hardening accelerator for concrete

Restrictions on use: Not available

Name, U.S. address, and U.S. telephone number of the chemical manufacturer, importer, or other responsible party

Company: MAPEI CORP. (USA and Puerto Rico)

1144 East Newport Center Drive - 33442 - Deerfield Beach - FL - USA

Phone: 954-246-8888

Responsible: RDProductSafety@mapei.com

Emergency 24 hour numbers:

Emergency Number (USA/Canada) CHEMTREC 1(800) 424-9300 / 1(703) 527-3887

Emergency Transport CANUTEC (Canada) 1-613-996-6666

2. HAZARD(S) IDENTIFICATION



Classification of the chemical

Acute toxicity (oral), Category 4

Harmful if swallowed.

Skin irritation, Category 2

Causes skin irritation.

Serious eye damage, Category 1

Causes serious eye damage.

Acute aquatic hazard, category 2

Toxic to aquatic life

Label elements

Hazard pictograms and Signal Word



Danger

Hazard statements

H302 Harmful if swallowed.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H401 Toxic to aquatic life

Precautionary statements

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P273 Avoid release to the environment.

P280 Wear protective gloves/clothing and eye/face protection.

P301+P312 IF SWALLOWED: Call a doctor if you feel unwell.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a doctor.

P330 Rinse mouth.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P362+P364 Take off contaminated clothing and wash it before reuse.

P501 Dispose of contents/container in accordance with applicable regulations.

Hazards associated with foreseeable chemical reactions

None

Ingredient(s) with unknown acute toxicity:

None

Hazards not otherwise classified identified during the classification process:

None

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances

Not Relevant

Mixtures

Hazardous components within the meaning of 29 CFR 1910.1200 and related classification:

List of components

Qty	Name	Ident. Numb.	Classification
≥15 - <20 %	sodium nitrite; Nitrous acid, sodium salt	CAS:7632-00-0 EC:231-555-9 EU CLP Index:007-010-00-4	Ox. Sol. 2, H272; Acute Tox. 3, H301; Eye Irrit. 2A, H319; Aquatic Acute 1, H400
≥5 - <10 %	methyldiethanolamine; 2,2'-methyliminodiethanol	CAS:105-59-9 EC:203-312-7 EU CLP Index:603-079-00-5	Eye Irrit. 2A, H319
≥5 - <10 %	sodium thiocyanate; Sodium sulfocyanide	CAS:540-72-7 EC:208-754-4 EU CLP Index:615-030-00-5	Acute Tox. 4, H332; Acute Tox. 4, H312; Acute Tox. 4, H302; Aquatic Chronic 3, H412; Eye Dam. 1, H318; Aquatic Acute 2, H401
≥3 - <5 %	lactic acid; L-(+)-lactic acid	CAS:79-33-4 EC:201-196-2 EU CLP Index:607-743-00-5	Eye Dam. 1, H318; Skin Corr. 1C, H314

The actual concentration of the components listed above is withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.
OBTAIN IMMEDIATE MEDICAL ATTENTION.
Remove contaminated clothing immediately and dispose of safely.
After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.
Protect uninjured eye.

In case of Ingestion:

Give nothing to eat or drink.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

Most important symptoms/effects, acute and delayed

Eye irritation

Eye damages

Skin Irritation

Erythema

Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

(see paragraph 4.1)

5. FIRE-FIGHTING MEASURES

Extinguishing media

Suitable extinguishing media:

- Water.
- Carbon dioxide (CO2).

Unsuitable extinguishing media:

None in particular.

Specific hazards arising from the chemical

- Do not inhale explosion and combustion gases.
- Burning produces heavy smoke.
- Hazardous combustion products: Not available
- Explosive properties: Not available
- Oxidizing properties: Not available

Special protective equipment and precautions for fire-fighters

- Use suitable breathing apparatus.
- Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
- Move undamaged containers from immediate hazard area if it can be done safely.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

- Wear personal protection equipment.
- Remove persons to safety.
- Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.
- Limit leakages with earth or sand.

Methods and material for containment and cleaning up

- Suitable material for taking up: absorbing material, organic, sand
- Retain contaminated washing water and dispose it.

7. HANDLING AND STORAGE

Precautions for safe handling

- Avoid contact with skin and eyes, inhalation of vapours and mists.
- Don't use empty container before they have been cleaned.
- Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.
- Contaminated clothing should be changed before entering eating areas.
- Do not eat or drink while working.
- See also section 8 for recommended protective equipment.

Conditions for safe storage, including any incompatibilities

- Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

- Adequately ventilated premises.

Storage temperature: Not available

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Occupational Exposure Limits (OEL)

	OEL Type	Country	Occupational Exposure Limit
sodium thiocyanate; Sodium sulfocyanide CAS: 540-72-7	MAK	GERMANY	Long Term: 2 mg/m3
	OSHA		Long Term: 5 mg/m3 "prevent or reduce skin absorption (as CN)" As Cyanides [RR-00812-8]

Predicted No Effect Concentration (PNEC) values

sodium nitrite; Nitrous acid, sodium salt
CAS: 7632-00-0

Exposure Route: Fresh Water; PNEC Limit: 0.0054 mg/l

Exposure Route: Marine water; PNEC Limit: 0.00616 mg/l

Exposure Route: Freshwater sediments; PNEC Limit: 0.0195 mg/kg

Exposure Route: Marine water sediments; PNEC Limit: 0.0223 mg/kg

methyldiethanolamine;
2,2'-methyliminodiethanol
CAS: 105-59-9

Exposure Route: Marine water; PNEC Limit: 0.012 mg/l

Exposure Route: Intermittent release; PNEC Limit: 1 mg/l

Exposure Route: Freshwater sediments; PNEC Limit: 0.89 mg/kg

Exposure Route: Marine water sediments; PNEC Limit: 0.111 mg/kg

Exposure Route: Soil; PNEC Limit: 0.119 mg/kg

Exposure Route: Microorganisms in sewage treatments; PNEC Limit: 10 mg/l

lactic acid; L-(+)-lactic
acid
CAS: 79-33-4

Exposure Route: Fresh Water; PNEC Limit: 1.3 mg/l

Derived No Effect Level (DNEL) values

sodium nitrite; Nitrous
acid, sodium salt
CAS: 7632-00-0

Exposure Route: Human Inhalation; Exposure Frequency: Short Term, systemic effects
Worker Industry: 2 mg/m³

Exposure Route: Human Inhalation; Exposure Frequency: Long Term, systemic effects
Worker Industry: 2 mg/m³

methyldiethanolamine;
2,2'-methyliminodiethanol
CAS: 105-59-9

Exposure Route: Human Inhalation; Exposure Frequency: Long Term, systemic effects
Worker Industry: 26 mg/m³; Consumer: 6.5 mg/m³

Exposure Route: Human Dermal; Exposure Frequency: Long Term, systemic effects
Worker Industry: 19 mg/kg; Consumer: 9.4 mg/kg

Appropriate engineering controls: Not available

Individual protection measures

Eye protection:

Use close fitting safety goggles, don't use contact lenses.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Suitable materials for safety gloves; 29 CFR 1910.138 - ANSI/ISEA 105:

Polychloroprene - CR: thickness $\geq 0,5\text{mm}$; breakthrough time $\geq 480\text{min}$.

Nitrile rubber - NBR: thickness $\geq 0,35\text{mm}$; breakthrough time $\geq 480\text{min}$.

Butyl rubber - IIR: thickness $\geq 0,5\text{mm}$; breakthrough time $\geq 480\text{min}$.

Fluorinated rubber - FKM: thickness $\geq 0,4\text{mm}$; breakthrough time $\geq 480\text{min}$.

Use impervious gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.

Respiratory protection:

Respiratory protection must be used where exposure levels exceed workplace exposure limits. Refer to 29 CFR 1910.134 - CSA Z94.4 for information on selection and use of appropriate respiratory protection equipment.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state:	Liquid
Appearance and colour:	light yellow
Odour:	characteristic
Odour threshold:	No data available
Melting point / freezing point:	No data available
Initial boiling point and boiling range:	No data available
Flammability:	No data available
Upper/lower flammability or explosive limits:	No data available
Flash point:	94 °C (201 °F)

Auto-ignition temperature:	No data available
Decomposition temperature:	No data available
pH:	8.89
Viscosity:	No data available
Kinematic viscosity:	No data available
Solubility in water:	No data available
Solubility in oil:	No data available
Partition coefficient (n-octanol/water):	No data available
Vapour pressure:	No data available
Evaporation rate:	No data available
Relative density:	1.10 g/cm ³
Vapour density:	No data available

Particle characteristics:

Particle size:	No data available
----------------	-------------------

Other information

Explosive properties:	No data available
Oxidizing properties:	No data available
Solid/gas flammability:	No data available
Substance Groups relevant properties:	No data available
Miscibility:	No data available
Fat Solubility:	No data available
Conductivity:	No data available

10. STABILITY AND REACTIVITY

Reactivity

Stable under normal conditions

Chemical stability

Data not available.

Possibility of hazardous reactions

None.

Conditions to avoid

Stable under normal conditions.

Incompatible materials

None in particular.

Hazardous decomposition products

None.

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

Toxicological Information of the Preparation

a) acute toxicity	The product is classified: Acute toxicity (oral), Category 4(H302) ATEmix - Oral : 1058.73 mg/kg bw
b) skin corrosion/irritation	The product is classified: Skin irritation, Category 2(H315)
c) serious eye damage/irritation	The product is classified: Serious eye damage, Category 1(H318)
d) respiratory or skin sensitisation	Not classified
	Based on available data, the classification criteria are not met
e) germ cell mutagenicity	Not classified

	Based on available data, the classification criteria are not met
f) carcinogenicity	Not classified
	Based on available data, the classification criteria are not met
g) reproductive toxicity	Not classified
	Based on available data, the classification criteria are not met
h) STOT-single exposure	Not classified
	Based on available data, the classification criteria are not met
i) STOT-repeated exposure	Not classified
	Based on available data, the classification criteria are not met
j) aspiration hazard	Not classified
	Based on available data, the classification criteria are not met

Toxicological information on main components of the mixture:

sodium nitrite; Nitrous acid, sodium salt	a) acute toxicity	LD50 Oral Rat = 180 mg/kg	
methyldiethanolamine; 2,2'-methyliminodiethanol	a) acute toxicity	LD50 Oral Rat = 4680 mg/kg	
		LD50 Skin Rabbit = 10244 mg/kg	
	i) STOT-repeated exposure	No Observed Adverse Effect Level Skin Rat = 750 mg/kg	30h
sodium thiocyanate; Sodium sulfocyanide	a) acute toxicity	LD50 Oral Rat = 764 mg/kg	
lactic acid; L-(+)-lactic acid	a) acute toxicity	LD50 Oral Rat > 3000 mg/kg	
		LD50 Skin Rabbit > 2000 mg/kg	
		LC50 Inhalation Rat > 7.94 mg/l 4h	

Substance(s) listed on the IARC Monographs:

sodium nitrite; Nitrous acid, sodium salt	Group 2A
sodium thiocyanate; Sodium sulfocyanide	Group 2A

Substance(s) listed as OSHA Carcinogen(s):

sodium nitrite; Nitrous acid, sodium salt
sodium thiocyanate; Sodium sulfocyanide

Substance(s) listed as NIOSH Carcinogen(s):

None

Substance(s) listed on the NTP report on Carcinogens:

None

12. ECOLOGICAL INFORMATION

Toxicity

Adopt good working practices, so that the product is not released into the environment.

Eco-Toxicological Information:

List of Eco-Toxicological properties of the product

The product is classified: Acute aquatic hazard, category 2(H401)

List of Eco-Toxicological properties of the components

Component	Ident. Numb.	Ecotox Data
sodium nitrite; Nitrous acid, sodium salt	CAS: 7632-00-0 - EINECS: 231-	a) Aquatic acute toxicity : LC50 Fish > 0.54 mg/L 96h

	555-9 - INDEX: 007-010-00-4	
methyldiethanolamine; 2,2'-methyliminodiethanol	CAS: 105-59-9 - EINECS: 203-312-7 - INDEX: 603-079-00-5	a) Aquatic acute toxicity : LC50 Fish Pimephales promelas > 1000 mg/L 96h IUCLID a) Aquatic acute toxicity : EC50 Daphnia Daphnia magna = 230 mg/L 48h IUCLID a) Aquatic acute toxicity : EC50 Algae Desmodesmus subspicatus = 37 mg/L 72h IUCLID a) Aquatic acute toxicity : EC50 Algae Desmodesmus subspicatus = 20 mg/L 96h IUCLID c) Bacteria toxicity : EC50 Bacteria = 413.8 mg/L 17 - h
sodium thiocyanate; Sodium sulfocyanide	CAS: 540-72-7 - EINECS: 208-754-4 - INDEX: 615-030-00-5	a) Aquatic acute toxicity : EC50 Daphnia = 3.56 mg/L
lactic acid; L-(+)-lactic acid	CAS: 79-33-4 - EINECS: 201-196-2 - INDEX: 607-743-00-5	a) Aquatic acute toxicity : LC50 Fish > 130 mg/L 96 a) Aquatic acute toxicity : EC50 Daphnia = 130 mg/L 48 a) Aquatic acute toxicity : EC50 Algae = 2.8 mg/L 72 a) Aquatic acute toxicity : LC50 Fish Brachydanio rerio = 320 mg/L 96h IUCLID a) Aquatic acute toxicity : LC50 Fish Lepomis macrochirus 100 mg/L 96h EPA a) Aquatic acute toxicity : LC50 Fish Oncorhynchus mykiss 100 mg/L 96h EPA a) Aquatic acute toxicity : EC50 Daphnia Daphnia magna = 240 mg/L 48h IUCLID a) Aquatic acute toxicity : EC50 Daphnia Daphnia magna 180 mg/L 48h EPA

Persistence and degradability

Component

sodium thiocyanate; Sodium sulfocyanide

Persitence/Degradability:

Readily biodegradable

Bioaccumulative potential

Component

sodium nitrite; Nitrous acid, sodium salt

Bioaccumulation

Not bioaccumulative

Test

Value

methyldiethanolamine; 2,2'-methyliminodiethanol

BCF - Bioconcentration factor 3.160

Mobility in soil

N.A.

Other adverse effects

N.A.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

The generation of waste should be avoided or minimized wherever possible. Recover if possible.

Methods of disposal:

Disposal of this product, solutions, packaging and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor.

Do not dispose of waste into sewers.

Disposal considerations:

Do not allow to enter drains or watercourses.

Dispose of product according to all federal, state and local applicable regulations.

Dispose of containers contaminated by the product in accordance with local or national legal provisions. For further information, contact your local waste authority.

This material and its container must be disposed of in a safe way. Care should be taken when handling untreated empty containers. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Empty containers or liners may retain some product residues. Do not re-use empty containers.

Not classified as dangerous in the meaning of transport regulations.

DOT-UN Number: Not Applicable
ADR-UN number: Not Applicable
IATA-Un number: Not Applicable
IMDG-Un number: Not Applicable

DOT-Proper Shipping Name: Not Applicable
ADR-Shipping Name: Not Applicable
IATA-Technical name: Not Applicable
IMDG-Technical name: Not Applicable

DOT-Hazard Class: Not Applicable
ADR-Class: Not Applicable
IATA-Class: Not Applicable
IMDG-Class: Not Applicable

DOT Packing Group: Not Applicable
ADR-Packing Group: Not Applicable
IATA-Packing group: Not Applicable
IMDG-Packing group: Not Applicable

Marine pollutant: No
Environmental Pollutant: Not Applicable
DOT-RQ: Yes DOT-RQ - Quantity: 100 lbs

N.A.
Not Applicable

Not Applicable

Not Applicable

Not Applicable

Not Applicable

This Safety Data Sheet has been prepared according to the Hazard Communication Standard 2024 (HCS 2024)

All the components are listed on the TSCA inventory

sodium nitrite; Nitrous acid, sodium salt is listed in TSCA Section 8b Section 5a - SNUR Section 12b

methyldiethanolamine; 2,2'-methyliminodiethanol is listed in TSCA Section 8b

sodium thiocyanate; Sodium is listed in TSCA Section 8b
sulfocyanide

lactic acid; L-(+)-lactic acid is listed in TSCA Section 8b

SARA - Superfund Amendments and Reauthorization Act

Section 302 - Extremely Hazardous Substances:

No substances listed

Section 304 - Hazardous substances:

sodium nitrite; Nitrous acid, sodium salt

Section 313 - Toxic chemical list:

sodium nitrite; Nitrous acid, sodium salt

sodium thiocyanate; Sodium sulfocyanide

CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act

Substance(s) listed under CERCLA:

sodium nitrite; Nitrous acid, sodium salt Reportable quantity: 100 pounds

CAA - Clean Air Act

CAA listed substances:

sodium thiocyanate; Sodium sulfocyanide is listed in CAA Section 112(b) - HAP

CWA - Clean Water Act

CWA listed substances:

sodium nitrite; Nitrous acid, sodium salt is listed in CWA Section 311

sodium thiocyanate; Sodium sulfocyanide is listed in CWA Section 307

USA - State specific regulations

California Proposition 65

Substance(s) listed under California Proposition 65:

No substances listed

Massachusetts Right to know

Substance(s) listed under Massachusetts Right to know:

sodium nitrite; Nitrous acid, sodium salt

Pennsylvania Right to know

Substance(s) listed under Pennsylvania Right to know:

sodium nitrite; Nitrous acid, sodium salt

sodium thiocyanate; Sodium sulfocyanide

New Jersey Right to know

Substance(s) listed under New Jersey Right to know:

sodium nitrite; Nitrous acid, sodium salt

sodium thiocyanate; Sodium sulfocyanide

Canada - Federal regulations

DSL - Domestic Substances List

All the substances are listed in the DSL.

NDSL - Non Domestic Substances List

This product complies with NDSL inventory

NPRI - National Pollutant Release Inventory

NPRI (National Pollutant Release Inventory) - List of substances listed.

No substances listed

16. OTHER INFORMATION

Safety Data Sheet dated: 3/25/2026 - version 2

Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use. The information herein is presented in good faith and believed to be accurate as of the effective date given. It is the buyer's responsibility to ensure that its activities comply with Federal, State or provincial, and local laws.

This document was prepared by a competent person who has received appropriate training.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This SDS cancels and replaces any preceding release.

Code	Description
H272	May intensify fire; oxidiser.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H400	Very toxic to aquatic life.
H401	Toxic to aquatic life
H412	Harmful to aquatic life with long lasting effects.

Code	Hazard class and hazard category	Description
A.1/3/Oral	Acute Tox. 3	Acute toxicity (oral), Category 3
A.1/4/Dermal	Acute Tox. 4	Acute toxicity (dermal), Category 4
A.1/4/Inhal	Acute Tox. 4	Acute toxicity (inhalation), Category 4
A.1/4/Oral	Acute Tox. 4	Acute toxicity (oral), Category 4
A.2/1C	Skin Corr. 1C	Skin corrosion, Category 1C
A.3/1	Eye Dam. 1	Serious eye damage, Category 1
A.3/2A	Eye Irrit. 2A	Eye irritation, Category 2A
B.14/2	Ox. Sol. 2	Oxidising solids, Category 2
US-HAE/A1	Aquatic Acute 1	Acute aquatic hazard, category 1
US-HAE/A2	Aquatic Acute 2	Acute aquatic hazard, category 2
US-HAE/C3	Aquatic Chronic 3	Chronic (long term) aquatic hazard, category 3

Legend to abbreviations and acronyms used in the safety data sheet:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.
 RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.
 IMDG: International Maritime Code for Dangerous Goods.
 IATA: International Air Transport Association.
 IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
 ICAO: International Civil Aviation Organization.
 ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).
 GHS: Globally Harmonized System of Classification and Labeling of Chemicals.
 CLP: Classification, Labeling, Packaging.
 EU CLP Index: Index number as reported in Annex VI to EU Reg. 1272/2008
 EINECS: European Inventory of Existing Commercial Chemical Substances.
 INCI: International Nomenclature of Cosmetic Ingredients.
 CAS: Chemical Abstracts Service (division of the American Chemical Society).
 GefStoffVO: Ordinance on Hazardous Substances, Germany.
 LC50: Lethal concentration, for 50 percent of test population.
 LD50: Lethal dose, for 50 percent of test population.
 DNEL: Derived No Effect Level.
 PNEC: Predicted No Effect Concentration.
 TLV: Threshold Limiting Value.
 TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).
 STEL: Short Term Exposure limit.
 STOT: Specific Target Organ Toxicity.
 WGK: German Water Hazard Class.
 KSt: Explosion coefficient.

Paragraphs modified from the previous revision:

- 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING
- 2. HAZARDS IDENTIFICATION
- 3. COMPOSITION/INFORMATION ON INGREDIENTS
- 4. FIRST AID MEASURES
- 5. FIRE-FIGHTING MEASURES
- 7. HANDLING AND STORAGE
- 8. EXPOSURE CONTROLS/PERSONAL PROTECTION
- 9. PHYSICAL AND CHEMICAL PROPERTIES

- 9. PHYSICAL AND CHEMICAL PROPERTIES
- 11. TOXICOLOGICAL INFORMATION
- 12. ECOLOGICAL INFORMATION
- 14. TRANSPORT INFORMATION
- 15. REGULATORY INFORMATION
- 16. OTHER INFORMATION