




Product Item Numbers

8.2 Schluter®-KERDI-DRAIN




Schluter®-KERDI-DRAIN

ABS or PVC FLANGE — 2" or 3" OUTLET

2" (50 mm) drain outlet		3" (75 mm) drain outlet	
Material	Item No.	Material	Item No.
 ABS	KD2 FLK ABS	 ABS	KD3 FLK ABS
 PVC	KD2 FLK PVC	 PVC	KD3 FLK PVC

Additional components included					
	4x Inside corners		2x Outside corners		1x Pipe seal (3/4" - 20 mm)
					1x Mixing valve seal (4-1/2" - 114 mm)

Flange measurements			
ABS or PVC			
		2" (50 mm) drain outlet	3" (75 mm) drain outlet
	A	11-13/16" - 300 mm	11-13/16" - 300 mm
	B	4-17/32" - 115.2 mm	4-17/32" - 115.2 mm
	C	2-45/64" - 68.6 mm	3-15/16" - 100 mm
	D	2-3/8" - 60.5 mm	3-1/2" - 88.8 mm
	E	3-15/16" - 100 mm	3-15/16" - 100 mm
	F	1-39/64" - 40.6 mm	2" - 50.8 mm
	G	7/8" - 22.5 mm	1-1/2" - 38.1 mm




When using a flange with 3" outlet, a 6" grate is recommended.




Schluter®-KERDI-DRAIN

STAINLESS STEEL FLANGE — 2" or 3" OUTLET

2" (50 mm) drain outlet	
Material	Item No.
 No-hub	KD2 FLK E
 Threaded	KD2 FLK ETH

3" (75 mm) drain outlet	
Material	Item No.
 No-hub	KD3 FLK E


Additional components included					
	4x Inside corners		2x Outside corners		1x Pipe seal (3/4" - 20 mm)
					1x Mixing valve seal (4-1/2" - 114 mm)
					1x KERDI-FIX sealing and bonding compound (3.38 fl oz – 100 ml)


Flange measurements			
Stainless steel			
		2" (50 mm) no-hub outlet	3" (75 mm) no-hub outlet
	A	9-27/32" - 250 mm	9-27/32" - 250 mm
	B	4-1/2" - 115.4 mm	4-1/2" - 114 mm
	C	2-13/32" - 61.3 mm	3-7/16" - 87.4 mm
	D	2-13/32" - 60.6 mm	3-5/16" - 84.2 mm
	E	3-11/32" - 85 mm	3-7/16" - 87.4 mm
	F	53/64" - 21 mm	1-5/32" - 29.4 mm



When using a flange with 3" outlet, a 6" grate is recommended.

**Schluter®-KERDI-DRAIN-H****ABS or PVC FLANGE — 2" OUTLET HORIZONTAL****2" (50 mm) drain outlet**


Material	Item No.
 ABS	KDH2 FLK ABS
 PVC	KDH2 FLK PVC

Additional components included**4x**
Inside corners**2x**
Outside corners**1x**
Pipe seal
(3/4" - 20 mm)**1x**
Mixing valve seal
(4-1/2" - 114 mm)**Flange measurements****ABS or PVC****2" (50 mm) horizontal drain outlet**

A	11-13/16" - 300 mm
B	4-21/32" - 118.3 mm
C	2-47/64" - 69.5 mm
D	2-3/8" - 60.5 mm
E	3-3/8" - 85.7 mm
F	1-1/16" - 27 mm

Schluter®-KERDI-SHOWER-CB

Schluter®-KERDI-SHOWER-CB is a height compensation board made of lightweight expanded polystyrene. It can easily be cut to size to fit around the drain and waste pipe in KERDI-DRAIN-H applications or the adaptor ring in KERDI-DRAIN-A or KERDI-LINE-A applications. Multiple boards can be used to fit the size and shape of the shower.

**Schluter®-KERDI-SHOWER-CB****Compensation board**

H = in - cm	Item No.	Dimensions
1 - 2.5	KSCB 25 610 1220	48" x 24" - 122 cm x 61 cm
3-1/2 - 8.9	KSCB 90 610 1220	48" x 24" - 122 cm x 61 cm



Schluter®-KERDI-DRAIN-A

ADAPTOR KIT — 5-1/2" or 7-1/2" ADAPTOR RING

Schluter®-KERDI-DRAIN adaptor kits are designed to convert clamping ring drains to integrated bonding flange drains when removal of the clamping ring drain is not practical (e.g., when they are set in concrete slabs). The adaptor kit includes a steel adaptor ring, available in 5-1/2" (139.7 mm) and 7-1/2" (191 mm) diameter sizes, with an over-molded rubber gasket and a variety of perforated hole patterns that align with most common clamping ring drains.

5-1/2" (139.7 mm) adaptor ring

Flange and ring	Item No.
5-1/2" Also included: Height adjustment collar for KERDI-DRAIN grate	KDAM5 FLK ABS

7-1/2" (191 mm) adaptor ring

Flange and ring	Item No.
7-1/2" Also included: Lateral adjustment ring for KERDI-DRAIN grate	KDA7 FLK ABS

Additional components included

4x
Inside corners

2x
Outside corners

1x
Pipe seal (3/4" - 20 mm)

1x
Mixing valve seal (4-1/2" - 114 mm)

1x
KERDI-FIX sealing and bonding compound (3.38 fl oz – 100 ml)

Flange and adaptor ring measurements	
ABS	
	5-1/2"
	A 11-13/16" - 300 mm
	B 2-5/16" - 58.7 mm
	C 2-17/32" - 64.1 mm
	D 5-1/2" - 139.7 mm
	E 2-11/16" - 68.2 mm
	F 1" - 25.2 mm
	G 2-9/32" - 57.8 mm

Flange and adaptor ring measurements	
ABS	
	7-1/2"
	A 11-13/16" - 300 mm
	B 4-13/32" - 111.8 mm
	C 4-11/16" - 118.9 mm
	D 7-1/2" - 191 mm
	E 5-7/64" - 130 mm
	F 3-1/16" - 77.8 mm
	G 3-41/64" - 92.4 mm



The 6" round/square grates are **NOT** compatible with the 5-1/2" ring flange.



Schluter®-KERDI-DRAIN-STYLE

GRATES FOR USE WITH FLANGES WITH 2" OUTLET

4" (100 mm) Grate

Stainless Steel


PURE

Grate finish	Item No.
Brushed stainless steel (EB)	KDIF4 GRK EB D8
Brushed nickel (EBT)	KDIF4 GRK EBT D8
Brushed vintage gold (EBVG)	KDIF4 GRK EBVG D8
Brushed classic gold (EBCG)	KDIF4 GRK EBCG D8

U.S. Patent No. D831,795




EB



EBT



EBVG



EBCG

CURVE

Grate finish	Item No.
Brushed stainless steel (EB)	KDIF4 GRK EB D6
Brushed nickel (EBT)	KDIF4 GRK EBT D6
Brushed vintage gold (EBVG)	KDIF4 GRK EBVG D6
Brushed classic gold (EBCG)	KDIF4 GRK EBCG D6

U.S. Patent No. D831,171



EB



EBT



EBVG



EBCG

FLORAL

Grate finish	Item No.
Brushed stainless steel (EB)	KDIF4 GRK EB D5
Brushed nickel (EBT)	KDIF4 GRK EBT D5
Brushed vintage gold (EBVG)	KDIF4 GRK EBVG D5
Brushed classic gold (EBCG)	KDIF4 GRK EBCG D5


U.S. Patent No. D831,172



EB



EBT



EBVG



EBCG

DIAGONAL

Grate finish	Item No.
Brushed stainless steel (EB)	KDIF4 GRK EB D16



EB

QUAD

Grate finish	Item No.
Brushed stainless steel (EB)	KDIF4 GRK EB D17



EB

SQUARE

Grate finish	Item No.
Brushed stainless steel (EB)	KDIF4 GRK EB D18



EB

PARALLEL

Grate finish	Item No.
Brushed stainless steel (EB)	KDIF4 GRK EB D21



EB

Contents

**1x**

Grate and frame

**1x**

Height adjustment collar

**1x**

Lateral adjustment ring



Schluter®-KERDI-DRAIN-STYLE

GRATES FOR USE WITH FLANGES WITH 2" OUTLET


4" (100 mm) Grate

TRENDLINE

PURE

Grate finish	Item No.
Matte white (MBW)	KDIF4 GRK MBW D8
Ivory (TSI)	KDIF4 GRK TSI D8
Greige (TSBG)	KDIF4 GRK TSBG D8
Cream (TSC)	KDIF4 GRK TSC D8
Bronze (TSOB)	KDIF4 GRK TSOB D8
Stone grey (TSSG)	KDIF4 GRK TSSG D8
Pewter (TSG)	KDIF4 GRK TSG D8
Dark anthracite (TSDA)	KDIF4 GRK TSDA D8
Matte black (MGS)	KDIF4 GRK MGS D8

U.S. Patent No. D831,795



CURVE

Grate finish	Item No.
Matte white (MBW)	KDIF4 GRK MBW D6
Ivory (TSI)	KDIF4 GRK TSI D6
Greige (TSBG)	KDIF4 GRK TSBG D6
Cream (TSC)	KDIF4 GRK TSC D6
Bronze (TSOB)	KDIF4 GRK TSOB D6
Stone grey (TSSG)	KDIF4 GRK TSSG D6
Pewter (TSG)	KDIF4 GRK TSG D6
Dark anthracite (TSDA)	KDIF4 GRK TSDA D6
Matte black (MGS)	KDIF4 GRK MGS D6


U.S. Patent No. D831,171



FLORAL

Grate finish	Item No.
Matte white (MBW)	KDIF4 GRK MBW D5
Ivory (TSI)	KDIF4 GRK TSI D5
Greige (TSBG)	KDIF4 GRK TSBG D5
Cream (TSC)	KDIF4 GRK TSC D5
Bronze (TSOB)	KDIF4 GRK TSOB D5
Stone grey (TSSG)	KDIF4 GRK TSSG D5
Pewter (TSG)	KDIF4 GRK TSG D5
Dark anthracite (TSDA)	KDIF4 GRK TSDA D5
Matte black (MGS)	KDIF4 GRK MGS D5

U.S. Patent No. D831,172



Contents

**1x**
Grate and frame**1x**
Height adjustment collar**1x**
Lateral adjustment ring



Schluter®-KERDI-DRAIN-STYLE


GRATES FOR USE WITH FLANGES WITH 2" OUTLET

4" (100 mm) Grate

TRENDLINE


DIAGONAL

Grate finish	Item No.
Matte white (MBW)	KDIF4 GRK MBW D16
Ivory (TSI)	KDIF4 GRK TSI D16
Greige (TSBG)	KDIF4 GRK TSBG D16
Cream (TSC)	KDIF4 GRK TSC D16
Bronze (TSOB)	KDIF4 GRK TSOB D16
Stone grey (TSSG)	KDIF4 GRK TSSG D16
Pewter (TSG)	KDIF4 GRK TSG D16
Dark anthracite (TSDA)	KDIF4 GRK TSDA D16
Matte black (MGS)	KDIF4 GRK MGS D16




QUAD

Grate finish	Item No.
Matte white (MBW)	KDIF4 GRK MBW D17
Ivory (TSI)	KDIF4 GRK TSI D17
Greige (TSBG)	KDIF4 GRK TSBG D17
Cream (TSC)	KDIF4 GRK TSC D17
Bronze (TSOB)	KDIF4 GRK TSOB D17
Stone grey (TSSG)	KDIF4 GRK TSSG D17
Pewter (TSG)	KDIF4 GRK TSG D17
Dark anthracite (TSDA)	KDIF4 GRK TSDA D17
Matte black (MGS)	KDIF4 GRK MGS D17




SQUARE

Grate finish	Item No.
Matte white (MBW)	KDIF4 GRK MBW D18
Ivory (TSI)	KDIF4 GRK TSI D18
Greige (TSBG)	KDIF4 GRK TSBG D18
Cream (TSC)	KDIF4 GRK TSC D18
Bronze (TSOB)	KDIF4 GRK TSOB D18
Stone grey (TSSG)	KDIF4 GRK TSSG D18
Pewter (TSG)	KDIF4 GRK TSG D18
Dark anthracite (TSDA)	KDIF4 GRK TSDA D18
Matte black (MGS)	KDIF4 GRK MGS D18



PARALLEL

Grate finish	Item No.
Matte white (MBW)	KDIF4 GRK MBW D21
Ivory (TSI)	KDIF4 GRK TSI D21
Greige (TSBG)	KDIF4 GRK TSBG D21
Cream (TSC)	KDIF4 GRK TSC D21
Bronze (TSOB)	KDIF4 GRK TSOB D21
Stone grey (TSSG)	KDIF4 GRK TSSG D21
Pewter (TSG)	KDIF4 GRK TSG D21
Dark anthracite (TSDA)	KDIF4 GRK TSDA D21
Matte black (MGS)	KDIF4 GRK MGS D21



Contents



1x
Grate and frame



1x
Height adjustment collar



1x
Lateral adjustment ring



Schluter®-KERDI-DRAIN

GRATES FOR USE WITH FLANGES WITH 2" OUTLET

4" (100 mm) Grate

Stainless steel - CLASSIC

CLASSIC	
Grate finish	Item No.
Stainless steel (E)	KD4 GRK E
Chrome (EP)	KD4 GRK EP
Oil-rubbed bronze (EOB)	KD4 GRK EOB
Nickel (ET)	KD4 GRK ET
Vintage gold (EVG)	KD4 GRK EVG
Classic gold (ECG)	KD4 GRK ECG



Anodized aluminum - CONTOUR


CONTOUR	
Grate finish	Item No.
Brushed nickel (ATGB)	KD4 GRK ATGB
Brushed copper (AKGB)	KD4 GRK AKGB
Brushed brass (AMGB)	KD4 GRK AMGB




Contents		
	1x Grate and frame	
		1x Height adjustment collar
		
		1x Lateral adjustment ring

**Schluter®-KERDI-DRAIN****GRATES FOR USE WITH FLANGES WITH 2" OUTLET****4" (100 mm) Grate****TILE**


TILE	
Grate finish	Item No.
TILE	KD4 GRK ECS



The tileable grate is not suitable for use with the KERDI-DRAIN-F flange.

Contents

1x
Tileable
covering
support



1x
Spacer



1x
Lateral
adjustment
ring

GRATES FOR USE WITH FLANGES WITH 2" or 3" OUTLET**6" (150 mm) Grate****Stainless steel - CLASSIC**

CLASSIC SQUARE	
Grate finish	Item No.
Stainless steel (E)	KD6 GRK E



CLASSIC ROUND	
Grate finish	Item No.
Stainless steel (E)	KD6 GRK RE

**Contents**

1x
Grate and frame
with integrated height
adjustment collar



1x
Lateral
adjustment ring



The 6" (150 mm) grates are not suitable for use with the KERDI-DRAIN-F flange and the KERDI-DRAIN-A flange with 5-1/2" (139.7 mm) adaptor ring.



Schluter®-KERDI-DRAIN

DRAIN KITS — ABS or PVC FLANGE - 2" OUTLET - STAINLESS STEEL GRATE

Schluter®-KERDI-DRAIN		
	ABS - 2" (50 mm)	PVC - 2" (50 mm)
4" (100 mm) square grate		
Stainless steel	KD2/ABS/E	KD2/PVC/E

Contents

**1x**
Flange**1x**
Grate and
frame**1x**
Height adjustment
collar**1x**
Lateral
adjustment
ring**4x**
Inside
corners**2x**
Outside
corners**1x**
Pipe seal
(3/4" - 20 mm)**1x**
Mixing valve seal
(4-1/2" - 114 mm)

ADAPTOR KIT — 5-1/2" ADAPTOR RING - 4" STAINLESS STEEL GRATE

5-1/2" (139.7 mm) adaptor ring	
	ABS
4" (100 mm) square grate	
Stainless steel	KDAM5 ABS E

Contents

**1x**
Flange**1x**
Grate and
frame**1x**
Height
adjustment
collar**1x**
Adaptor
ring**4x**
Inside
corners**2x**
Outside
corners**1x**
Pipe seal
(3/4" - 20 mm)**1x**
Mixing
valve seal
(4-1/2" - 114 mm)**1x**
KERDI-FIX
sealing and bonding compound
(3.38 fl oz - 100 ml)




Schluter®-KERDI-DRAIN

ABS or PVC FLANGE — 2" or 3" OUTLET - WITHOUT SEALS AND CORNERS


2" (50 mm) drain outlet		
Material	1 Unit	10 Units
	Item No.	Item No.
 ABS	KD2/ABS/FL	KD2/ABS/FL10
 PVC	KD2/PVC/FL	KD2/PVC/FL10

3" (75 mm) drain outlet	
Material	Item No.
 ABS	KD3/ABS/FL
 PVC	KD3/PVC/FL

ABS or PVC **HORIZONTAL** FLANGE — 2" OUTLET - WITHOUT SEALS AND CORNERS

2" (50 mm) drain outlet	
Material	Item No.
 ABS	KDH2/ABS/FL
 PVC	KDH2/PVC/FL

STAINLESS STEEL FLANGE — 2" or 3" OUTLET - WITHOUT SEALS AND CORNERS

2" (50 mm) drain outlet		
Material	1 Unit	10 Units
	Item No.	Item No.
 No-hub	KD2/E/FL	KD2/E/FL10
 Threaded	KD2/ETH/FL	-

3" (75 mm) drain outlet	
Material	Item No.
 No-hub	KD3/E/FL

Also included with stainless steel flanges



1x
KERDI-FIX
sealing and bonding compound
(3.38 fl oz – 100 ml)

Note: Not included with 10-pack



When using a flange with 3" outlet, a 6" grate is recommended.




Schluter®-KERDI-DRAIN

10 PACKS — ABS OR PVC FLANGE - 2" OUTLET

2" (50 mm) drain outlet	
Material	Item No.
 ABS	KD2 FLK ABS 10
 PVC	KD2 FLK PVC 10

Note: 10 packs are packaged in bulk, not individually boxed.

Additional components included



10 PACKS — ABS FLANGE - 5-1/2" ADAPTOR RING


5-1/2" (139.7 mm) adaptor ring	
Flange and ring	Item No.
 5-1/2" Also included: Height adjustment collar for KERDI-DRAIN grate	KDAM5 FLK ABS 10

Note: 10 packs are packaged in bulk, not individually boxed.



The 6" round/square grates are **NOT** compatible with the 5-1/2" ring flange.

Additional components included



10 PACKS — 4" GRATE - STAINLESS STEEL

Stainless steel - CLASSIC



Stainless steel
Item No.
KD4 GRK E 10

Note: 10 packs are packaged in bulk, not individually boxed.

Contents





Schluter®-KERDI-DRAIN

6" SQUARE CLEAN OUT COVER

The **Schluter®-KERDI-DRAIN Clean Out Cover** is a 6" stainless steel cover available for installations where the KERDI-DRAIN bonding flange is to be used in a cleanout application.



Clean out cover 6"	
Item No.	Finish
KD-GR6C-E	Stainless steel

TAMPER PROOF SCREWS

Schluter®-KERDI-DRAIN Tamper Proof Screws are designed as a high security accessory for the KERDI-DRAIN. Ideal for loss prevention and anti-theft, these tamper proof screws are used in environments where tamper resistance is desired or required (e.g., healthcare or education facilities, etc.). Phillips head screws are included with the KERDI-DRAIN. The tamper-proof screws as well as the driver bit must be purchased separately.



Tamper proof screw and driver bit	
Item No.	Description
KD/TPSCRW	Tamper proof screw
KD/TPWRCH	Driver bit

STRAINER

The **Schluter®-KERDI-DRAIN Strainer** is a hair catcher customized to fit inside the KERDI-DRAIN flange to trap and collect hair. Simple to remove and clean, the hair catcher fits discreetly into the drain to prevent hair clogs that can lead to blocked pipes.

Note: The KERDI-DRAIN strainer is only suitable for use with flanges with 2" (50 mm) vertical outlets (ABS, PVC, and stainless steel with no-hub or threaded outlet).



Strainer for KERDI-DRAIN	
Item No.	Description
KD-STR	Strainer



Product Listings and Certifications

Schluter®-KERDI-DRAIN - Listings and Certifications								
Grates Flanges	Grate - 4" (100 mm)					Grate - 6" (150 mm)		
	CLASSIC Stainless steel (All finishes except EOB)	CLASSIC Stainless steel EOB	CONTOUR Anodized aluminum (All finishes)	TILE	STYLE PURE, CURVE and FLORAL Stainless steel (All finishes)	Stainless steel		
						Square 6E	Round 6RE	Cover 6CE
2" (50 mm) PVC	1	-	1	1	1	1	1	2
2" (50 mm) ABS	1	-	1	1	1	1	1	2
2" (50 mm) PVC Horizontal	1	-	1	1	1	1	1	2
2" (50 mm) ABS Horizontal	1	-	1	1	1	1	1	2
2" (50 mm) Stainless steel	1	-	1	1	1	1	1	2
2" (50 mm) Stainless steel Threaded	1	-	1	1	1	1	1	2
3" (75 mm) PVC	-	-	-	-	-	1	1	2
3" (75 mm) ABS	-	-	-	-	-	1	1	2
3" (75 mm) Stainless steel	-	-	-	-	-	1	1	2
5-1/4" (133.4 mm) Adaptor	-	-	-	-	-	-	-	-
7-1/2" (191 mm) Adaptor	-	-	-	-	-	-	-	-

Various configurations of KERDI-DRAIN are listed by ICC-ES (Report No. PMG-1204), UPC® and CSA as shown in the table above.

1 - Listed by ICC-ES (Report No. PMG-1204), UPC® and CSA.

2 - Listed by CSA

For copies of these documents, please contact Schluter®-Systems at 800-472-4588 or by email at info@schluter.com.

Links to the documents can also be accessed at Schluter.com.