



Note: There are multiple selections to be made for this product. Begin by selecting the appropriate channel body length then proceed to grate selection accordingly, keeping in mind there two frame height options for the SOLID (A) and SQUARE (B) grates.

Schluter®-KERDI-LINE

CHANNEL BODY

Contents



1x
Channel body



4x
Inside
corners



2x
Outside
corners




1x
Channel support



1x
No-hub coupling




1x
Pipe seal
(3/4" - 20 mm)



1x
Mixing valve seal
(4-1/2" - 114 mm)

Channel body center outlet




Schluter®-KERDI-LINE

Channel body - stainless steel - center outlet

L = in. - cm	L ₁ = in. - cm	Item No.
19-11/16 - 50	21-11/16 - 55	KL1V 60 E 50
23-5/8 - 60	25-5/8 - 65	KL1V 60 E 60
27-9/16 - 70	29-9/16 - 75	KL1V 60 E 70
31-1/2 - 80	33-1/2 - 85	KL1V 60 E 80
35-7/16 - 90	37-7/16 - 95	KL1V 60 E 90
39-3/8 - 100	41-3/8 - 105	KL1V 60 E 100
43-5/16 - 110	45-5/16 - 115	KL1V 60 E 110
47-1/4 - 120	49-1/4 - 125	KL1V 60 E 120
51-3/16 - 130	53-3/16 - 135	KL1V 60 E 130
55-1/8 - 140	57-1/8 - 145	KL1V 60 E 140
59-1/16 - 150	61-1/16 - 155	KL1V 60 E 150
62-15/16 - 160	64-15/16 - 165	KL1V 60 E 160
66-7/8 - 170	68-7/8 - 175	KL1V 60 E 170
70-13/16 - 180	72-13/16 - 185	KL1V 60 E 180

Channel body off-set outlet



Channel body - stainless steel - off-set outlet

L = in. - cm	L ₁ = in. - cm	Item No.
27-9/16 - 70	29-9/16 - 75	KL1VO 60 E 70
31-1/2 - 80	33-1/2 - 85	KL1VO 60 E 80
35-7/16 - 90	37-7/16 - 95	KL1VO 60 E 90
39-3/8 - 100	41-3/8 - 105	KL1VO 60 E 100
43-5/16 - 110	45-5/16 - 115	KL1VO 60 E 110
47-1/4 - 120	49-1/4 - 125	KL1VO 60 E 120



LINEAR DRAIN ADAPTOR KIT — 5-1/2" (139.7 mm)

Schluter®-KERDI-LINE-A

Schluter®-KERDI-LINE-A adaptor kits are designed to convert clamping ring drains to KERDI-LINE linear drains when removal of the clamping ring drain is not practical (e.g., when they are set in concrete slabs). The adaptor kit includes a steel adaptor ring, available in 5-1/2" (139.7 mm) diameter, with an over-molded rubber gasket and a variety of perforated hole patterns that align with most common clamping ring drains.




Linear drain adaptor kit (139.7 mm - 5-1/2")	
1 UNIT	10-PACK*
Item No.	Item No.
KLAM 5K	KLAM 5K 10

*Note:
10-packs are packaged in bulk, not individually boxed.



Additional component included	
	1x KERDI-FIX sealing and bonding compound (100 ml - 3.38 fl oz)


Adaptor ring measurements	
	A 139.7 mm - 5-1/2"
	B 64.6 mm - 2-9/16"





Schluter®-KERDI-LINE

GRATE ASSEMBLY - BRUSHED STAINLESS STEEL


CONTENTS

**1x**Grate
6 design options:


- SOLID
- SQUARE
- TILE
- CURVE
- FLORAL
- PURE

**1x**Grate frame with height
adjustment spacers.
See product tables for
frame height options
(not included with
TILE grate).

SOLID (A)



SQUARE (B)



Grate assemblies - Brushed stainless steel

 $\frac{3}{4}$ " (19 mm) frame height for
 $\frac{1}{8}$ " to $\frac{9}{16}$ " (3 mm to 15 mm) -thick coverings

Length = in. - cm	SOLID (A)	SQUARE (B)
	Item No.	Item No.
19-11/16 - 50	KL1AR 19 EB 50	KL1B 19 EB 50
23-5/8 - 60	KL1AR 19 EB 60	KL1B 19 EB 60
27-9/16 - 70	KL1AR 19 EB 70	KL1B 19 EB 70
31-1/2 - 80	KL1AR 19 EB 80	KL1B 19 EB 80
35-7/16 - 90	KL1AR 19 EB 90	KL1B 19 EB 90
39-3/8 - 100	KL1AR 19 EB 100	KL1B 19 EB 100
43-5/16 - 110	KL1AR 19 EB 110	KL1B 19 EB 110
47-1/4 - 120	KL1AR 19 EB 120	KL1B 19 EB 120
51-3/16 - 130	KL1AR 19 EB 130	KL1B 19 EB 130
55-1/8 - 140	KL1AR 19 EB 140	KL1B 19 EB 140
59-1/16 - 150	KL1AR 19 EB 150	KL1B 19 EB 150
62-15/16 - 160	KL1AR 19 EB 160	KL1B 19 EB 160
66-7/8 - 170	KL1AR 19 EB 170	KL1B 19 EB 170
70-13/16 - 180	KL1AR 19 EB 180	KL1B 19 EB 180


 $1\frac{1}{8}$ " (30 mm) frame height for
 $\frac{1}{2}$ " to 1" (13 mm to 25 mm) -thick coverings

19-11/16 - 50	KL1AR 30 EB 50	KL1B 30 EB 50
23-5/8 - 60	KL1AR 30 EB 60	KL1B 30 EB 60
27-9/16 - 70	KL1AR 30 EB 70	KL1B 30 EB 70
31-1/2 - 80	KL1AR 30 EB 80	KL1B 30 EB 80
35-7/16 - 90	KL1AR 30 EB 90	KL1B 30 EB 90
39-3/8 - 100	KL1AR 30 EB 100	KL1B 30 EB 100
43-5/16 - 110	KL1AR 30 EB 110	KL1B 30 EB 110
47-1/4 - 120	KL1AR 30 EB 120	KL1B 30 EB 120




Schluter®-KERDI-LINE


GRATE ASSEMBLY - CHROME



SOLID (A)



SQUARE (B)





Grate assemblies - Chrome



 3/4" (19 mm) frame height for
1/8" to 9/16" (3 mm to 15 mm) -thick coverings

Length = in. - cm	SOLID (A)	SQUARE (B)
	Item No.	Item No.
19-11/16 - 50	KL1AR 19 EP 50	KL1B 19 EP 50
23-5/8 - 60	KL1AR 19 EP 60	KL1B 19 EP 60
27-9/16 - 70	KL1AR 19 EP 70	KL1B 19 EP 70
31-1/2 - 80	KL1AR 19 EP 80	KL1B 19 EP 80
35-7/16 - 90	KL1AR 19 EP 90	KL1B 19 EP 90
39-3/8 - 100	KL1AR 19 EP 100	KL1B 19 EP 100
43-5/16 - 110	KL1AR 19 EP 110	KL1B 19 EP 110
47-1/4 - 120	KL1AR 19 EP 120	KL1B 19 EP 120

GRATE ASSEMBLY - TRENDLINE COLORS



19 mm - 3/4" Frame



19 mm - 3/4" Frame

SOLID (A)

SQUARE (B)

Grate assemblies - Textured color-coated stainless steel

 19 mm - 3/4" frame height for
3 mm to 15 mm - 1/8" to 9/16" -thick coverings

Length = cm - in.	SOLID (A)	SQUARE (B)
	Item No.	Item No.
50 - 19-11/16	KL1AR 19 + color* 50	KL1B 19 + color* 50
60 - 23-5/8	KL1AR 19 + color* 60	KL1B 19 + color* 60
70 - 27-9/16	KL1AR 19 + color* 70	KL1B 19 + color* 70
80 - 31-1/2	KL1AR 19 + color* 80	KL1B 19 + color* 80
90 - 35-7/16	KL1AR 19 + color* 90	KL1B 19 + color* 90
100 - 39-3/8	KL1AR 19 + color* 100	KL1B 19 + color* 100
110 - 43-5/16	KL1AR 19 + color* 110	KL1B 19 + color* 110
120 - 47-1/4	KL1AR 19 + color* 120	KL1B 19 + color* 120
130 - 51-3/16	KL1AR 19 + color* 130	KL1B 19 + color* 130
140 - 55-1/8	KL1AR 19 + color* 140	KL1B 19 + color* 140
150 - 59-1/16	KL1AR 19 + color* 150	KL1B 19 + color* 150
160 - 62-15/16	KL1AR 19 + color* 160	KL1B 19 + color* 160
170 - 66-7/8	KL1AR 19 + color* 170	KL1B 19 + color* 170
180 - 70-13/16	KL1AR 19 + color* 180	KL1B 19 + color* 180

*Color Codes



* To complete the item number, add the
color code (e.g., KL1B 19 **TSI** 50).



GRATE ASSEMBLY - FRAMELESS TILEABLE




Grate assemblies - Frameless tileable			
Length = in. - cm	Item No.		
	TILE (D)		
	For use with center outlet channel body	For use with off-set outlet channel body	
19-11/16 - 50	KL1DRE 50	-	
23-5/8 - 60	KL1DRE 60	-	
27-9/16 - 70	KL1DRE 70	KL1DRO E 70	
31-1/2 - 80	KL1DRE 80	KL1DRO E 80	
35-7/16 - 90	KL1DRE 90	KL1DRO E 90	
39-3/8 - 100	KL1DRE 100	KL1DRO E 100	
43-5/16 - 110	KL1DRE 110	KL1DRO E 110	
47-1/4 - 120	KL1DRE 120	KL1DRO E 120	
51-3/16 - 130	KL1DRE 130	-	
55-1/8 - 140	KL1DRE 140	-	
59-1/16 - 150	KL1DRE 150	-	
62-15/16 - 160	KL1DRE 160	-	
66-7/8 - 170	KL1DRE 170	-	
70-13/16 - 180	KL1DRE 180	-	






Schluter®-KERDI-LINE-TF

GRATE ASSEMBLY - TILE GRATE WITH THIN FRAME



TILE - THIN FRAME (H)



Grate assemblies - TILE with thin frame

6 mm - **1/4"** frame height for 5 mm to 7 mm - **13/64" to 9/32"** -thick coverings

TILE - THIN FRAME (H)

Length = in. - <i>cm</i>	Item No.
19-11/16 - 50	KLTFH 6 E 50
23-5/8 - 60	KLTFH 6 E 60
27-9/16 - 70	KLTFH 6 E 70
31-1/2 - 80	KLTFH 6 E 80
35-7/16 - 90	KLTFH 6 E 90
39-3/8 - 100	KLTFH 6 E 100
43-5/16 - 110	KLTFH 6 E 110
47-1/4 - 120	KLTFH 6 E 120

12.5 mm - **1/2"** frame height for 7 mm to 12 mm - **9/32" to 15/32"** -thick coverings

TILE - THIN FRAME (H)

Length = in. - <i>cm</i>	Item No.
19-11/16 - 50	KLTFH 12 E 50
23-5/8 - 60	KLTFH 12 E 60
27-9/16 - 70	KLTFH 12 E 70
31-1/2 - 80	KLTFH 12 E 80
35-7/16 - 90	KLTFH 12 E 90
39-3/8 - 100	KLTFH 12 E 100
43-5/16 - 110	KLTFH 12 E 110
47-1/4 - 120	KLTFH 12 E 120

22.5 mm - **7/8"** frame height for 16 mm to 20 mm - **5/8" to 25/32"** -thick coverings

TILE - THIN FRAME (H)

Length = in. - <i>cm</i>	Item No.
19-11/16 - 50	KLTFH 22 E 50
23-5/8 - 60	KLTFH 22 E 60
27-9/16 - 70	KLTFH 22 E 70
31-1/2 - 80	KLTFH 22 E 80
35-7/16 - 90	KLTFH 22 E 90
39-3/8 - 100	KLTFH 22 E 100
43-5/16 - 110	KLTFH 22 E 110
47-1/4 - 120	KLTFH 22 E 120





Schluter®-KERDI-LINE-STYLE



GRATE ASSEMBLY - BRUSHED STAINLESS STEEL STYLE DESIGNS




CURVE



FLORAL



PURE



Grate assemblies - Brushed stainless steel




29/32" - 23 mm frame height for 1/4" - 11/16" (6 - 18 mm) -thick coverings

Length = in. - cm	CURVE	FLORAL	PURE
	Item No.	Item No.	Item No.
19-11/16 - 50	KL1IFF 23 EB 50	KL1IFE 23 EB 50	KL1IFG 23 EB 50
23-5/8 - 60	KL1IFF 23 EB 60	KL1IFE 23 EB 60	KL1IFG 23 EB 60
27-9/16 - 70	KL1IFF 23 EB 70	KL1IFE 23 EB 70	KL1IFG 23 EB 70
31-1/2 - 80	KL1IFF 23 EB 80	KL1IFE 23 EB 80	KL1IFG 23 EB 80
35-7/16 - 90	KL1IFF 23 EB 90	KL1IFE 23 EB 90	KL1IFG 23 EB 90
39-3/8 - 100	KL1IFF 23 EB 100	KL1IFE 23 EB 100	KL1IFG 23 EB 100
43-5/16 - 110	KL1IFF 23 EB 110	KL1IFE 23 EB 110	KL1IFG 23 EB 110
47-1/4 - 120	KL1IFF 23 EB 120	KL1IFE 23 EB 120	KL1IFG 23 EB 120

Schluter®-KERDI-LINE

PERFORATED GRATE WITH LOCKING MECHANISM

The **Schluter®-KERDI-LINE** SQUARE grate assembly (B) with 3/4" (19 mm) frame height is available with a locking mechanism for applications where tamper resistance is required.



SQUARE grate assembly with locking mechanism

Length = in. - cm	Item No.
19-11/16 - 50	KL1BL 19 EB 50
23-5/8 - 60	KL1BL 19 EB 60
27-9/16 - 70	KL1BL 19 EB 70
31-1/2 - 80	KL1BL 19 EB 80
35-7/16 - 90	KL1BL 19 EB 90
39-3/8 - 100	KL1BL 19 EB 100
43-5/16 - 110	KL1BL 19 EB 110
47-1/4 - 120	KL1BL 19 EB 120
51-3/16 - 130	KL1BL 19 EB 130
55-1/8 - 140	KL1BL 19 EB 140
59-1/16 - 150	KL1BL 19 EB 150
62-15/16 - 160	KL1BL 19 EB 160
66-7/8 - 170	KL1BL 19 EB 170
70-13/16 - 180	KL1BL 19 EB 180




Note: Driver bit for tamper-proof screws sold separately. Please see page 26.



COVER PLATE

Schluter®-KERDI-LINE-FC

Schluter®-KERDI-LINE-FC is a stainless steel cover plate for use with the Schluter®-KERDI-LINE linear shower drain to create a seamless look in applications where multiple drains are installed end to end. KERDI-LINE-FC is designed for use with either the SOLID or SQUARE grates.



Schluter®-KERDI-LINE-FC Cover Plate

Brushed stainless steel	Chrome	Textured color-coated
Item No.	Item No.	Item No.
V / KLEB 35	V / KLEP 35	V / KL + color * 35

*Color Codes

TSI Ivory	TSBG Greige	TSSG Stone grey	TSC Cream	TSOB Bronze
TSG Pewter	TSDA Dark anthracite	MBW Matte white	MGS Matte black	

* To complete the item number, add the **color** code (e.g., V / KL **TSI** 35).

STRAINER

The **Schluter®-KERDI-LINE Strainer** is a hair catcher customized to fit inside the KERDI-LINE channel body to trap and collect hair. Simple to remove and clean, the hair catcher fits discreetly into the drain to prevent hair clogs that can lead to blocked pipes.

Note: The tabs of the drain strainer must be installed into the KERDI-LINE channel body v-grooves to ensure proper drainage.



Strainer for KERDI-LINE

Item No.	Description
KL VZ SF	Strainer